



EVERYTHING FOR THE FARM & COUNTRYSIDE

AT **STRAIGHTFORWARD** LOW PRICES



Agriculture



Construction



Country Living

Product Guide

Version 3

www.tfmsuperstore.co.uk

This is just a part
of the range
we sell



Introduction

We think you'll like our everyday **STRAIGHTFORWARD** low prices...

...It's why everyone shops at 

- No high prices then short term offers
- Trustworthy competitive prices without the need to barter
- Everyone pays the same, whatever you spend
- Only buy what you think you need for the job - Top-ups won't cost you any more
- Consistant low prices, every time you shop

Suppliers of Farming Equipment for Over 35 Years

TFM Farm & Country Superstore is one of the original and largest farm and country stores in the UK, with more than 35 years' experience in the supply of farming equipment and agricultural supplies to farms and small holdings across the country. **TFM** sell all the practical and essential farming equipment, tools, consumables, farming accessories, parts and services that farmers, the rural workforce and rural community really need. We pride ourselves on supplying the best choice of agricultural, construction and country living products on the market, coupled with dependable stock levels, well known brand names, and most of all, reliable always straightforward low prices.

The **TFM** range, includes: farming, outdoor, building, electrical, plumbing, fencing, drainage, power tools, hand tools, spanners, livestock supplies, animal husbandry, feed, seed, gardening, landscaping, clothing - the list is endless.



Best Price - First Time - Every Time - 7 Days A week - **STRAIGHTFORWARD Low Prices**

Contents



Agriculture

Livestock Feeds	6
Livestock Feeding Equipment	9
Feeding & Handling Equipment	10
Animal Health - Supplements	11
Animal Health - Treatments	12
Animal Health - Wormers	14
Sheep Husbandry Equipment	17
Mineral Licks, Blocks & Buckets	19
Drinking Troughs & Bowls	21
Shearers & Clippers	23
Electric Fencing Energizers	26
Fencing Selection Guide	29
Fencing Wire	30
Fencing	31
Gates	34
Pet Housing	35
Wild Bird Food	40
Pigeon Food	41
Dog Food	43
Rat & Mouse Poisons	48
Rat & Mouse Traps	50
Plough Parts	52
PTO Shafts & Accessories	53
Oil Guides	55
Oils & Lubricants	57

Construction

Aggregates & Cement	62
Timber	63
Security Fencing	64
Slabs & Paving	66
Building Materials	68
Boarding	69
Land Drainage	70
Drainage - Drain	71
Drainage - Soil & Rainwater	73
Rainwater - Cast Iron Effect	75
Push Fit Waste Products	76
Water Pipe & Fittings	77
Roofing	78
Fuel Tanks	80
Ladders	82
Trailers	84
Wheel Barrows	85
Power Tools	86
Power Tool Batteries & Chargers	89
Submersible Pumps	92
Generators	93
Compressors	94
Welders	95
Battery Chargers	96
Pressure Washers	97
Space Heaters	98
Wood Burners	99
Chainsaws	100
Hedge Trimmers	102
Strimmers	104
Brushcutters	105
Blowers	107
Shredders, Chippers, Rotavators	108
Log Splitters	109
Combi Systems	110
Lawn Mowers	112

Country Living

Grass seed	120
Garden Furniture	121
Sheds & Storage	122
Compost & Bark	123
Winter Fuel	124
Guns	126
Ammunition	128
Safety Boots	132
Non-Safety Boots	135
Wellingtons	136

Product Support

Product Support	140
Servicing	141
Parts	142
Chainsaw - Chain & File Guide	143
Chain Identification	144
Hydraulics & Fuel	145
Tool Hire	146



**EVERYTHING FOR THE
FARM & COUNTRYSIDE**
AT **STRAIGHTFORWARD** LOW PRICES

YOUR CROP PACKAGING PARTNER

BALER TWINE | NETWRAP | STRETCH FILM



Agriculture

Contents



Livestock Feeds	8
Livestock Feeds	6
Livestock Feeding Equipment	9
Feeding & Handling Equipment	10
Animal Health - Supplements	11
Animal Health - Treatments	12
Animal Health - Wormers	14
Sheep Husbandry Equipment	17
Mineral Licks, Blocks & Buckets	19
Drinking Troughs & Bowls	21
Shearers & Clippers	23
Electric Fencing Energizers	26
Fencing Selection Guide	29
Fencing Wire	30
Fencing	31
Gates	34
Pet Housing	35
Wild Bird Food	40
Pigeon Food	41
Dog Food	43
Rat & Mouse Poisons	48
Rat & Mouse Traps	50
Plough Parts	52
PTO Shafts & Accessories	53
Oil Guides	55
Oils & Lubricants	57





Livestock Feeds

Cattle

Aston Calf Niblets (80699) 25kg

Calf Niblets are ideal for growing calves, feed from 4 days old to 12 weeks of age. These extremely palatable 4mm diameter pencils boost early intakes and really get your calves off to a flying start. With the unique gut conditioner NuStart, rumen function is maximised and growth rates increased. (18% Protein)

Aston Calf Rearer 17 (80701) 25kg

The perfect palatable complementary rearing nut for all situations. Formulated to support fast growth and good conformation. Fully mineralised with added Sel-Plex selenium. Can be fed to calves from 10-12 weeks of age. Look after the future of your herd with HJ Lea Oakes rearing compounds. (17% Protein)

HJLO Elite Beef (80698) 25kg

Our Elite Beef Nuts have been designed to match the requirements cattle need, being finished at 18-22 months old on a grass silage based system. High protein and high energy feed to support fast growth rates and good conformation. This diet will particularly suit late maturing breed types, fed on a restricted system. Ideal for feeding to mixed groups of cattle and is perfect for feeding from weaning onwards. No need for added supplement. Fully mineralised with Sel-Plex selenium. A range of quality raw materials used. (16% Protein)

Flaked Maize (30667) 25kg

Flaked maize cattle feed that is high energy and palatable.



**Bulk
Quantities
Available!**

Allrounder

Aston Allrounder 18 Nut (80514) 25kg

This feed is suitable to be fed to cattle and sheep. Allrounder has a high fibre level from ingredients such as wheatfeed and good protein source from sunflower and rapeseed. Fully mineralised. Cattle/ Sheep (18% Protein)

Sheep

Super Ewe Nuts Extra Plus (80702) 25kg

Our most popular ewe feed. Ideal for twin bearing ewes and a great complement to silage, hay or straw. A very high-spec, top of the range 18% protein nut with a good level of fibre. Wide range of quality ingredients used such as wheat, barley, soya, sunflower and rapeseed. Fully mineralised with added megalac, and Vitamin E to ensure you have healthy ewes, no need for supplement. Manufactured as a 6mm nut or a 12mm roll. (18% Protein)

Lamb Starter/Finisher Pellets (80708) 25kg

More extensive flocks will often feed the long established favourite of Lamb Starter/Finisher Pellets from lambing to slaughter. This highly palatable 4mm pellet is trusted by many to correctly grow and finish lambs of all categories. (17% Protein)

HJLO Super EWE Rolls (80703) 25kg

As per Ewe Nuts, but a larger nut for feeding direct onto the ground

Heritage Ewe, Lamb & Goat Mix (80704) 25kg

A perfect feed for sheep and goats, which can also be fed as a highly palatable and digestible starter feed for lambs. Supports ewes and goats during lactation. Ideal mix for farms with limited space for feed storage. (18% Protein)

Dodson & Horrell Sheep Mix (57756) 20kg

Dodson and Horrell Sheep Feed mix is a premium quality feed for sheep that require a special diet, and for breeding ewes. Contains mineral balance to support ewes during pregnancy and lactation. Rich in vitamin E and selenium. Feed as required; amounts will vary depending upon forage quality but should not exceed 0.75kg for a 75kg ewe at any one feed. Forage should form at least 30 of total dry matter intake. This product does not contain supplemental copper. Some breeds are, however, susceptible to copper toxicity when fed high levels for extended periods of time. Ensure that clean, fresh water is available at all times.





Pig

Massey Pig Grower TurboGrow Pellets

(80687) 25kg

Formulated to achieve a very high nutrient density balance ensuring excellent growth rates and high lean meat deposition.

Massey Pig Sow Breedsure Nuts

(80689) 25kg

A high quality sow feed for feeding throughout the reproductive cycle. Ideal where a two stage feeding regime is not practical.

Massey Pig Sow Rolls

(80690) 25kg

A palatable 12mm roll specifically designed for on floor feeding of sows.

Massey Pig Finisher Turbo50 Pellets

(80688) 25kg

Ideal ration for finishing pigs where good growth rates are required, with maximum lean meat content.

Allen&Page Pot Bellied Pig Pencils

(28520) 20kg

Allen and Page Pot Bellied Pig feed is a specially formulated to help keep your pigs trim and to reduce heat stress. Suitable for Kune Kunes, micro-pigs and all other small pet household pigs



Poultry & Gamebird Feed

Massey Poultry Chick Starter Crumb

(80691) 25kg

For starting poultry 0-6 weeks. Contains Ronozine VP and Elancoban.

Massey Poultry Grower Pellets

(80692) 25kg

For growing pullets poultry 6-17 weeks. Contains Elancoban.

Massey Poultry Layers Meal

(80693) 25kg

For laying hens with enhanced yellow yolk colour.

Massey Poultry Layers Pellets

(80694) 25kg

For laying hens with enhanced yellow yolk colour.



Massey Game Grower Pellets

(78189) 25kg

(20% protein)

D&H Chick Starter Crumbs

(32137) 5kg (50215) 20kg

Dodson and Horrell Chick Starter Crumbs are an ideal first food for chicks, including poultry, ducks and fowl up to 6-8 weeks. Designed to encourage birds to take to food from early age. Can be fed with herbal tinctures for an all-natural approach to managing birds through stress.

D&H Layers Mash

(53863) 5kg

Dodson & Horrell Layers Mash chicken feed is a suitable all round daily food source from point of lay.

D&H Layers Pellets

(53862) 5kg

Dodson & Horrell Layers Pellets chicken feed is a suitable all round daily food source from point of lay.

D&H Mixed Corn

(53864) 5kg

Dodson and Horrell Mixed Corn chicken feed is a delicious morning or mid-afternoon treat that should be scattered to encourage the hen's natural foraging instinct. Ideally provide mixed corn to your poultry or fowl after they have been fed with a nutritionally balanced meal, such as Layers Mash or Layers Pellets.

D&H Poultry Grower Pellets

(54833) 20kg

Dodson and Horrell Poultry Grower pellets are complete nutritional food source for growing poults and other birds. Using premium ingredients, the pellets contain trace nutrients to help the bird through a growth and developmental period, which supports sexual maturity. Suitable for many birds, to be fed as a free choice just prior to point of lay. Can be fed to poults after starter crumbs from as early as 21 days, but typically from 42-49 days



Livestock Feeds

Poultry & Gamebird Feed

Traditional Mixed Poultry Corn

(54205) 20kg

Traditional Mixed Poultry Corn is a suitable supplementary feed for all your poultry.

HJLO Heritage Mixed Corn

(80707) 20kg

HJLO Heritage Poultry Layers Meal

(80706) 20kg

For laying hens with enhanced yellow yolk colour.

HJLO Heritage Poultry Layers Pellets

(80705) 20kg

For laying hens with enhanced yellow yolk colour.

Cut (Kibbled) Maize

(86697) 20kg

TFM Cut Maize is a great source of carbohydrate that makes an excellent food source for larger birds, including chickens, pigeons, ducks, geese and game birds, as a supplement to layers pellets or layers mash. A rich energy source that helps to provide a deep yellow egg yolk. Ideal as a supplementary feed or treat

TFM Mixed Corn

(16635) 25kg

TFM Mixed Corn is made from a wholesome grain mix. An ideal accompaniment to every day chicken feed such as layers pellets or layers mash, or suitable as a delicious treat.

TFM Whole Wheat

(16700) 25kg

TFM Whole Wheat feed is ideal for chickens and game birds either as their main staple diet, or as a supplement to other feed. Suitable for both laying hens and table birds.

Whole Maize

(35555) 25kg

Whole Maize poultry feed is a great source of energy and a delicious treat. Due to its size (larger than cut maize), this feed would suit larger birds.

Allen&Page Organic Mixed Corn

(41265) 20kg

Allen & Page Organic Mixed Corn chicken feed is an ideal every day premium food for chickens that can be used in conjunction with layers pellets or layers mash. Great treat for organic egg producing hens. High in protein and very nutritional. Ideal for taming birds and earning trust. Uses the finest non-GM ingredients.

Allen&Page Organic Poultry Layers Pellets

(33588) 20kg

Allen & Page Organic Poultry Layers Pellets is a premium chicken feed packed with vitamins, minerals and omega 3 for natural golden yellow yolks. A suitable all-round daily food for chickens from 16 weeks old. Small pellet size - can be fed to bantams.

Mixed Poultry Grit

(16568) 25kg

JonDo Mixed Poultry Grit combines soluble and non-soluble grits to ensure your poultry are able to maintain the minerals essential for healthy hens and eggs.

Mixed Poultry Grit 3.8kg Tub

(67071) 3.8kg

Mixed Poultry Grit is made up of both soluble and insoluble grit to provide essential calcium to the bird's diet. Aids strong bones and eggshells and helps to prevent bad habits, such as feather-pecking.

Oyster Hen Grit

(35728) 25kg

Ostrea Oyster Shell Hen Grit is a great source of additional calcium as a chicken feed supplement for strong, healthy hens and eggs. Produces top quality egg shells. 38 % calcium and a maximum of 2 percent sand / ash. Made from oyster shells that have been washed, dried, heated, crushed and screened. Microbiologically sterile.

Massey Turkey Grower Pellets

(72816) 25kg

A high quality, high energy diet, designed to achieve rapid growth and good frame development. Feed from 4-5 weeks of age up to 11 weeks.

Massey Turkey Finisher Pellets

(65930) 25kg

A high energy feed designed to build up the lean meat and then lay down a sub-cutaneous layer of fat under the skin to give a firm white finish. For a minimum of 4 weeks to obtain a top quality visual appearance. Feed from growth stage to finish.

Aniseed Attractant

(35551) 5litre

Aniseed Game Bird Attractant is a great solution for wandering game birds and is widely used across the industry. Made from pure China Star Aniseed and Soya Bean Oil. Persistent and strong aniseed aroma. Cost effective solution to keeping your game birds where they are supposed to be. 1 litre treats 100kg of wheat. Simply add to wheat feed and let nature take its course!



Cattle



Cattle Ring Feeder (6561)

Std Galv
2135mm D x 1295mm H



Cattle Ring Feeder (33255)

Heavy Duty Galv
2135mm D x 1450mm H



Tombstone Circular Feeder (34887)

Galv Super Heavy Duty



Cattle 2-in-1 Portable Barrier/Manger (8148)

15' L x 2'6" W



Cattle Portable Hayrack & Manger (8139)

Galv
244cm L x 133.5cm W x 169.5cm H
48.3mm dia tubular end frames
Heavy duty weld mesh hayrack
Adjustable legs



Cattle High Density Feeder (8138)

Galv
305cm long x 152cm wide x 145cm high
50 x 50mm RHS frame, 44.5mm tubular
infills. Sheet metal base



Cattle Trough, 8' Free Standing Double (6562)

8Ft F/standing - Galv
2440mm long x 895mm wide x 200mm
Sheet metal trough
50 x 50mm RHS box section legs



Single Sided Barley Beef Feeder (26961)

8Ft long Galv
244cm long x 770cm wide x 127cm high
2mm sheet. RHS / angle iron legs



Trough to Hang

Galv 3Ft (16824)
91.5 x 32cm wide x 19.5cm high 1 brace
Galv 6Ft (25989)
183cm x 32cm wide x 19.5cm high 2 brace
Sheet metal construction
Bolt on hook over brackets



Corn Bin c/w 1 Partition (63622)

90cm high x 120cm Long x 64cm Wide
Galv. 630 litres capacity.

Sheep



Sheep Ring Feeder (8137)

Heavy Duty Galv. 24 feed spaces with
a deep-welded sheet metal base.
Supplied with coupling rods.
1600mm (5'3") diameter x 905mm high



Sheep Trough Steel (5209)

Galv. 9" x 10" x 6.5" Flat Bottom



Sheep Trough Plastic

Plastic 1Mt (LF1) (29543)
Plastic 2Mt (LF2) (29544)



Sheep Round Bale Feed - Standard (69515)

Approx dimensions:
1630mm (5'4") L x 1525mm W x 1000mm H



Hay Rack

4Ft 4 Wheels (30526)
Galv. 125long x 65cm wide x 85cm high



8Ft 4 Wheels (78379)
Galv. 244cm long x 65cm wide x 85cm high
Pre-galvanised sheet body
Hot dip galvanised hayrack and axles
25cm dia plastic wheels



Lamb Creep Feeder (8261)

Galv. 8Ft Double Sided. 2 Wheels



Hay Basket (7280)

Galv. Drop-Over

Pigs




Pig Trough

3Ft (52469) 6Ft (5203)
Galv. Standard Duty



Pig Ark c/w Floor & Ends (80043)

High quality timber and galvanised steel
housing designed for pigs, but suitable
for sheep, goats and even large dogs.
Supplied flat packed, but simple to erect.
Floor battens prolong timber life and allow
for easy moving.



Pig Arc - Steel Sheet (62285)

8ft span. Galv Steel Sheet, 24swg
12'7" long, 8/3" corrugations.
40" rise & approx 20" deep



**We are IAE main agents
and can supply other
products to order**



Feeding & Handling Equipment

Calf/Lamb Feeding Equipment



Calf Feeder Bucket (28675)

Sturdy calf milk feeder bucket supplied with a single teat and carrying handle.



Calf Milk Bottle (40379)

with Teat 2.5 litre capacity.



Lamb Feeder Bottle (34609)

plastic lamb feeder bottle with a screw-on Pritchard teat. 500ml capacity. 100ml & 5 fl.oz increments



Lamb Feeder Bottle - Non Vac (66362)

with teat and collar. 500ml boilable polycarbonate. Extra tough to prolong life Calibrated for accurate feeding. 38mm extra wide neck for easy filling. Strong plastic collar ensures secure fixing of teat. Sterilise by boiling



Non Vac Lamb Teat (67372)

Specially designed isoprene with a unique moulded in vacuum release valve to make feeding easier. Bulbous teat end encourages more rapid acceptance by lambs. Special hollow cone tip allows flow of milk to be regulated.



Ritchey Speedy Feeder (50590)

2.5 litre capacity.



Ritchey Speedy Feeder Spare Top & Teat (50591)

Spare top and teat for above (50590)



Non-Vac Bottle Rack System (76342)

Efficient multi lamb feeder Coated for long life. Supplied with fixing screws, 4 non-vac bottles, non-vac teats & collars



Lamb Teat Red (9181)

Lamb bar feeder spare teat



Push-In Lamb Teat (5186)

Stockshop Push-In Lamb Feeder Teat 18mm plug.



Latex Pull Over Lamb Teat (59706)

Made from latex In a pack of 5



Lamb Bucket Feeder (31876)

Lamb milk feeder bucket with three teats. 8 Litre (1.76 gallon) capacity



JFC Calf Double Bucket (43806)

With 2 Teats. 12 liter (2.4 gal) capacity.



JFC Calf Multi-Bucket (43805)

with 3 Teats, 17 Litre (3.75 gal) capacity.



JFC Calf Double Bucket Gate Bracket (43808)

JFC Calf Multi-Bucket Gate Bracket (43807)



Oral Calf Feeder Flexible Bottle / Bag (53136)

with oesophageal tube aids against dehydration of newborn calves. Non-toxic plastic. For added safety, the oesophageal tube is moulded as one unit



Bucket Calf Feeder Spare Teat (5189)

Also fits JFC Calf Multi-Bucket



Bucket Calf Feeder Teat Assembly (5190)

Colour of teat may vary



Bucket Calf Feeder Spare Washer (15695)

Cattle & Sheep Handling Equipment



Economy Cattle Crush (56863) Galv



Warrior Cattle Crush (40225) Galv



Cattle Footbath (42598)

2.4m (360lts) Poly - FB2



Sheep Footbath (42597)

2.4m (145lts) Poly - FB5



Calf Hurdle, Standard Galv 8FT (38346)

Sheep Hurdle, Standard

Galv 4FT (7bar) (58894)
Galv 6FT (7bar) (58893)

Quantity Discount Available!

Calf Rearing Supplements

Instant Calf Colostrum in Non-Vac Bottle (75505)

Supplied with non-vac calf feeder bottle & teat. Easy mix, sourced from EBL and Johnes free herds. Immediate source of energy for weak or small calves. One complete feed in a Calf Feeder Bottle with Teat. Just add warm water (One litre), shake, and it is ready for use.

Whole Calf Colostrum (63253)

228g 1 dose. High in IgG antibodies, provides added protection against a newborn's disease challenges. Added live beneficial bacteria and egg proteins counter the effects of pathogens in the gut. Provides a complete balanced feed for calves when little or no maternal colostrum is available.

CALF Kick-Start Liquid (63252)

240ml 8 dose. Fast-acting source of energy and nutrients for unthrifty, sick & scouring calves. 30ml gives results in 30 minutes. Easy to administer. Contains: Propan 1, 2 diol, cane molasses, vitamins and minerals

CALF Nutri-Scour (78959)

1kg - Ideal for the stabilisation of water and electrolyte balance during diarrhoea in calves. Helps restore gut health quickly. Feeding at the first signs of calf scour will help rehydrate and prevent further scouring while supporting restoration of gut health. Contains vitamins & trace elements. Features natural fibre from psyllium husks to help increase the bulk of stools. Contains sodium, potassium, chloride to aid water absorption from the gut and the replacement of salts.

Enerlac Instant Calf Milk Replacer (39309)

Especially useful for beef calves. Mixes instantly in cold or warm water. Cost effective. Ideal for once and twice a day feeding and some ad-lib systems Shelf life 15 months. Whey Based

Country UF Calf Colostrum (48916)

300g (1 Calf)

Country UF RTU Calf Colostrum (49124)

300g Bottle (1 Dose)

Country Calf Colostrum Concentrate is specifically formulated to supplement natural colostrum from the cow. It should be used in the event of the cow having little or no colostrum. It should be fed as soon as possible after birth and during the firsts 12 hours of life. A supplementary feed containing high levels of natural colostrum, fortified with egg powder and vitamins. **Administration:** Half fill container with warm water and recap. Then shake vigorously for a few seconds. Then full up container with warm water (2 Litres) and recap. Shake again for a few seconds and then feed to new born calves

Lamb Rearing Supplements

Lamlac 10kg (20428) 25kg (36525)

UK's No 1 ewe milk replacer.

Analysis: Protein 24, Oil 24, Ash 7, Fibre 0
Vitamin A 50,000 iu/kg, Vitamin D3 6,000 iu/kg,
Vitamin E 100 iu/kg, Copper 3mg/kg (nil added)

Concentrated milk protein; highly digestible for faster growth. Ultrafiltered milk protein; delivers natural health protection with less risk of nutritional upsets. Can be used in bucket or machine feeding systems. Stays fresh for 24 hours, Lamlac has been proven in trials to deliver outstanding growth rates

Provimi Multimilk 5kg (78441)

100ml 25 dose

A multi-purpose milk replacer for all young animals including piglets, puppies, kittens, foals, lambs, kids and calves. Based on British dairy products and containing high levels of skim milk powder.

Ultra Concentrate LAMB Colostrum (65697)

1kg 40 dose (62813) 500g 20 dose
Each 25g sachet when mixed provides a nutritional feed containing a high level of immunoglobulins, giving energy and protection from stress and hypothermia. An easy-mix first day colostrum that provides energy and support to weak and small lambs. The product mimics the ewe's own colostrum and should be used when no or insufficient maternal colostrum is available.

Country UF Lamb Colostrum

(48908) 1.25kg (50 Lamb)

(48907) 500g (20 Lamb)

Multi Lamb Rapid For Ewes (73520)

495ml 11 dose

Ideal for the reduction of risk & recuperation after Ketosis. Is a high-energy concentrated nutritional complex that will have exhausted ewes up and feeding within two hours with just one administration!

Twin Lamb Drench (34616)

500ml bottle. Battles Twin Lamb Drench is a fast acting, energy rich sheep drench with essential trace elements for nutritional support of ewes carrying twin lambs.

Lamb Adoption Musk (66369)

200ml spray can. Neutralises the natural ewe and lamb odours Aerosol spray, specifically designed to eliminate rejection during fostering.

Lamb Defence (63250)

100ml 50 dose. Lamb Defence is a unique energy source administered to all newborn lambs as soon as possible after birth, & to lambs that remain on the ewes. Provides an immediate & efficient energy source & essential nutrients to ensure more active lambs.

Lamb Kick Start Liquid (63251)

100ml 25 dose. Lamb Kick Start Liquid is a lamb tonic, rapid energy and nutrition boost for newborn fading or weak lambs. The kick start provides protection against pine, white muscle disease and iodine deficiency.

Liquid Paraffin BP (66368)

1 litre. Nettex 1 Litre Liquid Paraffin. Pure medicinal quality liquid laxative. Only available to purchase in store.



Animal Health - Treatments

Cattle Health Treatments



Stockholm Tar (32391)

400g Stockholm Tar is a general purpose traditional antibacterial preparation for use on livestock.



Stockholm Tar (32392)

1kg



Udder Cream (30265)

1.1kg
Battles original udder cream is a readily absorbent cream to maintain good udder condition and aid in the treatment of chaps and sores. Used successfully in milking parlours for decades. Active Ingredient 0.1 cetrimide B.P.



Udder Cream (75878)

5Kg
Cattle udder cream in a re-sealable tub.



Teat Mint CATTLE (66601)

500ml
Soft, readily absorbed, cool and soothing cream containing 35 percent Peppermint Oil. Teatmint contains a range of natural plant extracts known for their anti-inflammatory properties and beneficial effects on circulation and wound healing. No requirement for milk withdrawal. Contains: Japanese peppermint oil, lanolin, glycerol, allantoin, chamomile and eucalyptus.



Rota-Corona Plus CALF (62737)

30g 1 dose
Complementary feed that helps support the newborn calf's natural defences against the challenges of life. Contains: Coconut oil, corn oil, egg protein, dried bovine colostrum, whey protein and vitamins.



Progiene Bedzorb BEDDING Conditioner (81312)

25kg
Highly absorbent powder bedding conditioner containing disinfectant to help reduce pathogens from lying areas for optimum udder health. Anti-fungal, antibacterial and virucidal. Helps to keep teats and udders clean and ready for milking. Kind to teats, skin friendly pH with reduced ammonia. Suitable for all types of bedding and livestock of all ages (lambling Pens etc)



Progiene Digicur Advance FOOTBATH Sheep/Cattle (81310)

5ltr
Daily foot bathing using an effective disinfectant alongside mobility scoring, foot trimming. Highly concentrated footbath for cattle and sheep, with a unique blend of glutaraldehyde, copper and zinc for effective and long lasting action. Triple action effect from a blend of glutaraldehyde with copper and zinc. Rapid acting hoof cleaning and disinfection. High levels of surfactants for penetration and long lasting effect.



Country UF Cattle & Sheep FA Minerals (87302)

25kg



Country UF Cattle Vitamin & Mineral Drench (75506)

Packed with nutrition, Cattle Drench is a high specification vitamin and mineral drench for calves, yearlings, cows and bulls. Specifically formulated to give cattle a nutritional boost at key times of year, Cattle Drench provides an immediately available source of glycogenic energy, vitamins, amino acids and trace elements to optimise health and yield, ensuring animals are in the best condition possible. Drench calves/yearlings to improve live-weight gains, administer to cows to counteract calving stress and weight loss and dose bulls to boost energy, condition and fertility.

Nettex drenches all contain Collate technology.

Contains Propan 1, 2-diol, cane molasses, vitamins, amino acids and minerals

Dosage – Calves, 1-3 months – 15ml, 3-6 months – 20ml, 6-12 months – 30ml, Yearlings – 40ml, Cows/Bulls – 60ml

Lamb Health Treatments



Battles Summer Fly Cream (85848)

400g
The ORIGINAL yellow cream. A soothing, antibacterial fly cream to aid in the management when fly strike and maggots are a problem.



EWE Drink (34618)

150ml
Battles Ewe Drink is a tonic and cordial for exhaustion in ewes after lambing. Also suitable for administration for chills, fever, etc.



Maggot Oil BATTLES (51418)

1 litre
Battles Maggot Oil is a soothing skin dressing and effective fly repellent for use in sheep when fly strike and maggots are a problem.



Veterinary Antibacterial Aerosol

(50153) 150g

Battles Veterinary Antibacterial Aerosol is suitable for the treatment of superficial wounds, lamb navels and fly strike on sheep. Clear non staining formula
Suitable for all livestock, including horses



Bactocyde Spray for Orf, Navel Ill, Ringworm (63519) 500ml

Nettex Bactocyde Spray disinfectant for use in the treatment of orf, navel ill and ringworm in livestock. Suitable for all livestock, including horses
Kind to the skin. Ready to use trigger spray
Quick and effective treatment. Contains: Benzalkonium chloride, phenoxyethanol, glutaraldehyde and iodine



Fly & Maggot Killer Aerosol Spray

(75209) 450ml

Nettex Fly & Maggot Killer is a powerful, fast acting insecticidal spray formulated to kill most flying & crawling insects. Safe for use in food preparation and livestock areas. Destroys flies, mosquitoes, blowfly & maggots. Contains: Tetramethrin, Permethrin, d-Phenothrin and Pyrethrums



SeptiCleanse Violet Wound Dressing Aerosol (63529) 500ml

SeptiCleanse Violet Wound Dressing Aerosol is an easy an ready-to-use healing spray for external wounds, grazes or skin punctures in all livestock, including horses. Immediately inhibits any existing or potential infection of wound sites by bacteria and fungi. Easy to carry and accurate application. Chlorophen / Chlorhexidine active ingredient; chemical antiseptic that promotes wound healing. Maximises protection against secondary bacterial infection. Suitable for multiple purposes



Country UF 10% Iodine Pump Spray

(31111) 500ml

Given the importance of effectively sterilizing the navel of newborn lambs, we have opted for a product that is historically proven in quality and performance, providing the highest strength and results with this 10% BP formulation. We believe this is a quality product for the drying of lambs' navels and the right product to supply to our farming customers.

Key Product Benefit

- A spirit based superior quality strong iodine with 10% Iodine active.
- The preferred choice for drying wounds, umbilicals, etc.



Country UF 10% Iodine

(31113) 2.5 Litre

Country UF Hoof Care Spray (purple)

(24890) 500ml

A concentrated disinfectant spray for use in the maintenance of healthy feet.

- Foot conditions in livestock are not only a health and welfare issue but also have a significant impact on growth and production
- Prompt and effective application at the first signs of a condition with UF Foot Spray will help support foot health.



Country UF Sheep Vitamin & Mineral Drench

(87212) 2.5Lt

A concentrated oral drench containing multivitamins and chelated trace elements.
Dosage Rate:
Administer 1ml per 5kg bodyweight as a drench or mix with a small quantity of feed to ensure accurate intake up to a maximum dose 10ml.





Animal Health - Wormers

Cattle Medicines - Wormers



**Ivomec Classic Injection
Wormer Cattle/Sheep**
(56529) 500ml



**Eprizero Pour On
For Cattle**
(86791) 1 litre
Please visit us in store or contact us
to purchase this item



**Noromectin PourOn
Cattle**
(63594) 1 litre



**Butox Swish PourOn
Fly Lice Control Cattle**
(53466) 250ml



**Flypor PourOn Fly Lice
Control Cattle**
(68085) 1 litre
(68086) 5 litre
Flypor is a permethrin pour-on for
the control of flies and lice and the
treatment of mange in cattle.



**Noromectin PourOn
Cattle**
(65472) 2.5 litre




Closamectin Pour-On Cattle
(65377) 2.5 litre

The first product of its kind to provide a 4-in-1 combination to effectively treat fluke, worms and lice in one easily applied pour-on solution. Allows farmers to apply a combination product containing both ivermectin and closantel to effectively treat immature and mature flukes, as well as all of the major gastro-intestinal roundworms of economic importance and both biting and sucking lice.



**Ivomec Classic Injection
Wormer Cattle/Sheep**
(56530) 200ml



**Noromectin PourOn
Cattle**
(87016) 5 litre



CALCIJECT 40% CM CATTLE
(31108) 400ml

Calciject 40 No. 5 Red Label is indicated in the treatment of hypocalcaemia in cattle, where increased blood magnesium levels are also required. Customers purchasing this product will receive a call from TFM to validate the purchase of animal medication.



**Ivomec Classic PourOn
Wormer Cattle**
(56528) 1 litre



Sheep Medicines - Wormers



Albenil SC 2.5% Wormer

Cattle/Sheep (46305) 10 litre
Please visit us in store or contact us to purchase this item



Albenil SC 2.5% Wormer

Cattle/Sheep (46304) 2.5 litre
Albenil sheep and cattle is for the control of roundworms, lungworms, tapeworms, adult liver fluke and fluke, and roundworm eggs. For oral administration only.



Application Gun for Clik, Clikzin

PourOn (54932) 10ml
Application Gun is a plastic fan spray applicator for four stroke application of Clik / Clikzin pour on for sheep. Supplied complete with plastic tube.



Application Gun for Crovect

PourOn (67841) 20ml
This application Gun is a 20ml plastic pour-on gun for use with Crovect pour on for sheep. Comes complete with gun, plastic tube and nozzles.



Calciject 20% CMD Sheep

(31107) 400ml
Used for treatment of hypocalcaemia complicated by deficiency of magnesium with accompanying hypoglycaemia, in sheep. In the treatment of pregnancy, toxemia and other metabolic imbalances in periparturient sheep.



Chanaverm 7.5% Yellow Drench

(85887) 2.5L
Please visit us in store or contact us to purchase this item



Clik EXTRA PourOn Fly Control

Sheep (85400) 5 litre

A treatment that provides long term prevention against blowfly strike on sheep. Clik acts on fly larvae. It's growth-regulating mechanism results in the interference of moulting and pupation, thereby stopping larval development. Can be used directly after clipping / shearing. Mulesing and marking wounds on sheep against fly strike during the wound healing process.



Clikzin PourOn Fly Control Sheep

(68082) 2.2 litre

(68083) 5 litre

CLIKZIN is an insect growth regulator (IGR) pour-on for the prevention of blowfly strike on sheep and Lambs. Clikzin acts on fly larvae. It's growth-regulating mechanism results in the interference of moulting and pupation, thereby stopping larval development. Can be used directly after clipping / shearing. Mulesing and marking wounds on sheep against fly strike during the wound healing process. Provides 8 weeks protection with only a 7 day meat with-hold period. Ideally suited for use on all stock from 3 weeks post shearing and including lambs for market.



Combinex Wormer & Flukicide Sheep

(59855) 2.2 litre

(59856) 5 litre

Combinex wormer is for the treatment and control of parasitic bronchitis, parasitic gastroenteritis and fasciolosis in sheep. Combinex is effective against mature and developing early stages of levamisole sensitive *Haemonchus*, *Ostertagia*, *Trichostrongylus*, *Cooperia*, *Nematodirus*, *Bunostomum*, *Chabertia* and *Oesophagostomum* species in the gastrointestinal tract, and *Dictyocaulus* spp in the lungs. Available in 2.2lt and 5lt.



COVEXIN 8 Clostridial Vaccine CATTLE/SHEEP

(56439) 100ml

(56440) 250ml

Please visit us in store or contact us to purchase this item



Crovect PourOn Ticks/Lice/Fly Sheep

(51417) 0.8 litre

(53662) 2.2 litre

(54159) 5 litre

Crovect Pour On is for the treatment and control of ticks, headflies and biting lice on sheep. For the prevention and treatment of blowfly strike on sheep. Recommended to be used with Crovect applicator, sold separately. Available in 0.8 litre, 2.2 litre and 5 litre bottles.



Dectomax Injection Sheep

(60297) 50ml

Dectomax Cattle and Sheep Injection is for the treatment and control of gastrointestinal roundworms, lungworms, eye-worms, warbles, lice and mange mites in sheep. Contains doramectin.



Fasimec Duo S Wormer & Flukicide Sheep

(58503) 0.8 litre

(65498) 5 litre

A broad spectrum parasiticide for sheep over 3 months of age for the treatment and control of gastrointestinal nematodes, liver fluke, lungworms and nasal bots and the associated diseases. Do not administer to animals producing milk intended for human consumption.





Animal Health - Wormers



FOOTVAX Footrot Vaccine SHEEP (52607) 20ml

Please visit us in store or contact us to purchase this item



HEPTAVAC P Plus SHEEP Vaccine

(52609) 50ml
(52610) 100ml
(66509) 250ml
(66520) 500ml

Please visit us in store or contact us to purchase this item



Magniject Magnesium Sulphate No.9

(39480) 400ml

Magniject magnesium Sulphate No 9 is for the treatment of magnesium deficiency in cattle and sheep.



Noromectin Drench Sheep

(31106) 1 litre
(67246) 2.5 litre

Noromectin Drench is for the treatment and control of gastro-intestinal nematodes and lungworms and nasal bots of sheep.

A free-flowing aqueous solution containing 0.08 w/v ivermectin for oral administration.



Noromectin Drench Sheep 2x5 litre + Gun

(66605)

Noromectin Drench is for the treatment and control of gastro-intestinal nematodes and lungworms and nasal bots of sheep.

A free-flowing aqueous solution containing 0.08 w/v ivermectin for oral administration. 2 x 5 litre bottles & Application Gun supplied



OVIVAC P Plus SHEEP Vaccine

(52611) 100ml 50 dose
(53420) 500ml 250 dose

Please visit us in store or contact us to purchase this item



Panacur 10% Wormer Sheep & Cattle

(34046) 1 litre

Panacur 10 per cent wormer is for the treatment of cattle and sheep infected with mature and developing immature forms of nematodes of the gastro-intestinal and respiratory tracts. Can be used on Horses



Rycoben SC Sheep Wormer

(68232) 0.8 litre

(68231) 5 litre

Rycoben Sheep Wormer is effective against mature and immature roundworms and lungworms and major internal parasites of sheep. It is also effective against removing heads and segments of tapeworms. Not recommended for use in cattle.

Available in 0.8 litre and 5 litre bottles.



Vecoxan Anticoccidial Lamb & Calf

(53429) 1 litre

Vecoxan Anticoccidial is a free-flowing oral suspension aimed to treat and control coccidiosis and coccidial infections for calves and lambs.

Available in 1 litre bottles.



Zolvix Oral Drench for Sheep (85471) 500ml

A broad spectrum anthelmintic effective against gastro-intestinal nematode infections and associated diseases in sheep including lambs, hoggets, breeding rams and ewes.

ZOLVIX can be used in pregnant and lactating ewes. Zolvix is effective against strains of parasites resistant to white (pro-benzimidazoles), yellow (levamisole), clear (macrocyclic lactones) drenches and morantel (strains are shown in the list below).

Spectrum of activity includes fourth larvae and adults of: *Haemonchus contortus*, *Teladorsagia circumcincta*, *Teladorsagia trifurcata*, *Teladorsagia daviani*, *Trichostrongylus axei*, *Trichostrongylus columbriformis*, *Trichostrongylus vitrinus*, *Cooperia curticei*, *Cooperia oncophora*, *Nematodirus battus*, *Nematodirus filicollis*, *Nematodirus spathiger*, *Chabertia ovina*, *Oesophagostomum venulosum*.



Sheep Husbandry Equipment



30ml Cattle/Sheep Metal Body Drench Gun (80485)

Robust 30ml Auto Drench Gun Metal Body with Accurate Settings For Sheep and Cattle Includes Tubing, Spare Seals, Nozzl and Springs.



30ml Plastic Drench Gun (79401)

Colostrum Feeder for Lambs Bottle & Latex Tube (78746)

Combination pack includes orange surgical latex stomach tube and graduated bottle. Suitable for feeding the correct amount of colostrum to large lambs without refilling. Positive pressure can be applied to save time



Colostrum Feeder for Lambs – Syringe & Plastic Tub (66361)

The Lamb Colostrum Feeder is supplied with a 60ml syringe and plastic tube to help administer doses of colostrum quickly & gently.



Footrot Shears – Myti-Lite III – Straight (68362)

The Nettex Myti-Lite Mark 3 straight edged foot rot shear is ultra-sharp with mini serrated blades.



Lambing Puller – Rubber (66364)

The Nettex Lamb Puller is an extremely hygienic product manufactured from rubber, which is significantly softer and kinder to lambs during birth. Unlike traditional rope, the Lamb Puller will not damage or 'scald' the legs.



Prolapse Ewespoon 4 pack (50575)

The Nettex Lamb Puller is an extremely hygienic product manufactured from rubber which is significantly soft



Ram Harness – Nylon Anti-Chaff (50565)



Ram Harness All-Weather RED Crayon (80856)

BLUE Crayon (80857) GREEN Crayon (80858)



Weather durable, bright & fully scourable. Formulated to last and will not cause discomfort to ewe's when worn down. Secure fit in Nettex ram harnesses.



Rubber Castration Rings 100 pack (5212)

500 pack (5213)

Castrator antiseptic rubber rings are made to a standard strength and proved to be effective in the castration of lambs.



Rubber Ring Applicator, Metal (5214)

Lamb castration ring applicator is made from extremely high quality steel for applying rings when castrating or tail docking.



Footrot Shears – Professional, Serrated Edge (56262)

Ritchey Professional Foot Rot Shears for sheep are made from forged steel with polished serrated blades and a chequered handle.



Footrot Shears – Standard, Striaight Edge (56263)

Ritchey Foot Rot Shears for sheep are made from forged steel with polished plain blades and a chequered handle.



LAMBING Rope – Single Loop (48960)

Single loop lambing rope is suitable for pulling on a lambs head or leg during birthing. Made from 3mm nylon for strength. Ideal for lamb pulling



Push-In LAMB Teat 5 pack (50593)

Ritchie Push-in Lamb Feeding Teat are supplied in a pack of 5



Ritchey Ewe Truss (50576)

The Ritchey ewe truss helps prevent a prolapse or holding back a replaced uterus, allowing lambing to proceed whilst exerting pressure on key points. Keeps the head raised and back down to relieve pain. Made from washable, man-made material



Sheep Husbandry Equipment



Screw-On LAMB Teat

5 pack (50592)

Ritchie Screw-on Lamb Feeder
Teats are supplied in a pack of 5.



Sterivax Pack 5ml (48961)

The Sterivax Pack combines a high quality 5ml Phillips vaccinator with the Sterimatic Needle System, administers automatically disinfected and accurate injections.

The Sterimatic System protects the needle, increases operator safety with fewer needle stick injuries and helps to protect livestock against cross infection from viruses and bacteria.

The Sterivax Pack contains:

- 1 x Phillips 5ml Semi-Disposable Vaccinator
- 1 x Draw off System
- 1 x Sterimatic Sleeve
- 3 x Stericaps (100 injections per Stericap)
- 3 x 18g (1") Needles



Sterivax Refill Pack (66294)

The sterivax refill pack consists of 5 needles and 5 stericaps to be used with sterivax or sterimatic systems.



Sheep & Cattle Injector/ Vaccinator 5ml

(85516)

Phillips 5ml Semi-Disposable
Vaccinator



Searcher Knife, Double Edged (39546)

Stockshop double-edged sercher knife with a wooden handle and curved blade, for paring of hoofs and general hoof care, suitable for sheep, lambs and goats. Blade length approx 6.5cm.



Wax Stick STOCK Marker

BLUE (53320)

GREEN (53321)

RED (53323)

Ritchey Wax Stick Livestock
Markers are supplied in a twist action
container with a resealable cap.

Prevents accidental marking
Bright colours for clear identification



Promark Professional Stock Marker 400ml

RED (87203)

ORANGE (87204)

BLUE (87205)

??????? (87206)



Country UF Stock Marker 400ml

RED (87184)

BLUE (87185)

GREEN (87187)

ORANGE (87189)

- Approved by the British Wool Marketing Board providing farmers with a reliable sheep marking solution
- Also suitable for use on cattle
- Available in four vibrant colours: Red, blue, green, orange
- Weather resistant and fully scourable
- Rapid drying formulation
- Works on both wet and dry fleece
- 400ml aerosol

Mineral Licks, Blocks & Buckets



Cattle Buckets



TFM Molassed Mineral (48089)
High quality mineral and vitamin lick for all Cattle. Provides a nutritional boost to cattle throughout the season and protection against deficiencies. Contains high levels of copper, zinc and Selenium for maximum availability. Weight: 20kg



TFM Molassed Mineral HI-MAG (46468)
Helps prevent grass staggers and milk fever in dairy cows, beef cows and sheep. Palatable supplement with extra high levels of available magnesium. Includes trace element and vitamin levels appropriate for use on grazing. Weight: 20kg



Supalyx Garlic Mineral Bucket (71841)
22.5kg An easy way and effective way of helping to repel flies and biting insects from irritating stock. Also provides the full range of essential minerals and vitamins to balance the shortfalls in grass and forage. **Cattle:** Offer ad lib, free-access 1 bucket (22.5kg) per 15 head of cattle. **Sheep:** Offer ad lib, free-access 1 bucket (22.5kg) per 35 head of sheep.

Cattle Blocks



Rockies Mineralised Salt Lick (16797) RED - 2 x 10Kg
Red Rockies® are specifically designed for all cattle - trace elements plus copper for growth and fertility and are also suitable for horses.



Rockies Mineralised Salt Lick (18415) CHELATED - 2 x 10Kg
Chelated Rockies® contain key trace elements including Bioplex Zinc for extra availability to the animal.



Rockies Mineralised Salt Lick (10915) SC CATTLE - 2 x 10Kg
SC Cattle Rockies® were developed in response to the needs of the livestock farmers require extra selenium and copper.

Sheep Buckets



TFM Molassed Mineral (46469)
An ideally formulated vitamin and mineral lick for sheep. Provides a nutritional boost throughout the season, Especially pre/post lambing and tupping additional vitamin E, BI & BI2 for improved Immune system, good health and rumen function. Weight: 20kg



Lifeline Lamb & Ewe Bucket (59040)
Boosts colostrum. Improves vitamin and mineral status of ewe and lamb. Promotes easier lambing and healthy lambs. 22.5kg.



SUPAlyx Super Energy+ with Fish Oil (51405)
A combination feed and mineral supplement. Formulated with 16MJ/kg Extra-high level of rumen by-pass energy and natural protein, it is suitable for all cattle, ewes and lambs. Use at bulling time, tupping time, pre- and post-calving or lambing for excellent results. **Cattle:** Offer ad lib, free-access 1 bucket (22.5kg) per 15 head of cattle or 1 x 100kg tub for up to 50 head of cattle. **Sheep:** Offer ad lib, free-access 1 bucket (22.5kg) per 35 head of sheep.



TFM Extra Energy Livestock Bucket (85027)
TFM own-brand Extra Energy Livestock Bucket, is an ideally formulated supplementary lick for sheep. The sheep lick provides an energy boost throughout the season, especially pre and post lambing and tupping. Weight: 22.5kg

Sheep Blocks



Rockies Mineralised Salt Lick (18964) SC SHEEP - 2 x 10Kg
SC Sheep Rockies® were developed in response to the needs of the livestock farmer.



Rockies Mineralised Salt Lick (16798) YELLOW - 2 x 10Kg
Yellow Rockies® contain a balanced formulation of minerals and trace elements including cobalt and can be fed to all stock.




Lump Rock Salt - Animal Lick (14356) 25Kg approx



Rumevite Super Energy/Fish Oil (20947)
Lick - Sheep 22.5kg (Orange). Extra high energy block for sheep, specially formulated for productive lowland and hill sheep farms. For use at tupping time, pre and post lambing and rearing breeding ewe replacements.



Rumevite High Energy Cattle & Sheep Lick (20946)
Sheep/Cattle. 22.5kg (Green/Red) A high energy feed and mineral supplement Ideal use at grass and with high forage Rations where extra energy and protein are Both required. For Cattle and Sheep



Country UF Cattle & Sheep FA Minerals (87302) 25kg

Quantity Discount Available On All These Products!



Mineral Licks, Blocks & Buckets

Analysis		TFM Sheep Bucket	TFM Cattle Bucket	TFM Magnesium Bucket
Calcium	%	12.5	8	3.5
Phosphorus	%	3	4	1
Magnesium	%	3	3	13
Sodium	%	5	8	5
Selenium	mg/kg	30	30	30
Cobalt	mg/kg	200	200	250
Iodine	mg/kg	200	40	500
Manganese	mg/kg	3,500	4,000	1,500
Zinc	mg/kg	5,000	4,000	3,000
Copper	mg/kg	nil	2,500	nil
Vitamin A	iu/kg	300,000	300,00	312,000
Vitamin D3	iu/kg	62,000	62	30,000
Vitamin E	iu/kg	2,000	1,000	1,500
Vitamin B1	iu/kg	100	100	-
Vitamin B12	iu/kg	200	200	500
Weight	kg	20	20	20
Shelf Life	months	10	12	12

Six Reasons to buy TFM buckets

1. Top specification and value to ensure good health and performance
2. Guard against mineral and vitamin deficiencies in grass and all types of forages
3. Excellent acceptance and controlled even intake
4. A small range of products that will meet all your livestock requirements
5. Contains highly bio-available mineral and trace elements
6. Fully vitaminised, incorporating the latest research findings on high levels vitamin E

How to feed

TFM mineral buckets are 20kg and should be used at the rate of one bucket per 15-20 head of cattle or one buckets per 40-50 sheep

Place buckets away from the source of drinking water

To prevent stock knocking buckets over, place in a used car tyre at the desired feeding site

Move the feeding site occasionally in order to avoid poaching when fed at grass

Feed free access to appetite for best results.

Consumption

Consumption is influenced by the number of buckets per head of stock, other feeds available, size of stock and proximity of water. As a guide, the expected daily consumption will be:

Growing cattle	up to 125g/head/day
Dairy & suckler cows	up to 175g/head/day
Sheep	up to 20-60/head/day

Drinking Troughs & Bowls



Plastic/Poly



DT10 Poly Drinking Trough (42588)

Fitted With H Pressure ball-valve
External 685x447x255mm
Dimensions 27x18x10"
Capacity 53 Litre (12gal)



DT20 Poly Drinking Trough (45948)

Fitted With H Pressure ball-valve
External 889x508x330mm
Dimensions 35x20x13"
Capacity 100 Litre (22gal)



DT30 Poly Drinking Trough (42590)

Fitted With H Pressure ball-valve
External 1193x482x280mm
Dimensions 47x19x11"
Capacity 136 Litre (30gal)



DT40 Poly Drinking Trough (45950)

Fitted With H Pressure ball-valve
External 1300x47x580 mm
Dimensions 51.1x18.6x22.8 "
Capacity 180 Litre (40gal)



DT60 Poly Drinking Trough (45951)

Fitted With H Pressure ball-valve
External 1372x635x451mm
Dimensions 55x25x18"
Capacity 280 Litre (62gal)



DT90 Poly Drinking Trough (45952)

Fitted With H Pressure ball-valve
External 1500x685x533mm
Dimensions 59x27x21"
Capacity 400 Litre (90gal)



DT180 Poly Drinking Trough (42591)

Fitted With Drain-off & Ball-Valve
External 1425Dia x 675h mm
Dimensions 75Dia x 27h "
Capacity 817 Litre (180gal)




DT450 Poly Drinking Trough (34778)

Fitted With Drain-off & Ball-Valve
External 2130Dia x 830h mm
Dimensions 84Dia x 33h "
Capacity 2046 Litre (450gal)



DT1000 FF Poly Drinking Trough (67610)

Fitted With Drain-off & Ball-Valve
External 2180 x 1180 x 840 mm
Dimensions 85x46x33"
Capacity 1000 Litre (220gal)



Concrete

15GAL Concrete Single Drinking Trough (81145)

15gall (68L)

20GAL Concrete Single Drinking Trough (81144)

20gall (90L)

40GAL Concrete Double Drinking Trough (81147)

40gall (180L)

45GAL Concrete Single Drinking Trough (81146)

45gall (205L)

75GAL Concrete Double Drinking Trough (81148)

75gall (340L)

100GAL Concrete In House Drinking Trough (81152)

100gall (455L)

150GAL Concrete Double Drinking Trough (81149)

150gall (680L)

300GAL Concrete Double Drinking Trough (81150)

300gall (1365L)

500GAL Concrete Double Drinking Trough (81151)

500gall (2270L)



Drinking Troughs & Bowls

Galvanised



2FT Galv Cattle Water Trough (5192)

2' x 1'6" x 1'4"

3FT Galv Cattle Water Trough (5193)

3' x 1'6" x 1'4"

4FT Galv Cattle Water Trough (5194)

4' x 1'6" x 1'4"

5FT Galv Cattle Water Trough (5195)

5' x 1'6" x 1'4"

6FT Galv Cattle Water Trough (5196)

6' x 1'6" x 1'4"

8FT Galv Cattle Water Trough (5197)

8' x 1'6" x 1'4"



Deep Service Box for Water Trough GALV 1'4" (5198)

Galvanised service box for fitting ball valve stop cock to galv cattle water troughs or tanks.

Drinking Bowls Poly



DBL4 Poly Drink Bowl Hi Pressure GREEN 4 litre (42586)

Fitted With Drain-off & Ball-Valve
External 330 x 254x228 mm
Dimensions 13x10x9 "
Capacity 4 Litre (0.88gal)



DBL4 Poly Drink Bowl Lo Pressure BLUE 4 litre (62482)

Fitted With Drain-off & Ball-Valve
External 330 x 254x228 mm
Dimensions 13x10x9 "
Capacity 4 Litre (0.88gal)



Nose Drinker POLYPROPYLENE (37822)


Fitted With Drain-off & Ball-Valve
External 230x250x250 mm
Dimensions 9x9.8x9.8 "
Capacity 3 Litre (0.66gal)

Drinking Bowls Galv



Fisher Drinker Bowl GALV Self Filling A102 (44687)

Fitted With 48491 Valve
External 140x250x250 mm
Dimensions 5.5x9.8x9.8 "
Capacity 2.5 Litre (0.55gal)



General Purpose Drinker GALV 13.65 litre (10601)

Fitted With Ball-Valve
External 200x370x370 mm
Dimensions 7.8x14.7x14.7 "
Capacity 14Litre (3.07gal)

Float Valves

Float Valve 1/22 Side Entry (44124) PART2 High Pressure



Float Valve 3/4" (44122) Side Entry PART2 High Pressure (fits DT180/450)

High-flow Float Valve for Concrete Drinking Trough (75909)

High Flow, quality Hansen Float Valve, suitable for use with our range of concrete water drinking troughs.



Float Valve 1/2" (980)



Float Valve 3/4" (981)



Philmac High Flow Ballcock (75596) 3/4" 45mm Tail



Philmac High Flow Ballcock (75597) 3/4" 45mm Tail (bent arm)

4 1/2" Float (1003)



4 1/2" Oval Float (44123)



6" Float (1004)



Shearers & Clippers



(1)(2)(6)

Lister ADAGIO Cordless Trimmer (86543)

Weight (with blades) 0.3 kg
Circumference at grip 14 cm
Diameter at grip 4.5 cm
speed 4500RPM
Voltage 3.6V Current 12Watts
Clipping time, 45 minutes
Charging time, 2 hours



(3)

Lister Fusion Sheep Shearer 240 volt (85876)

Feature Shear
Weight (with blades) 1.6 kg
Weight (with blades and cable) 2.0 kg
Circumference at grip 14 cm
Diameter at grip 4.8 cm
Speed of hair/fleece removal 2600RPM
Voltage 230V Current 180W



Hand Shears



Sheep Hand Shears Single Bow 6' (5229)

This product carries a discount for bulk orders - please call for details



Sheep Hand Shears Single Bow 6' Angled (5230)



Sheep Hand Shears Single Bow 3.5' (28629)

Single bow sheep shears manufactured from hardened and tempered steel with ground blades for easy sharpening.

Available in 3.5 and 6 inch, as well as 6 inch angled.

This product carries a discount for bulk orders - please call for details



(6)

Wahl Animal Groomer – Multi-Cut Mains Pet Clipper (51301)

Mains Pet Clipper.
Drive: Vibrating armature motor
Voltage: 230V ~ 50Hz - 10W
Blade: High carbon steel screw fix
Cutting Length: 0.8-2.5mm adjustable taper.
Cutting Width: 40mm
Weight: 446g
Cable Length: 2.5m



(1)(2)(3)(4)(5)

Lister LEGEND Clipper, 240 volt (54541)

The "mixed-flow" fan design sends high-speed airflow under the blades for cooling
Overload switch to protect the motor
Weight 0.95 kg
Clipper Speed, 3100 rpm
Voltage 240V Current 80 W



(1)(2)(3)(4)(5)

Lister Liberty Clipper with Power Pack (Popular) (44420)

Weight (with blades) 0.8 kg
Weight (with blades and cable) 0.93 kg
Circumference at grip 16 cm
Diameter at grip 5cm
speed 2500RPM
Voltage 12V
Normal working current 1.8 amps



(1)(2)(3)(4)(5)

Lister Star Clipper 240 volt (48468)

Useable only from an electric point
Weight (with blades) 0.8 kg
Weight (with blades and cable) 1.35 kg
Circumference at grip 16.5 cm
Diameter at grip approx 5.7 cm
speed 2800RPM
Voltage 230 V Current 45 watt



(1)(2)(3)(4)(5)

Lister LASER 2 – Cattle & Horse Clipper 240V (51479)

Weight (with blades) 1.2 kg
Weight (with blades and cable) 1.9 kg
Circumference at grip 18 cm
Diameter at grip 5.7 cm
Speed 2500RPM
Voltage 230V Current 180W



Vehicle battery leads



12 volt vehicle battery leads available for areas with no mains electricity for the Lister Laser 2 clipper & Lister Laser 2 Sheep shearer

TO ORDER ONLY

Clipper Keys Suitable for

Horse (1)	Alpaca (4)
Cow (2)	Pig (5)
Sheep (3)	Dog (6)

Ideal use (Blue)

Light use (Red)



ROCKIES • FOR ALL STOCK • ALL SYSTEMS • ALL YEAR



AVAILABLE FROM TFM FARM AND COUNTRY SUPERSTORES

tel: 01606 595022 email: info@rockies.co.uk web: www.rockies.co.uk



Dairy - Youngstock - Sheep - Beef Feeds





Electric Fencing Energizers



Solar Unit

ESS 610 (62746)

Power Specifications:

Power Source: 6v 12Ah Solar
 Stored Energy: 0.2 Joules
 Max Power Use: 40 mA
 Open Volts: 8,400v
 Number of Nets: N/A

Distance Ratings:

Low Vegetation: 2 km
 Moderate Vegetation: 0.8 km
 High Vegetation: NA

Recommended for use with 1, 2, 7

Wet Battery Units



Recommended for use with 1, 2, 7

ESB 57 (58788)

Power Specifications:

Power Source: 12v 80Ah
 Stored Energy: 0.24 Joules
 Max Power Use: 25 mA
 Open Volts: 8,500v
 Number of Nets: 1 Net

Distance Ratings:

Low Vegetation: 2.5 km
 Moderate Vegetation: 1 km
 High Vegetation: 0.3 km



Recommended for use with 1, 2, 6, 7, 5, 9, 10, 8

ESB 202 (60238)

Power Specifications:

Power Source: 12v 75Ah
 Stored Energy: 1.7 Joules
 Max Power Use: 130 mA
 Open Volts: 10,000v
 Number of Nets: 20 Nets

Distance Ratings:

Low Vegetation: 22 km
 Moderate Vegetation: 3.5 km
 High Vegetation: 1.3 km

Dry Battery Units



Recommended for use with 1, 2, 3, 4

ESB 15 (19824)

Power Specifications:

Power Source: 2x 1.5v
 Stored Energy: 0.05 Joules
 Max Power Use: 20 mA
 Open Volts: 7,500v
 Number of Nets: NA

Distance Ratings:

Low Vegetation: 0.8 km
 Moderate Vegetation: NA
 High Vegetation: NA



Recommended for use with 1, 2, 3, 4

ESB 25 (2792)

Power Specifications:

Power Source: 6v 25Ah
 Stored Energy: 0.08 Joules
 Max Power Use: 11 mA
 Open Volts: 8,000v
 Number of Nets: NA

Distance Rating Based on HT wire:

No Vegetation: 1 km
 Moderate Vegetation: NA
 High Vegetation: NA



Recommended for use with 1, 2, 5, 6, 7

ESB 150 (58266)


Power Specifications:

Power Source: 6v 80Ah
 Stored Energy: 0.42 Joules
 Max Power Use: 30 mA
 Open Volts: 4,000v
 Number of Nets: 2 Nets

Distance Rating Based on HT wire:

No Vegetation: 2.5 km
 Moderate Vegetation: 1 km
 High Vegetation: 0.3 km

Recommended for use with Keys



Accessories Available in Store

Mains Units



Recommended for
use with 1, 2, 7



Recommended for
use with 1, 2, 5, 6,
7, 9, 10



Recommended for
use with 1, 2, 5, 7,
8, 9, 10

ESM 402 (55609)

Power Specifications:

Power Source: 220/230v
Stored Energy: 1.4Joules
Max Power Use: 6.4 Watt
Open Volts: 10,200v
Number of Nets: 18Nets

Distance Ratings:

Low Vegetation: 12 km
Moderate Vegetation: 2.5 km
High Vegetation: NA

ESM 602 (56650)

Power Specifications:

Power Source: 220/230v
Stored Energy: 2.4 Joules
Max Power Use: 8.4 Watt
Open Volts: 11,000v
Number of Nets: 25 Nets

Distance Ratings:

Low Vegetation: 20 km
Moderate Vegetation: 3.5 km
High Vegetation: 0.8 km

ESM 902 (65128)

Power Specifications:

Power Source: 220/230v
Stored Energy: 5.4 Joules
Max Power Use: 14 Watt
Open Volts: 10,200v
Number of Nets: N/A

Distance Rating:

Low Vegetation: 35 km
Moderate Vegetation: 11 km
High Vegetation: 4 km

Accessories

At TFM we also stock a full range of Electric Fencing accessories including Batteries, Testers, Insulators, Electro Tape, Wire, Gates, Posts and much more.



Leisure Batteries

(57341) 12 volt 75ah

(57340) 12 volt 95ah

Rechargeable deep cycle Leisure Battery - Suitable for use with all wet battery energisers.



Battery Electric Fencer (57342)

Fit One Charge One (32Ah)

Recommended for use with Keys



(1) Cattle



(2) Horse



(3) Cat



(4) Dog



(5) Goat



(6) Poultry



(7) Pig



(8) Rabbit



(9) Fowl



(10) Sheep



Your
first choice
for
quality feed



www.masseyfeeds.co.uk • Holmes Chapel: 01477 536 300 • Preston: 01772 206200

Farm Fencing Selection Guide

TFM Farm-Grade



TFM Peeled Posts

3-4" x 5'6"
(76773) 94*



TFM LABEL STOCK NETTING

Mild Steel Galv
C8/80/15 50m
(6543) 16*
C8/80/15 100m
(86652) 9*



TFM Galvanised Field Gate

(3971) 12'



TFM Label Mild Steel Barbed Wire

200m (84987) 48*

- ✓ Best budget option
- ✓ Suitable for low intensity applications

Long Life



Platinum Incised Posts:

90mm x 1.65m (82482) 94*
90mm x 1.80m (82484) 94*
90mm x 2.40m (82485) 94*



Lambsafe Stockfence Tornado

HT8/80/22
High Tensile 100m
(84654) 12*



Field 7 Bar Box-braced Galv Gates

Available in 3' to 16' widths



Tornado Titan Barbed Wire

High Tensile GALV 200m
(48569) 42*

- ✓ Mid-Range option
- ✓ 15 year post warranty

Ultra Long Life



Creosoted Posts

Round Pointed Gate Post	7" to 8" x 8'	(73658)	23*
Round Pointed Strainer	6" to 7" x 7"	(73657)	39*
Round Pointed Strut	4" to 5" x 6'	(73656)	72*
Round Post	3" to 4" x 6'	(73655)	120*
Round Post	3" to 4" x 5'6"	(73653)	120*
Round Post	3" to 4" x 8'	(73890)	120*



Stock Fence Tornado

High Tensile Galv
HT8/80/15 100m
(86466) 9*

OR



Equi Horse Fence Tornado Torus HT

High Tensile Galv
R10/90/8 50m
(69948) 9*



Heavy Duty Stockyard 6 Rail GALV Gate

12FT (67683)
15FT (67684)

Don't forget!



Tornado Titan Barbed Wire

High Tensile GALV 200m
(48569) 42*



Barbed Staples

Galv, 40mm
20kg (23695)



Expert Quality Fencing Pliers
(6423)

- ✓ Ultimate product life option
- ✓ 30-40 year expected post life



Fencing Wire

Barbed



TFM Label Mild Steel Barbed Wire
200m (84987)



Tornado Titan Barbed Wire
High Tensile GALV 200m (48569)

Garden Barbed Wire 15m (50023)

Plain



1.60mm x 300m
Mild Steel Galv (75559)

2.00mm x 200m
Mild Steel Galv (75217)

2.00mm x 400m
Mild Steel Galv (75215)

2.50mm x 125m
Mild Steel Galv (75216)

2.50mm x 260m
Mild Steel Galv (75214)

2.50mm x 600m
Mild Steel Galv (74827)

2.50mm x 600m
High Tensile Galv (74826)

3.15mm x 150m
Mild Steel Galv (75213)

3.15mm x 400m
Mild Steel Galv (74828)



GREEN 50mt
PVC Coated Line Wire (49045)



Stock

Light

- L5/60/15 Galv 50m (24") (6553)
- L8/80/15 Galv 50m (32") (6546)
- L10/120/15 Galv 50m (47") (35170)



TFM Label

- Mild Steel Galv
- C8/80/15 50m (6543)
- C8/80/15 100m (86652)



High Tensile

- Stock Fence Tornado
- High Tensile Galv HT8/80/15 100m (86466)



- Lambsafe Stockfence Tornado
- HT8/80/22 High Tensile 100m (84654)

- Lambsafe Stockfence Tornado
- HT8/80/22 High Tensile 250m (78976)

- Stock Fence Tornado
- High Tensile Galv HT8/80/15 250m (87356)



Deer Fence (46032)

- 1.8m x 100m - 50x45mm
- Black/Polypropylene



Equi Horse Fence

- Tornado Torus HT R10/90/8 50m (69948)
- Tornado Torus HT R12/110/8 50m (70975)




Rabbit Wire (6554)
1050 x 31x 50mtr

Wire Netting



Galvanised

- 600 x 25 x 20g x 50M (7111)
- 1200 x 50 x 19g x 50M (7120)
- 600 x 13 x 23g x 25M (7125)
- 1200 x 25 x 20g x 50M (7118)
- 900 x 13 x 22g x 25M (7128)
- 1800 x 50 x 19g x 50M (7124)
- 1800 x 25 x 20g x 50M (7122)
- 0.6m x 50mm x 10m (6956)
- 0.6m x 25mm x 10m (6953)
- 0.9m x 50mm x 10m (6957)
- 0.6m x 13mm x 10m (6950)
- 0.9m x 25mm x 10m (6954)
- 1.2m x 50mm x 10m (6958)
- 0.9m x 13mm x 10m (6951)
- 1.2m x 25mm x 10m (6955)
- 1.2m x 13mm x 10m (6952)



Green PVC Coated

- 0.5m x 25mm x 10m (38851)
- 1.0m x 25mm x 10m (38852)



Garden Green PVC Coated

- 900mm x 10m (34293)
- 1200mm x 10m (34294)



Posts & Rails



Half Round Posts

75 - 100 x 1650mm
(3"- 4" x 5'6") (28220) **146***
125 - 150 x 1800mm
(5" - 6" x 6") (4317) **74***



Full Round Posts

60mm x 1.65m (85197) **189***
60mm x 2.40m (83240) **189***
TFM Peeled
3-4" x 5'6" (76773) **94***



Platinum Incised Posts: 15 Yr Guarantee

90mm x 1.65m (82482) **94***
90mm x 1.80m (82484) **94***
90mm x 2.40m (82485) **94***



Half Round Rails

90 x 3660mm
(3-1/2" x 12')(56252) **188***
100 x 3660mm
(4" x 12') (4320) **146***
115 x 3660mm
(4" 1/2 x 12') (4321) **110***
CREOSOTED 100 x 3660mm
(4" x 12') (73659) **210***



Platinum 15yr Rnd Ptd Incised Strainer

138 x 2100mm (83155) **37***
165 x 2100mm (83156) **26***

**PLATINUM
15 Year**



Pointed Struts (83239) **55***

115 x 1800mm (4 1/2" x 6")

Platinum 15yr Ptd Incised

Gate Post (86483) **16***
190mm x 2400mm (7 1/2" x 8")

Creosoted Posts

Round Pointed Gate Post
7" to 8" x 8' (73658) **23***
Round Pointed Strainer
6" to 7" x 7' (73657) **39***
Round Pointed Strut
4" to 5" x 6' (73656) **72***
Round Post
3" to 4" x 6' (73655) **120***
Round Post
3" to 4" x 5'6" (73653) **120***
Round Post
3" to 4" x 8' (73890) **120***

**30-40 YR
Service
Life**

Morticed



Scarf End Rails

87 x 38 x 3000mm
(1 1/2 x 3 1/2 x 9'10") (5613) **130***



Intermediate Posts

38 x 87 x 1800mm
(1 1/2 x 3 1/2 x 5'11") (5621) **260***



Three Hole Posts

75 x 125 x 1800mm
(3" x 5" x 5' 11") (5619) **108***



Jump Poles (4322)

100 x 3660mm (4" x 12') **73***

STRAIGHTFORWARD
Everyday Low Prices



Knee Rail (52547)

100 x 100 x 3000mm (4" x 4" x 9'10")



Knee Rail Post (52546)

100 x 100 x 900mm (4" x 2' 11 1/2")



Rails

38 x 87 x 3600mm (1 1/2 x 3 1/2 x 11'10")
(5611) **260***



Tree Stakes

38 x 38 x 1200mm (1 1/2 x 1 1/2 x 3'11")
(5612) **500***
38 x 38 x 1800mm (1 1/2 x 1 1/2 x 3'11")
(49799) **200***



Palin Pointed Top

75 x 19 x 1200mm (3" x 3/4" x 3'11")
(42803) **500***



Palin Round Top

75 x 19 x 1200mm (3" x 3/4" x 3'11")
(34960) **500***



Builders Pegs TREATED

450 x 38 x 38mm (18') (51460) **500***
600 x 38 x 38mm (2') (51461) **500***
rough sawn timber fencing shuttering pegs



Cleft Chestnut Fencing

(10yd x 4') (9041)

***PACK QUANTITY**



Fencing

Feather Edge



Board

125 x 1200mm (5" x 3'11")
(23721) **712***
125 x 1500mm (5" x 4'11")
(28226) **698***
125 x 1800mm (5" x 5'11")
(7261) **720***

Arris Rail

75 x 75 x 3000mm
(3"x3"x9'10")
(7263) **200***

Notched Post

75 x 125 x 2400mm
(3"x5"x7'10")
(7262) **108***

Feather Edge Panel

(6' x 5') Feather Edge Panel
(39808)
(6' x 6') Feather Edge Panel
(39141)

Lap Panels

(6' x 3') Lap Panel (19435)
(6' x 4') Lap Panel (19434)
(6' x 5') Lap Panel (19433)
(6' x 6') Lap Panel (19432)



Round Top Picket Fencing Panel

900mm H x 1828m L
(70715)



Heavy Duty Trellis

(6' x 1') Heavy Duty Trellis (6943)
(6' x 2') Heavy Duty Trellis (6942)
(6' x 3') Heavy Duty Trellis (6941)
(6' x 4') Heavy Duty Trellis (6940)
(6' x 5') Heavy Duty Trellis (6939)
(6' x 6') Heavy Duty Trellis (6938)



Woven Hazel Trellis

(6' x 6') Woven Hazel Panel
(42730)



Trellis Capping Rail

(1.8m x40mm) Trellis Capping Rail (48296)



All FSC Certified and
Purchased from British Forests

*PACK QUANTITY

Rough Sawn Square



75 x 75 x 1800mm
(3" x 3" x 5'11") (5603) **105***
75 x 75 x 2400mm
(3" x 3" x 7'10") (5604) **105***
75 x 75 x 2700mm
(3" x 3" x 8'10") (5618) **105***
100 x 100 x 1800mm
(4" x 4" x 5'11") (5605) **55***
100 x 100 x 2400mm
(4" x 4" x 7'10") (5606) **55***
125 x 125 x 2100mm
(5" x 5" x 6'11") (5607) **54***
150 x 150 x 2100mm
(6" x 6" x 6'11") (5616) **48***
175 x 175 x 2100mm
(7" x 7" x 6'11") (5617) **30***
200 x 200 x 2400mm
(8" x 8" x 7'10") (5608) **25***

Rough Sawn Pointed

75 x 125 x 1800mm - Pointed
(3" x 5" x 5'10") (5609) **108***
75 x 125 x 2100mm - Pointed
(3" x 5" x 6'10") (5610) **108***

Railway Sleepers




Used Treated

(20387)
2600 x 200 x 140mm



NEW Treated Softwood

(67222)
8"x4"x2400mm



Post Cap - Wooden

For 3' Posts (79076)

Concrete Products

Posts

Slotted Intermediate Post
(4'6")
(4262)

Slotted Intermediate Post
(5' 10")
(4263)

Slotted Intermediate Post
(6' 10")
(4264)

Slotted Intermediate Post
(7' 10")
(4265)

Slotted Intermediate Post
(8' 10")
(4266)

Slotted Corner Post
(7' 10")
(4270)

Slotted End Post
(7' 10")
(4275)

Concrete Slamming Post
(8'x12"x12")
(81363)

Concrete Hanging Post
(8'x12"x12")
(81364)

**Quantity
Discount
Available on
many of these
Products!**

Spur

Repair Spur
(3" x 3" x 3'6")
(4279)

Repair Spur
(4" x 4" x 3'6")
(42085)

Gravel Board

Smooth Gravel Board
(6' x 6")
(4277)

Smooth Gravel Board
(6' x 12")
(4278)

Rock Faced Gravel Board
(6' x 12")
(46037)

Fencing



**Don't struggle with a
heavy load in your car
We can deliver**



Enquire in store for details

Please note that all sizes are approximate.

www.tfmsuperstore.co.uk




Gates

Galvanised

Field 7 Bar Box-braced

Galvanised gates come equipped with hinge eyes & shoot bolts as standard



3FT (62350)

4FT (62352)

5FT (62353)

6FT (62354)

7FT (62355)

8FT (62357)

9FT (62358)

10FT (62359)

11FT (62360)

12FT (62362)

13FT (62363)

14FT (62364)

15FT (62365)

16FT (62366)



HD Stockyard 6-rail



12ft (67683)

15ft (67684)

Galvanised Posts

Heavy Duty Galv Gate Post



(Hang) 4 1/2" (3982)

(Slam) 4 1/2" (3983)

(Hang) 4 1/2" Extra LONG H/d 2.1m
(66685)

Wooden

Wooden Field Gate



900mm (3') (4328)

1200mm (4') (4329)

1500mm (5') (4330)

1800mm (6') (4331)

2400mm (8') (4333)

3000mm (10') (4335)

3600mm (12') (4337)

4200mm (14') (16848)

TFM Farm Gates



Great Value!

TFM Galvanised Field Gate
(3971) 12'



TFM Wooden Field Gate (72312)
3600mm (12' Approx)

Great Value!

Wicket Gates



Cottage Wicket Gate
3'W x 3'6"H (70794)
4'W x 3'6"H (70793)

Pedestrian Gates



Babington
(82809)
0.9m x 1.76m



Town
(82810)
0.9m x 1.778m



Country
(82811)
0.9m x 1.778m



Wellow Long
(82813)
0.9m x 1.8m



Hampton
(82818)
0.915m x 1.067m




Wellow Short
(82814)
0.9m x 0.9m

Accessories



Heavy Duty Spring Loaded Gate Wheel
(31967)



Loop Over Lifting Loop
for wooden gates
18" Galv GF1108 (774)
24" Galv GF1108 (776)



Loop Over, For Metal Gate
Galv
(935)

Dog



Dog Kennel

LARGE (7066)

L36" x W26" x H38"
Suitable for Springer/Labrador
Felt Roof
Arch Opening In End
On Legs To Prevent Damp



Stableford Dog Kennel (32924)

L48" x W36" x H34"
Suitable for ALL dogs
Offset dog access
Inner partition for wind protection
Hinged roof for easy cleaning access
Designed to fit with galv dog run or stand alone.



Dog Kennel with Run (88959)

L76" x W36" x H4"



Dog Run Panels

Front c/w Door (55810)

W1500mm x H1840mm

Side/Rear (55811)

W1500mm x H1840mm

Any combination of panels can be used to achieve the size of run required.
Lockable gate on front panel.



Dog Crates

Small: (48512)

L22" x W18" x H20"

Large: (36378)

L36" x W25" x H27"

Medium: (36377)

L30" x W22" x H24"

X Large: (36379)

L42" x W28" x H31"

Cat



Cat Crate (43041)

Vision Classic 50 Plastic Pet Carrier, Mushroom

Two way opening doors with secure and easy to use clips. Ideal for smaller cats, dogs and many other small animals.
High quality plastic with contemporary styling.

Poultry



Broody Coop (32922)

Poultry Coop & Run
L60" x W23" x H24"
Hinged Roof
Door in top of run



Silvinton (25297)

Poultry House & Run
Suitable for 6 Large Fowl
Block of 3 Exterior
Nest Boxes
Single Perch In Run
2 Perches In House



Loughton (29464)

Duck & Goose House
L42" x W42" x H38"
Suitable for 8 Ducks or 4 Geese
Roof Hinged At Front
For Easy Cleaning



Stottessen (50677)

Poultry House
L36"x 36" x H39"
Suitable for 6-8 Large Fowl
Roof Hinged At Front
For Easy Cleaning
Single Perch
6 Hen House On Legs



Ackleton (32925)

Poultry House & Run
L120" x W30" x H38"
Suitable for 4 Large Birds
Hinged Roof
Large Door In Top Of Run
Block of 2 Exterior
Nest Boxes



Farlow (27630)

Poultry House & Run
L60" x W42" x H48"
Suitable for 4 Large Birds or 6 Bantams
Hinged Roof
Large Door In Top Of Run
Block of 2 Exterior
Nest Boxes



Oreton (25293)

Poultry Ark & Run
6 Poultry Ark & Run
L72" x W34" x H29"
Suitable for 4 Bantams
Solid Floor
Large Side Door For Easy Access
Single Perch



CHARLTONS
QUALITY INGRAINED
GATES AND FENCING



BY APPOINTMENT TO
HER MAJESTY THE QUEEN
TIMBER MERCHANTS & GATE MANUFACTURER
AJ CHARLTON & SONS LIMITED SOMERSET

Quality 5 Bar, Pedestrian & Courtyard Gates



www.charltonsgates.com

Lucas



Premium Performance from a UK brand you can trust

Batteries for all applications including car, commercial vehicle, agricultural machinery, quad-bike, motorcycle, leisure and marine.



Trust Lucas

JAMES WELLBELOVED

NATURALLY HEALTHY PET FOOD[®]



Nutritionally balanced, complete and delicious
– James Wellbeloved hypoallergenic pet food
is perfect for both dogs and cats

www.wellbeloved.com





SKINNER'S

PREMIUM QUALITY BRITISH DOG FOODS



- ✓ NUTRITIONALLY BALANCED COMPLETE DRY DOG FOODS
- ✓ NO ARTIFICIAL ADDITIVES, FLAVOURINGS OR PRESERVATIVES
- ✓ COMPETITIVELY PRICED
- ✓ SUITABLE FOR ALL BREEDS OF DOG
- ✓ HYPOALLERGENIC FOODS AVAILABLE IN BOTH RANGES



Roger Skinner Ltd
The Mills, Stradbroke, Eye, Suffolk IP21 5HL

www.skinnerpetfoods.co.uk



Wild Bird Food



Branded Range

Hi-Energy No Mess BIRD Seed

(35310) 12.75kg

Hi-Energy Nut Cake & Insects

(20642) 500ml

Black Sunflower BIRD Seed

(31164) 12.75kg

Hi-Energy No Mess BIRD Seed

(35311) 6 litre

Peanuts, Premium

(21038) 3 litre

Hi-Energy Nut Cake Original

(36875) 1Ltr Tube

Hi-Energy Nut Cake & Seeds

(36877) 1Ltr Tube

Feeder BIRD Seed

(20634) 6 litre

Nyjer BIRD Seed

(38755) 3 litre

Hi-Energy Nut Cake with Insects (36876) 1 litre



Peanut Cake

(20644) 500ml

Four Seasons Seed Blend (36008) 12.75kg

Nyjer Bird Seed

(38756) 12.75kg

Robin Gourmet BIRD Seed (44640) 3 litre



Peanut Cake with Seed (20641) 500ml

Four Seasons Seed Blend (62301) 3litre

Black Sunflower Bird Seed (62153) 3 litre

Energy Rich No Mess Bird Seed (40430) 12.75kg

Peanut Butter Refill Jar with Mealworms (83900) 330g

Shannon Peanut Butter Feeder & Jar Pack (83882) 300g

Finch Blend (73541) 1.8 kg

Suet To Go Mealworm Half Coconut Feeder (87228) each

Produced with a natural coconut shell, this product is 100 biodegradable and works great as a year-round feed.

Colonels Hemp Seed (73351) 15kg

Nutritious general seed enjoyed by most garden birds, and a particular favourite of finches.



Natures Feast Fruit & Berry Fat Balls

(40727) 150 Box



Peckish All Seasons Suet Cake

(68786) Value Pack 10



Peckish Complete Suet Bites

(87128) 500g + 50% Extra Free
Seed and Insect Suet is a high energy wild bird food treat



Country UF Premium Peanuts 20kg

(58538) 20kg



Mealworms

(61330)

1.2kg + 25% Extra Free
Dried mealworms resemble natural wild bird food. Suitable for most garden bird tables and bird seed feeders, as well as for ground feeding.



Mealworms Pouch (73120)

400g. Dried mealworms resemble natural wild bird food. Suitable for most garden bird tables and bird seed feeders, as well as for ground feeding. Dried mealworms naturally attract many wild bird varieties, including Nuthatch, Great Tits, Coal Tits, Blue Tits and House Sparrows.



Peckers Wild Bird Food Classic Mix (72903)

20kg. Wild Bird Seed is a good general-purpose economy mix for tubular bird seed feeders, bird table and ground feeding



BUCKTONS Sunflower Hearts (38737) 20kg.



Peckish Energy Fat Balls (55286)

50 Tub + 20% Free



TFM Brand

Fat Balls, Small Fat Snax

(40762) each



Peanuts

(66533)

LOOSE PER KILO (kg)



Sunflower Hearts

(68359)

LOOSE PER KILO (kg)



Nyjer Seed

(74205)

LOOSE PER KILO (kg)



Wild Bird Seed

(82170)

LOOSE PER KILO (kg)



Premier (73326) 25kg

Gem's 'Best All Round Balanced Mixture' for racing, breeding and moulting.

Bag contains: Maize, Maple Peas, White Wheat, Red Dari, White Peas, Vetches, Safflower.

Concorde (73336) 25kg

Very popular mix especially for YB's. Although fanciers use it to breed and race on.

Bag contains: Maple Peas, Safflower, White Dari, Red Dari, Tares

Depurative (73328) 20kg

An excellent breakdown mixture.

Bag contains: Malting Barley, White Wheat, Red Dari, White Dari, Buckwheat, Safflower, Linseed

High Protein Economy (73329) 25kg

A sound economic mixture at the right price with plenty of peas.

Bag contains: Maple Peas, Green Peas, White Wheat, Tic Beans, Vetches, French Maize, White Peas

Moulting Mix (73333) 25kg

Super mix with plenty of oil seeds for a perfect Moul.

Bag contains: Plate Maize, Red Dari, White peas, Vetches, Black Rape, White Wheat, Blue Peas, Safflower, Linseed

Gem Irish Mix (73330) 25kg

Bag contains: Plate Maize, white peas, safflower, green peas, Tares, Maple Peas, Red Dari, White Dari

Economic Winter Special (73330) 25kg

Bag contains: Roundberry Maize, Wheat, Barley, Red Dari.

Young Bird No Maize (73341) 25kg

A super young bird mixture and very popular with fanciers that feed YB's no maize

Bag contains: Maple Peas, White Wheat, Vetches, Red Dari, White Dari, Safflower, Buckwheat, White Peas.

Trapping & Condition (73334) 20kg

To help with trapping and bring on condition.

Bag contains: Safflower, Red Dari, White Dari, Hemp, Paddy Rice, Buckwheat, Linseed, Groats, White Wheat, Mung Beans

Breeding (76759) 25kg

A well balanced popular mixture for breeding and resulting in super YB's.

Bag contains: Plate Maize, Round berry Maize, Maple Peas, White Wheat, Red Dari, Vetches, Safflower.

Cowood (73338) 25kg

Best Selling YB Mix.

Bag contains: Maples, White Wheat, Tares, Safflower, Red Dari, Popcorn Maize

Breed & Wean (73327) 25kg

Bag contains: Maple Peas, Red Dari, White Wheat, Safflower, Tares, White Dari.

Gem Plus (73332) 20kg

This mix is very similar to Gerry Plus.

Bag contains: Popcorn Maize, Buckwheat, White Dari, Paddy Rice, Safflower, White Wheat, Red Dari, Mung Beans Extra Barley, G10's S

Royale (77410) 25kg

Super strong mix with all the required ingredients for racing birds.

Bag contains: Maple Peas, Round berry Maize, Red Dari, White peas, Vetches, White Dari, Safflower.

Super Widowhood (73337) 25kg

15 different ingredients in this superb mix and especially prepared for racing cocks.

Bag contains: Plate Maize, Popcorn Maize, Maple Peas, Tares, Croats, Red dari, White Dari, Buckwheat, White Peas, Lentils, Paddy Rice, Mung Beans, Soya Beans, Hemp, Safflower.

Gem The Matrix Pigeon Supplement (78960) 25kg

GEM The Matrix Pigeon Supplement is a complete combination of minerals, vitamins, amino acids, trace elements, grits (hard and soft) including red stone, clay blocks, mineral blocks, pink minerals powder, brewers yeast and finest conditioning oil seed - everything your birds need in one tub.





Buy Big Value Packs and Save



Dog Food



Butchers 1200g Tripe Mix
(32365) 6pk

Butchers Can Tripe Mix
(179) 400g 12pk



Country UF Active Diet Working Dog Food
(87376) 15kg



Country UF Maintenance Diet Dog Food
(87377) 15kg



Country UF Meaty Feast Dog Chunks in Jelly
(87378) 12x400g



Country UF Meaty Feast Dog Chunks in Jelly
(87378) 6x1200g



TFM Farm Dog Field Crunch
(28372) 15kg



TFM Farm Dog Maintenance Crunch
(28371) 15kg



JAMES WELLBELOVED Adult Dog Fish/Rice
(48700) 15kg



JAMES WELLBELOVED Adult Dog Fish/Rice
(45907) 2kg



JAMES WELLBELOVED Adult Dog Lamb/Rice
(24001) 15kg



JAMES WELLBELOVED Adult Dog Turkey/Rice
(45906) 2kg



JAMES WELLBELOVED Adult Dog Turkey/Rice
(23999) 15kg



JAMES WELLBELOVED Adult Dog Turkey/Rice
(45902) 2kg



JAMES WELLBELOVED Lamb Crackerjacks
(48685) 225g



CHUDLEYS Classic Dog Food
(188) 15kg



CHUDLEYS Classic Dog Food
(18310) 2.5kg



CHUDLEYS GREYHOUND Racer
(7238) 15kg



CHUDLEYS Lite Dog Food
(35301) 15kg



CHUDLEYS Lite Dog Food
(38344) 2.5kg



CHUDLEYS Original Working Dog Food
(41833) 15kg



CHUDLEYS Puppy/Junior Dog Food
(76973) 12kg



CHUDLEYS Puppy/Junior Dog Food
(77134) 2.5kg



CHUDLEYS Senior Dog Food
(18378) 15kg



CHUDLEYS Senior Dog Food
(18377) 2.5kg

CHUDLEYS Sensitive Lamb, Veg & Rice Dog Food
(32448) 15kg

CHUDLEYS Sensitive Lamb, Veg & Rice Dog Food
(32447) 2.5kg

CHUDLEYS Working Crunch Dog Food
(17948) 15kg



Arkwrights Complete Dog Food Chicken
(76705) 15kg



GILPA Dog Super Value Mix
(20552) 15kg



Beef Tails Dog Treats
(81757) 250g



Beef Tendons Dog Treats
(81751) 250g



Braided Lamb
(82763) 100g



Chicken Breast Jerky
(81952) 100g



Natural Twists Dog Treats
(81750) 100g



Dog Food



**CHAPPIE DOG
Can Original**
(109) 412g 12pk



**CHAPPIE DOG Dry
Beef / Wholegrain
Cereal**
(2262) 15kg

**CHAPPIE DOG Dry
Chicken/Wholegrain
Cereal**
(110) 15kg



**DENTASTIX
Large DOG**
(44431) (25kg+) 28pk



**DENTASTIX
Medium DOG**
(44429) (10-25kg) 28pk



**DENTASTIX
Small DOG**
(59883) (5-10kg) 28pk

**MARKIES
Minis**
(51387) 1.5kg



**PED CHUM
Original**
(92) 1.2kg 12pk



**PED CHUM
Can Senior DOG**
(57008) 400g 6pk



**PED CHUM
Can Puppy DOG**
(61035) 400g 6pk



**PED CHUM DOG
Can Multi-Variety**
(87) 385g 12 Pack



**PED CHUM DOG
Mixer Original**
(68576) 10kg



**PED CHUM Dry Adult
Small DOG Chicken**
(49052) 2.3kg



**PED CHUM
Gravy Bones Original**
(51385) 1.5kg



**PED CHUM
LARGE Jumbone Beef**
(61033) 1 piece



MEDIUM Jumbone Beef
(61034) 2 piece



**LARGE Jumbone
Chick/Rice**
(47682) 1 piece



**MEDIUM Jumbone
Chick/Rice**
(47681) 2 piece



**PED CHUM Pouch
Adult DOG Favourite**
(33147) 100g 12pk



**PED CHUM Pouch
Adult DOG Jelly**
(85074) 100g 40 for 36



**PED CHUM PUPPY
Dry Chicken & Rice**
(100) 10kg



**PED CHUM
Schmacks Mixed**
(57010) 20 Sticks



**PED CHUM
Small Bite Mixer**
(131) 1.5kg



**Pedigree Dog Complete
Dry Beef & Vegetables**
(98) 12kg



**Pedigree Dog Complete
Dry Beef & Vegetables**
(101) 2.6kg



**Pedigree Dog Complete
Complete Dry Chicken
& Veg**
(111) 12kg



**Pedigree Dog Complete
Complete Dry Chicken
& Veg**
(103) 2.6kg



**Skinners Field & Trial
Chicken & Rice
DOG Food**
(81143) 15kg



**Skinners Field & Trial
Crunchy DOG Food**
(64546) 15kg



**Skinners Field & Trial
Duck & Rice DOG Food**
(58979) 15kg

**Skinners Field & Trial
Duck & Rice DOG Food**
(64543) 2.5kg



**Skinners Field & Trial
Grain Free Chick&Potato**
(86823) 15kg



**Skinners Field & Trial
JUNIOR Food**
(73905) 15kg

**Skinners Field & Trial
JUNIOR Food**
(73906) 2.5kg



**Skinners Field & Trial
Light&Senior Dog Food**
(64552) 15kg

**Skinners Field & Trial
Light&Senior Dog Food**
(64553) 2.5kg



**Skinners Field & Trial
Maintenance DOG Food**
(60285) 15kg

Dog Food



Skinner's Field & Trial Muesli DOG Food
(43250) 15kg

Skinner's Field & Trial Muesli DOG Food
(77045) 2.5kg



Skinner's Field & Trial PUPPY Food
(64544) 15kg

Skinner's Field & Trial PUPPY Food
(64545) 2.5kg



Skinner's Field & Trial Salmon & Rice DOG Food
(64548) 15kg

Skinner's Field & Trial Salmon & Rice DOG Food
(64549) 2.5kg



Skinner's Field & Trial Turkey & Rice DOG Food
(64551) 15kg

Skinner's Field & Trial Turkey & Rice DOG Food
(64550) 2.5kg



Skinner's Field & Trial Working 23 DOG Food
(64547) 15kg



BAKERS Complete Beef & Veg DOG
(71957) 14kg



BAKERS Complete Beef & Veg DOG
(71958) 3kg



BAKERS Complete Chicken & Veg DOG
(71959) 14kg



BAKERS Complete Chicken & Veg DOG
(71960) 3kg



BETA PURINA Adult Chicken DOG
(18535) 14kg



BETA PURINA Puppy Chicken & Rice
(24970) 14kg



BETA PURINA Puppy Chicken & Rice
(18874) 2kg



BETA PURINA Working DOG
(17326) 14kg



BONIO Chicken
(25914) 1.2kg



BONIO Original
(1226) 12.5kg



BONIO Puppy Milk Biscuits
(76024) 350gm



Hide Dog 5" Twist Chews Medium
(84747) Pack 100



Hollings Roast Knuckle Bone
(87225) Per Packed



MUNCHY Flat Mixed Dog Chews
(84748) 7/8mm Pack 100



Munchy Sticks Natural Dog chews 5"
(84749) Pack 100



Pig Ears Dog Treats
(81581) Pack 10



BEEF



DAIRY



SHEEP



**Ruminant feed
supplement
manufacturers
for over 50 years**

www.rumenco.co.uk

RUMENCO





CARBON STEEL - COLLECTION

The Wilkinson Sword Carbon Steel Collection is a selection of the most popular digging, cultivating and hand tools.

Digging Tools

- Strong Carbon Steel head
- Natural weatherproofed handle
- Double riveted head socket
- Hard-wearing and stylish green epoxy finish



Hand Tools

- Strong Carbon Steel head
- Natural weatherproofed smooth, Ash handle
- Hard-wearing and stylish green epoxy finish
- Leather hanging strap for easy storage



Cultivating Tools

- Strong Carbon Steel head
- Natural weatherproofed handle
- Double riveted head socket
- Hard-wearing and stylish green epoxy finish



TFM FARM & COUNTRY SUPERSTORE LTD
www.tfmsuperstore.co.uk



Rat & Mouse Poisons



Amateur

Jade Grain 25 Rat Bait

150g Pouch AMATEUR (85932)

A highly attractive and very palatable difenacoum whole wheat bait for use against rats and mice. RUBY whole grain bait contains an irresistible aniseed attractant which enhances a rapid 'take'. To be used in and around buildings. Active: 0.005 Difenacoum



Ruby Block 25 Rat Bait

300g Pouch AMATEUR (85931)

A highly attractive and very palatable difenacoum whole wheat bait for use against rats and mice. RUBY whole grain bait contains an irresistible aniseed attractant which enhances a rapid 'take'. To be used in and around buildings. Active: 0.005 Difenacoum



Sapphire Paste 25 Rat Bait

150g Pouch AMATEUR (85933)

A highly attractive and very palatable difenacoum whole wheat bait for use against rats and mice. RUBY whole grain bait contains an irresistible aniseed attractant which enhances a rapid 'take'. To be used in and around buildings. Active: 0.005 Difenacoum



CUF Difenacoum Block

300g Sachet AMATEUR (87404)



CUF Difenacoum Pasta

150g Sachet AMATEUR (87405)



CUF Whole Wheat

150g Sachet AMATEUR (87403)



Roban 25 Cut Wheat Rat Bait

40g Packs - AMATEUR (81602)



VERTOX 25 Oktablok II

20g Blocks 300g AMATEUR (86448)

Vertox Mouse and Rat Bait is a versatile rat poison for professional use, suitable for indoor and sewer application. Ready for use and formulated from high temperature treated wheat that emits a chocolatey smell particularly attractive to rodents.

- Highly palatable and effective against all pest rodents
- Formulated with fungal growth inhibitors prevents growth of fungi or bacteria in damp conditions
- Contains: Brodifacoum 0.005 w/w & denatonium benzoate 0.001 w/w.
- Lethal Dose: Mouse 0.2g, Rat 1.2g.

This product is of HIGH RISK TO NON TARGET SPECIES; a 20kg dog needs to consume only 1kg of bait for a lethal dose. INDOOR USE ONLY. To be used in buildings only with extremely limited access points



Racan Mouse Killer Pastebait

8 Paste Sachets

Racan Reusable Mouse Station

(84773)



Anti Rodent Spray (84340) 500ml

Specialised spray to protect electrical cabling and insulation materials from rodent attack for up to 6 months. Lodi anti rodent spray contains a specially formulated vaporised solution that once sprayed forms a protective film. Simply spray on the surface and rodents will no longer chew through or bite into the treated area. An ideal product for domestic and agricultural buildings as well as farm machinery where rodents might bite through cabling. Also effective against squirrel attack. Up to 6 months protection against rodent attack.



Professional

Neosorex Gold RTU Bait

10kg - PROFESSIONAL (48007)



Neosorex Gold RTU Rat Bait

3kg - PROFESSIONAL (48005)



Neosorex Gold RTU Rat Bait

6kg - PROFESSIONAL (48006)



Neosorex Gold RTU Rat Packs

5kg - PROFESSIONAL (48009)

Neosorex® Gold is a highly effective rodenticide, particularly in the control of mice, brown rats and black rats. Neosorex® Gold is the first rodent bait to use Fortec™ technology, which improves the palatability for rats and mice, reducing rodents natural neophobia to the introduction of something new to their environment. Neosorex® Gold is a mouse and rat poison, designed to encourage natural feeding behaviour through: touch and feel, smell, taste and sight

- A palatable all-purpose rodenticide based on the advanced anticoagulant Difenacoum
- Equally effective against mice and rats
- Controls strains resistant to some other anticoagulants
- Two or more feeds required to produce delayed mortality (4-10 days)

For professional use only. Always read the manufacturers instructions.

Rat & Mouse Poisons



Neosorexa Pasta Rat Bait

5kg – PROFESSIONAL (43237)

Neosorexa Pasta Mouse and Rat Bait is a highly effective solution for difficult to control urban mice & rats. Developed for professional use for both in and outdoor use, the formula is resistant to humidity, whilst maintaining excellent palatability.

- Contains Difenacoum
- Non spill presentation
- Effective even in hot & cold extremes
- High quality moist pasta bait
- Attractive odour



Storm Secure Floccoumafen

3kg – PROFESSIONAL (62739)

Storm Secure bait blocks are a cost effective rodent infestation solution for indoor rat and mouse control, using the most potent rat killer available on the market, Floccoumafen. For professional use only.

- Delivers a lethal dose in a single feed
- Highly effective against mice and difficult to control rats
- Easy to use crushed grain wash block
- Central hole for secure anchoring
- Combats resistance development
- Requires only 4 applications over a 21-day programme

Always read the manufacturers instructions prior to use



CUF Brodifacoum Block Bait

4kg PROFESSIONAL (87413)

Vertox Mouse and Rat Bait is a versatile rat poison for professional use, suitable for indoor and sewer application. Ready for use and formulated from high temperature treated wheat that emits a chocolatey smell particularly attractive to rodents.

- Highly palatable and effective against all pest rodents
- Formulated with fungal growth inhibitors — prevents growth of fungo or bacteria in damp conditions
- Contains: Brodifacoum 0.005 w/w & denatonium benzoate 0.001 w/w.
- Lethal Dose: Mouse 0.2g, Rat 1.2g.

This product is of HIGH RISK TO NON TARGET SPECIES; a 20kg dog needs to consume only 1kg of bait for a lethal dose. **INDOOR USE ONLY.** To be used in buildings only with extremely limited access points.

CUF Bromadiolone Block Bait

3kg PROFESSIONAL (87410)

Whole Wheat Mouse & Rat Bait is for professional use both in & outdoors, around buildings & in sewers. A ready-to-use bait with a chocolatey aroma that is particularly attractive to rodents.

- Contains: Bromadiolone 0.005 w/w & denatonium benzoate 0.001 w/w
- Ideal for the control of rats and mice
- Formulated with fungi and bacterial growth inhibitors – bait is effective in damp conditions
- Highly palatable and ideal for farm use
- Lethal Dose: Mouse 0.9g, Rat 5.6g

MEDIUM RISK TO NON TARGET SPECIES; a 20kg dog needs to consume 4kg of bait for a lethal dose. Indoor & outdoor use.



CUF Bromadiolone WholeWheat Bait

10kg PROFESSIONAL (87408)



CUF Bromadiolone WholeWheat Bait

20kg PROFESSIONAL (87407)



CUF Bromadiolone WholeWheat Bait

3kg PROFESSIONAL (87409)



CUF Bromadiolone WholeWheat Packs

50x100g PROFESSIONAL (87736)

Whole Wheat Mouse & Rat Bait is for professional use both in & outdoors, around buildings & in sewers. A ready-to-use bait with a chocolatey aroma that is particularly attractive to rodents.

- Contains: Bromadiolone 0.005 w/w & denatonium benzoate 0.001 w/w
- Ideal for the control of rats and mice
- Formulated with fungi and bacterial growth inhibitors – bait is effective in damp conditions
- Highly palatable and ideal for farm use
- Lethal Dose: Mouse 0.9g, Rat 5.6g

MEDIUM RISK TO NON TARGET SPECIES; a 20kg dog needs to consume 4kg of bait for a lethal dose. Indoor & outdoor use..



CUF Difenacoum Cut Wheat Bait

3kg PROFESSIONAL (87457)



VERTOX Whole Wheat Bait

10kg PROFESSIONAL (70770)

Vertox Whole Wheat Mouse and Rat Bait is a versatile rat poison for professional use, suitable for indoor and sewer application. Ready for use and formulated from high temperature treated wheat that emits a chocolatey smell particularly attractive to rodents.

- Highly palatable and effective against all pest rodents
- Formulated with fungal growth inhibitors — prevents growth of fungo or bacteria in damp conditions
- Contains: Brodifacoum 0.005 w/w & denatonium benzoate 0.001 w/w.
- Lethal Dose: Mouse 0.2g, Rat 1.2g.

This product is of HIGH RISK TO NON TARGET SPECIES; a 20kg dog needs to consume only 1kg of bait for a lethal dose. **INDOOR USE ONLY.** To be used in buildings only with extremely limited access points

RODENTICIDE REGULATIONS

General Public - can only purchase volumes of 300g or less, but can buy multiple packs. Must be used in bait stations.

Professional Users - 3kg minimum pack size. Must have recent approved certification or be a member of an approved farm assurance scheme such as Red Tractor. A full list of qualifications and approved schemes can be found at www.thinkwildlife.org/training-certification/



Rat & Mouse Traps



Easy Set Mouse Trap

2 Pack (81305)

Reusable mouse trap. Economical way to remove pests from the household



Easy Set Wooden Rat Trap

(81682)

Simple and economic way to remove pests from the household



Electronic Mouse Killer Trap

(45171)

The Electronic Mouse Killer Trap is a humane mouse killer controlled by smart and unique electronics. The mouse is killed instantly on contact with killing plates, which completes an electrically charged circuit.

- Power for up to 50 kills with 4 AA batteries (not included)
- Low battery warning light
- Safe for use around children and pets
- Flashing warning light to indicate capture

Not recommended for use by people with pacemakers. Always read the manufacturers instructions.



Electronic Rat Killer Trap

(45170)

The Electronic Rat Killer Trap is a humane rat trap that kills the rat in seconds of it touching the electrical killing plates. Ready and easy to use, this rat killer product is intended for use by professionals.

- Instant and humane killing action
- Ready to use
- Suitable for indoor use only

Please note, this product should not be used by people with pacemakers. Keep away from children and pets. Always follow the manufacturers instructions.

Dimensions: 22cm x 10cm x 12.5cm



Live Catch RTU Mouse Traps

Twinpack (46655)

The Twinpack of RTU Live Catch Mouse Traps are baited and ready-to-use with a simple tip-and-trap mechanism and a locking bar to ensure that the caught mice can't escape.

A value twin pack humane mouse trap measuring approx 149 x 116 x 51mm



Live Multi-Catch

Rat Trap Cage (35054)

The Self Set Multi Catch Humane Rat Trap catches up to 5 rats in a single setting, with a self-setting mechanism with repeated entrance re-set.

- Galvanised durable mesh with no hazardous edges
- Fully assembled and ready to use



Mouse & Rat Attractant

15gm (62867)

The Big Cheese Mouse and Rat Attractant is an ideal 'better than cheese' rat bait that serves up to 20 applications. The mouse and rat bait is suitable for use with almost any catch alive or catch-and-kill rat and mouse traps.

A clean and easy application with a lock-cap syringe.



Multi-Catch Mouse Trap

15gm (46654)

The Big Cheese Multi-Catch Mouse Trap is a baited and ready to use humane mouse trap with the capacity to catch 4 mice at any one time.

- Self-setting mechanism
- Safe to use around children and pets
- Clear view top for easy viewing
- Sliding lid for quick release of caught mice

Dimensions: 242 x 143 x 45



Quick Click Mouse Traps (35885)

2 pack Quick Click catch-&-kill mouse traps are an easy to operate and hygiene way to catch, kill and dispose of mice.

- Hygienic, no touch, 21st century design
- Baited and ready to use
- Easy to set • Squeeze to dispose



Rat Cage Trap (230)

The Big Cheese Rat Trap Cage is an easy-to-use 'catch alive' trap that is simple and quick to bait.

- Informative pack/comprehensive instructions
- Long lasting galvanised mesh
- Spring lock door • Heavy duty & robust design
- Easy carry handle



Self Set Mouse Trap (9197)

The Self Set Mouse Trap is an all-metal British made traditional mouse trap for both indoor and outdoor use. With hair breadth sensitivity, the mouse trap is highly effective and easy to use.



Self Set Multi-Catch Mouse Trap

(59762) 263 x 159 x 49mm

The large Self Set Multi-Catch Mouse Trap from STV, is a galvanised 'catch alive' humane mouse trap for catching 10 or more mice in one sitting.

- Self setting mechanism
- Suitable for domestic & commercial environments
- Flip top clear lid for easy viewing & cleaning



Self Set Rat Trap (9198)

The Self Set Rat Trap is an all-metal British made traditional rat trap for both indoor and outdoor use. With hair breadth sensitivity, the rat trap is highly effective and easy to use.

Sonic Rat & Mouse Repeller (25044)

The Sonic Rat and Mouse Repeller easy to use plug-in pest control for home protection.

- Protects up to 400 sq. feet (37m²)
- Safe for use around cats and dogs
- Maintenance free • Low cost operation
- Test button LED for easy checking

Dimensions: 183 x 134 x 71mm



A PROPER PARTNERSHIP

Be like Guy Martin and take the proper steps by switching to Morris Lubricants' Superior Quality Engine Oils.



Heavy Duty
Diesel Engine Oils



Gear &
Transmission Oils



Universal Oils



Brake Fluids



Coolants



Greases



Hydraulic Oils



Aerosols



MORRIS
LUBRICANTS

f /morrislubricants | @morrislubricantsuk | /morris-lubricants | www.morrislubricants.co.uk



We stock a huge range of plough & cultivation parts & fixings

- ✓ Best priced all year round
- ✓ Fixings included with all plough parts
- ✓ No minimum quantity requirements
- ✓ Buy parts as you need them
- ✓ Free direct to farm delivery on orders over £250
- ✓ Parts for all major brands - Always in stock
- ✓ Genuine quality

Plus our **STRAIGHTFORWARD** Low Prices are already lower than most on-farm & on-line deals!



SUMO

Dowdeswell



Kverneland

AMAZONE

BOMFORD



LEMKEN

VÄDERSTAD

KONGSKILDE

HORSCH

SIMBA



Complete Shaft Assemblies



0.8m QR/QR A2 - 2753

20HP (75887)
HP @ 540RPM - 20HP
Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 800mm

1.2m c/w O'Run A4 35HP (80142)

HP @ 540RPM - 35HP
Tractor End - 1,3/8" x 6 spline
Implement End - Max Torque 2400Nm
Closed Length End to End - 1200mm

1.2m QR/QR A4-2757 35HP (75888)

HP @ 540RPM - 35HP
Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1200mm

1.2m QR/S-Bolt A2 - 2790 20HP (75894)

HP @ 540RPM - 20HP
Tractor End - 1,3/8" x 6 spline
Implement End - Shearbolt
Closed Length End to End - 1200mm

1.2m QR/S-Bolt A4-2785 35HP (75886)

HP @ 540RPM - 35HP
Tractor End - 1,3/8" x 6 spline
Implement End - Shearbolt
Closed Length End to End - 1200mm

1.35m QR/QR A6-2761 60HP (75889)

HP @ 540RPM - 60HP
Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1350mm

1.35m QR/S-Bolt A6-2789 - 60HP (75885)

HP @ 540RPM - 60HP
Tractor End - 1,3/8" x 6 spline
Implement End - Shearbolt
Closed Length End to End - 1350mm

W100E1010 - 75HP* (76994)

Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1010mm

W200E1210 - 115HP* (76995)

Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1210mm

W300E1210 - 165HP* (76996)

Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1210mm

W400E1210 - 250HP* (76997)

Tractor End - 1,3/8" x 6 spline
Implement End - 1,3/8" x 6 spline
Closed Length End to End - 1210mm

***Genuine Walterscheid**

PTO Guards

PTO Guard - Universal suits
32-53mm Yoke Groove (64221)
fits A2 + A3 shaft

PTO Guard - Universal suits
53-80mm Yoke Groove (64222)
fits A4 to A8 shaft

PTO Adaptors

PTO Increaser
1-1/8" 6S F x 1-3/8" 6S M, 3"
(6465)

PTO Adaptor - BoltOn
6 Spline F x 6 Spline M 4½"
(19896)

PTO Adaptor - BoltOn
6 Spline F x 6 Spline M 5½"
(53994)

PTO Adaptor
QR 6 Spline F x 21 Spline M
(6468)

PTO Adaptor
QR 6 Spline F x 21 Spline M 6½"
(6466)

PTO Adaptor
QR 6 Spline M x 21 Spline F
(6469)

PTO Spares

PTO 403000001
Q/R Pin Kit 1-3/8x6x21
(4217)

PTO 56.73.08
Friction Disc
(20150)

PTO Agraset 100
Walterscheid
Q/R Pin Kit
(4213)

PTO Agraset 101
Walterscheid
Q/R Pin Kit - DAG101
(4214)

PTO SK3281K
Hardy Spicer
Q/R Pin Kit
(4216)

PTO Guard Retaining
Chain (Pair) - VTE1700
(7251)





PTO Shafts & Accessories

PTO Profile Tubes

Bell Tube (Series 1)

Inner, 1mtr : A=26.5mm B=3.5mm
(79945)

Bell Tube (Series 1)

Outer, 1mtr : A=32.5mm B=2.6mm
(79946)

Bell Tube (Series 2)

Inner, 1mtr : A=29mm B=4mm
(79947)

Bell Tube (Series 2/3)

Outer/Inner, 1mtr : A=36mm B=3.2mm
(79948)

Bell Tube (Series 3/4)

Outer, 1mtr : A=43.5mm B=3.4mm
(79951)

Bell Tube (Series 4)

Inner, 1mtr : A=36mm B=4.5mm
(79953)

Bell Tube (Series 5)

Outer, 1mtr : A=51.6mm B=3mm
(79955)

Bell Tube (Series 5/6)



Inner, 1mtr : A=45mm B=4mm
(79956)

Bell Tube (Series 6/7)

Outer, 1mtr : A=54mm B=4mm
(79958)

Bell Tube (Series 7)

Inner, 1mtr : A=45mm B=5.5mm
(79960)



Lemon Tube (00a)

Inner, 1 metre
A=23.5mm B=31mm C=3.6mm
(79932)

Lemon Tube (0a)

Outer, 1 metre
A=30mm B=39mm C=2.8mm
(79933)

Lemon Tube (0v)

Inner, 1 metre
A=34.5mm B=40mm C=5mm
(79928)

Lemon Tube (1)

Outer, 1 metre
A=41mm B=48mm C=3mm
(79935)

Lemon Tube (1b)

Inner, 1 metre
A=39.5mm B=49mm C=4.5mm
(79930)

Lemon Tube (2a)

Outer, 1 metre
A=48mm B=57.5mm C=4mm
(79931)

Star Tube (S4)

Inner, 1mtr : A=51mm B=37mm
(79943)

Star Tube (S5)

Inner/Outer, 1mtr
A=61mm B=47mm C=4.5mm
(79940)

Star Tube (S6)

Outer, 1mtr
A=71.5mm B=57.5mm C=5mm
(79942)

PTO Cross Journals

PTO 23.00.00/A7 (W230/BPA7) (4224)

A=106.5mm Y=30mm

PTO 24.01.00 (W240/BPA8) (22094)

A=106.5mm Y=35mm

PTO 35.00.00 (W2400) (4222)

A=76mm Y=32mm

PTO HS195 (suits Landrover) 74.6x27mm (4225)

A=74.6mm Y=27mm

PTO 36.06.00 (W2580) (22097)

A=89x106mm Y=32x36mm

PTO 10.01.00 (W2100) (4218)

A=55mm Y=22mm

PTO 11.03.00 (W1/BP3) (4220)

A=70mm Y=27mm

PTO 12.00.00 (W11) (22086)


A=90mm Y=34mm

PTO 20.00.00/41202 (W2200/BP2) (4219)

A=61mm Y=24mm

PTO 21.00.00/41204 (W2300/BP4) (4221)

A=75mm Y=27mm



PTO 22.00.00/41206 (W220/BP6) (19297)

A=92mm Y=30mm

PTO 36.00.00 (W2500) (4223)

A=89mm Y=36mm

PTO 41201 (BP1) (22009)

A=54mm Y=22mm

PTO 41205 (BP5) (4228)

A=80mm Y=30.2mm

PTO 41207 (BP7) (22020)

A=94mm Y=35mm

PTO 41208 (BP8) (20477)

A=106.5mm Y=35mm

PTO 41209 (BP9) (58045)

A=108mm Y=41mm

PTO 41210 (BP10) (76986)

A=118mm Y=41mm



Agricultural Products

A range of high-quality agricultural lubricants designed to perform



AVAILABLE SIZES

All of our products are available in a wide variety of sizes and materials suitable for various transportation and storage methods. Whatever your demands we will be able to accommodate them.



Hydraulic Oils

A range of premium hydraulic oils designed for agricultural hydraulic system applications. Designed to be subjected to extreme operating conditions and temperatures, available in a variety of viscosity grades. Our latest products contain effective anti-foam additives to facilitate the rapid release of air and reduce sponginess in system operation.



Greases

A range of high-performance greases suitable for a wide range of agricultural applications, including wheel bearings, CV joints, hydraulics and mechanical components.



Brake Fluids

High performance fluids that provide effective brake feel and operation under a wide variety of driving conditions. Manufactured to exceed vehicle manufacturers standards, and suitable for use at high temperatures.



Heavy Duty Diesel Engine Oils

A range of OEM approved heavy duty diesel engine oils that fulfill the needs of previous and current generation diesel engines. This range provides maximum rationalisation potential in mixed tractor and combine harvester fleets where a number of manufacturers, models and engine technologies are being used.



Coolants

Formulated specifically to provide protection all year round, these products not only assure effective cold start, but the balanced blend of rust and corrosion additives contribute to cooling system integrity.



Gear and Transmission Oils

Fuel economy and shift comfort have put increasing demands on transmissions, driving the development of a range of products with optimised friction and wear control features.



Universal Oils

Advanced multifunctional lubricants designed to cover the majority of agricultural lubricant requirements, whilst maintaining a reduced inventory. Applications include engines, gearboxes, hydraulics and oil immersed brake systems. Developed with the latest additive technology and high-quality base oils the range offers superior operational and protective performance even in the harshest of operating conditions.





Oil Guides



Automotive Products

A range of high-quality automotive lubricants designed to perform



MULTIVIS ADT

Superior quality after-treatment device compatible engine oil for petrol and diesel engines.

Multivis ADT C1 5W-30	MCF	FE L ST	ACEA C1, Ford WSS-M2C934-B, STLJR.03.5005 (Approved)
Multivis ADT C2 5W-30	CTW	FE M ST	API SN/CF, ACEA C2
Multivis ADT C3 5W-30	CTH	FE M ST	ACEA C3, ACEA C2, MB 229.31, MB 229.51, MB-Approval 229.52, APISN, dexos2 (License no. RB2B0407047)
Multivis ADT C4 5W-30	CFT	FE L ST	ACEA C4, Renault RN0720, MB 226.51, MB 229.31, MB 229.51
Multivis ADT C3 5W-40	CFF	M ST	APISN / CF, ACEA C3, BMW Longlife-04, Ford WSS-M2C917-A, MB 229.51, Porsche A40, VW 502.00/505.01
Multivis ADT FD 5W-30	MND	FE ST	APISL / CF, ACEA A1 / B1, A5 / B5, Ford WSS-M2C913-D, STLJR.03.5003
Multivis ADT VA 5W-30 NEW	VMX	FE M ST	Approved under VW Standard 504 00 and VW Standard 507 00, ACEA C3, Porsche C30, MB 229.51, BMW Longlife-04

MULTIVIS CST

Superior quality engine oil with enhanced component protection for petrol and diesel engines.

Multivis CST FC 5W-30	MFF	FE ST	APISL / CF, ACEA A1 / B1, A5 / B5, Ford WSS-M2C913-C
Multivis CST HP 5W-40	MFS	ST	APISN/CF, ACEA A3/B4, Renault 0700&0710, Fiat 9.55535-G1/H2/H3/M2/N2, MB 229.3, Opel GM-LL-B-025 (Diesel), VW Standard 502.00/505.00, Porsche A40
Multivis CST SS 10W-40	MUL	SS	APISN / CF, ACEA A3 / B4, MB 229.3, VW 502.00 / 505.00, Renault RN 0700 / 0710
Multivis CST FB 5W-30	MSS	SS	APISL/SJ/CF, Ford WSS-M2C913-B



Engine Oils



**Versimax
HD4 15W-40**
5 litre (63846)
25 litre (54750)
205 litre (57102)



**Versimax
HD12 15W-40**
25 litre (75265)

**Versimax
HD8 10W-40**
25 litre (43294)

Classic Oils



**Golden Film
SAE20W/50
Classic Oil**
5 litre (55055)



**Golden Film
SAE30**
25 litre (14)
5 litre (52)



**Golden Film
SAE40
Classic Oil**
5 litre (3540)



**Golden Film
SAE50
Classic Oil**
5 litre (3541)

Hydraulic Oil



**TFM Hydraulic
Oil ISO 32**
25 litre (77688)
205 litre (77686)



**Liquimatic
HV46
Hydraulic Oil**
5 litre (54)
25 litre (10641)
205 litre (32329)



**Liquimatic
No 4 ISO 32**
5 litre (40)
25 litre (15)



**Liquimatic
No 6 ISO 68**
5 litre (41)
25 litre (16)

Universal Oils



**TFM Super Universal
Tractor Oil**
15w/30 25 litre (77709)
15w/30 205 litre (77708)



**Super Farm
Universal 10W/30**
(400hrs) 25 litre (38010)
(400hrs) 205 litre (65)

Gear Oil



**Liquimatic HY Tractor
Transmission Fluid**
25 litre (20)



**Liquimatic JDF Tractor
Transmission Fluid**
25 litre (19)
205 litre (10892)



**Liquimatic DII
Transmission Fluid**
1 litre (54889)
5 litre (33)
25 litre (8)



**Drive Light Gear
Oil SAE 75W/80
API GL4**
1 litre (42549)



**EP 80W/90 API
GL5 Gear Oil**
1 litre (14268)
5 litre (25)
25 litre (2)



EP 85W-140 Gear Oil GL5
5 litre (64998)
25 litre (1)



**Golden Film AG 90
Gear Oil** 1 litre (82064)



**Lodexol SS 75W/90
Semi-Synthetic
Gear Oil** 5 litre (18548)



**XEP 80W/90 Limited
Slip Gear Oil**
5 litre (23803)

Brake & Clutch Fluids



**Brake & Clutch
Fluid DOT 4**
1 litre (70)



**LHM Plus Brake
Fluid** 1 litre (68)

Rust Preventatives



**Ankor
Wax**
5 litre (47)



**Hammerite
Waxoyl**
BLACK 5 litre (41507)
CLEAR 5 litre (6180)



**Autoshield
Underseal**
5lt (23516)



**Carplan
Underseal**
1lt (24366)



Oils & Lubricants

Car, Bike & Truck



Liquimatic DII Transmission Fluid

1 litre (54889)
5 litre (33)
25 litre (8)



Liquimatic Super ATF (Dexron III)

1 litre (41968)
5 litre (41969)



Multivis ADT C3 5W/30 Oil

1 litre (69842)
5 litre (68725)



Multivis CST FB 5W/30 Semi-Synthetic

1 litre (35528)
5 litre (35530)



Multivis ADT FD 5W-30

5 Litre (71502)



Multivis CST HP 5W/40 Fully Synthetic Oil

5 litre (64773)



Multivis CST SS 10W/40 Semi-Synthetic

1 litre (35584)
5 litre (50)
25 litre (21)



Race Four TT 10W/40 Fully Synth 4-Stroke

4 litre (20551)



Servol 15W/40

5 litre (37)



Sport Four Semi-Synth Motorcycle Oil

1 litre (42547)
4 litre (42546)

Mower & ATV



Groundforce ATV 10W/40 4 Stroke Semi-Synth

4 litre (39321)



Groundforce SAE30 4 Stroke Engine Oil

1 litre (5769)
5 litre (5873)

Chainsaw Bar Oil



TFM Chainsaw Oil 220

5 litre (77682)
25 litre (77681)
205 litre (77683)



Groundforce Croma 30 Chain Oil

1 litre (69)
205 litre (27217)



Terralus CBO Chain Oil

5 litre (16093)
25 litre (26860)

Stihl ForestPlus Chain Oil

1 litre (87517)

2-Stroke Oil



Groundforce 2HSS Semi-Synth 2 Stroke

1 litre (53899)
4 litre (42)
25 litre (28421)



Stihl HP Super Two Stroke Engine Oil

100ml (60173)
1 litre (60117)
5 litre (60102)

Greases



K42EP GP Lithium Multipurpose Grease

Grease Cartridge 400g (74)
3kg (73)
12.5kg (72)



K2EP Red Lithium Complex Grease

Grease Cartridge 400g (32528)
12.5kg (18775)



K323 Premium Blue Grease Cartridge 400g

(71372)



K48 Medium Moly Grease 500g

(79)



K48EP Grey Moly Grease Cartridge 400g

(17145)



K383 Copper Anti-Seize Grease 500g

(78)



K400EP Semi-Fluid Grease

3kg (76)
12.5kg (75)



Stihl H/D Gear Lube

225g (brushcutters) 0781120111
(75135)



80g (brushcutters) 07811201117
(24384)



Stihl M/P Grease

225g (h/trimmers-elec c/saws)
(75132)
80g (h/trimmers-elec c/saws)
(18631)

Aerosols



**3-IN-ONE
Professional HD
Cleaner Degreaser**
500ml (41601)



**WD40
Aerosol**
600ml (16799)



**WD40
Aerosol Smart
Straw - Dual Action**
450ml (44275)



**WD40
Value Pack**
5 litre (32467)



**WD40SP
Fast Acting
Degreaser**
500ml (79333)



**WD40SP
Hi Performance White
Lithium Grease**
400ml (79682)



**WD40SP
High Performance
Silicone Lubricant**
400ml (79335)



**Workshop Pro
Solvent Cleaner
Aerosol**
400ml (83)



**Bradex Easystart
Engine Start Spray**
300ml (10648)



Stihl Resin Solvent
50ml Spray Can (86399)
300ml Spray Can (24405)



**3-IN-ONE
Professional Copper
Grease Spray**
300ml (41602)



**Prima Silicone
Hard Surface
Conditioner Aerosol**
400ml (80)



**Workshop Pro Chain
Lubricant Aerosol**
(was Cromal) (81)



**Workshop Pro MD4
All Purpose Lubricant
Aerosol** (82)



**MD4
All Purpose
Lubricant**
5 litre (45)

Oils & Lubricants



Other Fluids



De-ionised Water
1 litre (67)
5 litre (30)
25 litre (3)



**Redex Diesel
System Cleaner
Treatment**
250ml (64990)



**Redex Petrol
Injector Cleaner**
250ml (36297)



AdBlue
10lt Can c/w Spout
(83268)
220lt Barrel
(83269)
1000lt IBC
(83270)



**AirForce 4000 ISO
VG100 Compressor
Oil** 5 litres (16379)



**Cora B Neat
Cutting Oil**
5 litre (37234)



**Redex 4 Star
Lead Replacement
Treatment**
250ml (39632)



**Lydian
Degreasing
Fluid**
5 litre (32)
25 litre (7)



**Milking Machine
Vacuum Pump
Oil** 5 litre (34)



**Stihl MotoMix
Premixed Fuel**
5Ltr - 2-Mix & 4-Mix
(74672)



**Hydraulic
Jack Oil**
500ml (40770)



3-IN-ONE Oil
200ml (32074)



**Golden Film
Flushing Oil**
5 litre (51)



**Jefferson HT68
Compressor Oil**
1 litre (88299)

**FUEL YOUR
TOOLS**
WITH PROFESSIONAL QUALITY PRODUCTS

ALL PRODUCTS IN STOCK NOW

Abracs Ltd are a UK based company founded in 1989. The company is currently enjoying its 30th year supplying the industry and specialises in delivering professional quality abrasives & power tool accessories worldwide. Their York based HQ maintains a consistent 99% stock availability on their entire product range which comprises of over 2500 SKU's within 19 extensive ranges.

ABRACS
abrasives and accessories



+44 (0) 1904 789997



+44 (0) 1904 789996



abracs@abracs.com

Aggregates & Cement	62
Timber	63
Security Fencing	64
Slabs & Paving	66
Building Materials	68
Boarding	69
Land Drainage	70
Drainage - Drain	71
Drainage - Soil & Rainwater	73
Rainwater - Cast Iron Effect	75
Push Fit Waste Products	76
Water Pipe & Fittings	77
Roofing	78
Fuel Tanks	80
Ladders	82
Trailers	84
Wheel Barrows	85
Power Tools	86
Power Tool Batteries & Chargers	89
Submersible Pumps	92
Generators	93
Compressors	94
Welders	95
Battery Chargers	96
Pressure Washers	97
Space Heaters	98
Wood Burners	99
Chainsaws	100
Hedge Trimmers	102
Strimmers	104
Brushcutters	105
Blowers	107
Shredders, Chippers, Rotavators	108
Log Splitters	109
Combi Systems	110
Lawn Mowers	112





Small Bag



Pink
(46455)
10-14mm



Plum Slate
(46610)
10-20mm



Gold Corn
(37241)
10mm



Gold
(46456)
14-20mm



Cotswold Stone
(37237)



Potting Grit (88542)



Blue Slate
(46611)
10-20mm



Grey
(29562)
20mm



Grey Pea
(29560)
10mm



Hardcare MOT Type 1
(84596)
40mm Down

Big Bag



Pink
(36825)
20mm



Golden Flint
(55226)
20mm



Plum Slate
(68013)
10-20mm



Grey
(29558)
20mm



Cotswold Buff
(68012)
20mm



Gold Corn
(56914)
10mm



Grey Pea
(29556)
10mm



Hardcare MOT Type 1
(30761)
40mm Down



We can also supply loose stone and aggregates direct from the quarry at competitive prices - ask for details

Sand & Gravel

Sand & Gravel
Concrete Sand
Building Sand
Kiln Dry Paviour Sand



Small Bag
(43982)
(43983)
(43981)
(48762)



Big Bag
(5344)
(5346)
(5345)
-

Cement



Paper Bag Cement
(61092) 25kg



Plastic Bag Cement
(73416) 25kg



Post fast
(70578) 20kg



Hydrated Lime
(10288) 25kg

Cement Additives



Liquid Frostproofer Rapid Hardener 5lt
(25778)



Plasticiser BS4887 5lt
(25774)



3 in 1 Admix Rendering 5lt
(25776)



Integral Water Proof 5lt
(25775)



Moss & Mould Remover 5lt
(56403)

Treated Timber 4.8m

selected stores only



22 x 125 x 4800mm
(7/8" x 5" x 15'9")
(5689)

25 x 38 x 4800mm
(1" x 1.5" x 16')
(5690)

47 x 50 x 4800mm
(2" x 2" x 15'9")
(31688)

47 x 75 x 4800mm
(2" x 3" x 15'9")
(31874)

47 x 100 x 4800mm
(2" x 4" x 15'9")
(22484)

47 x 150 x 4800mm
(2" x 6" x 15'9")
(22483)

75 x 100 x 4800mm
(3" x 4" x 15'9")
(28217)

75 x 175 x 4800mm
(3" x 7" x 15'9")
(22485)

200 x 47 x 4800mm
(8" x 2" x 15'9")
(50152)

Timber



Decking



32 x 125 x 4800mm
(49735) Treated

Shi lap



14 x 120 x 4800mm
(55161) Treated

Untreated Timber 4.8m



22 x 150 x 4800mm
(7/8" x 6" x 15'9") (5688)
47 x 50 x 4800mm
(2" x 2" x 15'9") (5681)
47 x 75 x 4800mm
(2" x 3" x 15'9") (5682)

Tongue & Groove



18 x 120 x 4800mm
(7/8" x 5" x 15'9")
(51029) Untreated



Security Fencing

Chainlink



Light Duty

900 x 50 x 2.5/1.7 x 25m
(7135)

1200 x 50 x 2.5/1.7 x 25m
(7137)

Medium Duty

1800 x 50 x 3.15/2.24 x 25m
(7138)



Garden

900 x 50 x 2.5/1.7 x 10m
(6959)

Garden Green

1200 x 50 x 2.5/1.7 x 10M
(6960)

Stretcher Bar

1.21m (9044)

1.81m (9042)



Razor Barb

455mm x 10M Boxed
(9045)

Security Mesh



Security Fence per metre Galvanised

900x2.5x50x50
(35797)

1200x2.5x50x50
(9035)

1800x2.5x50x50
(9033)



Security Fence per roll Galvanised


900x2.5x50x50x 25M
(35661)

1200x2.5x50x50x 25M
(9034)

1800x2.5x50x50x 25M
(9032)




Gate Fittings




Fixings



Hardware



Eliza Tinsley[®]
Superior quality since 1851



Rope



Chain



Accessories

The ***Brand*** you can ***Trust***

www.elizatinsley.co.uk



Eliza Tinsley[®]
Superior quality since 1851

 ***Eliza Tinsley***[®]
FURNITURE





Slabs & Paving

Budget Slabs



**Peak Riven Buff
Paving Slab**

450mm x 450mm (84469)

**Peak Riven Buff
Paving Slab**

600mm x 600mm (847591)



**Peak Riven Grey
Paving Slab**

450mm x 450mm (84470)

**Peak Riven Grey
Paving Slab**

600mm x 600mm (84471)



**Peak Smooth Buff
Paving Slab**

450mm x 450mm (46450)

**Peak Smooth Buff
Paving Slab**

600 x 600mm (27kg) (54989)



**Peak Smooth Grey
Paving Slab**

450 x 450mm (14.5kg) (46449)

**Peak Smooth Grey
Paving Slab**

600mm x 600mm (46451)

Stepping Stones

Set in lawns and Gravel, or even in borders interspersed with planting, stepping stones represent a charming way to add a distinctive feature to any garden.

**Random
Stepping Stone
Weathered Brown**
(84478)



**Stonewood
Stepping stone
Antique Brown**
(84473)



Ornamental Slabs



Concrete Paving Flags

600 x 300 x 50mm
(55988)

Heavy duty 50mm thick paving slabs.



600 x 600 x 50mm
(55987)

Heavy duty 50mm thick paving slabs.



600 x 900 x 50mm
(56241)

Heavy duty 50mm thick paving slabs.



Old Riven Autumn Bronze Paving Slab

450x450mm
(66933)



Old Riven Autumn Cotswold Paving Slab

450x450mm
(46447)



Geo-Fix All Weather Jointing Compound

14kg (79991)



Round Top Edging - Buff

600mmx50mmx150mm
(84495)

Buff Edging Stones

Round Top Edging - Buff

600mmx50mmx150mm
(84494)

Grey Edging Stones



Stonewood Log Sleeper

900x250x50
Antique Brown
(84480)



Concrete Edging Bullnosed Natural

50x150x915mm
(51843)

Project Packs



Old Riven Project Pack. Autumn Bronze

5.25m² (82892)

Old Riven's good looks make it a perfect paving solution for patios.



Old Riven Project Pack. Autumn Cotswold

5.25m² (84479)

Old Riven's good looks make it a perfect paving solution for patios.



Blend Nat Sandstone Patio PK Rustic Grey 19.5m²

(84935)



Blend Nat Sandstone Patio PK Imperial Green 19.5m²

(84936)



Blend Nat Sandstone Patio PK Rustic Buff 19.5m²

(84937)



Blend Nat Sandstone Patio PK Burnt Umber 19.5m²

(84938)

Bradstone Blended Natural Sandstone Patio Kits are hand cut and hand dressed to give a rustic finish.

Pack consists of 65 Pavers:

- 16 = 900 x 600mm
- 15 = 600 x 600mm
- 18 = 600 x 290mm
- 16 = 290 x 290mm



Concrete Blocks



Hollow Block
(5340)
3.5/28x150 (6")



Hollow Block
(5341)
3.5/28x215 (8" Approx)



Solid Block
(5339)
7.0/28x100 (4")

Block Paving



Brindle (51841)
Concrete
50mm



Red Brindle (67066)
Concrete
50mm



Charcoal (51842)
Concrete
50mm

Bricks



Concrete Common
(51838) Solid - Brick - 65mm



Clay Engineering Class B Red
(28300) Perf. - Brick - 65mm



Clay Engineering Class B Red
(51837) Solid - Brick - 65mm



Clay Engineering Class B Blue
(51840) Perf - Brick - 65mm



Clay Engineering Class B Blue
(74122) Solid - Brick - 65mm

Ancestry Walling & Coping



Ancestry Coping
Abbey Storm (84492)
L530mm x W150mm x H50mm
Decorative Coping



Ancestry Walling
Abbey Storm (84491)
L225mm x W65mm x H100mm
Decorative Walling

Insulation - Rigid



Polystyrene
2400x1200x25mm
(47057)
2400x1200x50mm
(47058)



Foilboard
(65840)
1200mm x 2400mm x 25mm
(46940)
1200mm x 2400mm x 50mm
(62676)
1200mm x 2400mm x 75mm
(46942)
1200mm x 2400mm x 100mm

Insulation - Roll



Roof Space Save
(47137) 100mm (10.64sq.m)
(78637) 150mm (7sq.m)

Builders Mug

White - 1 Pint
(51636)



Plasterboard



(47708)

1800mm x 900mm x 12.5mm

(46910)

2400mm x 1200mm x 12.5mm

Sterling Board (OSB3)



3/4" x 8' x 4'

(18mm x 2440 x 1220)

(30751)

Stokbord



6mm x 2440mm x 1220

Black

(22665)

Plywood



1/4"x8x4'

(5.5mm x 2440x1220)

(31501)

3/8"x8x4'

(9mm x 2440 x 1220)

(5474)

1/2"x8'x4'

(12mm x 2440mm x 1220mm)

(5473)

3/4"x8x4'

(18.3mm x 2440 x 1220)

(5472)

Bead



Board Bead

(47709)

2.4m



Wall Bead

(48047)

2.4m

Trailer Board



Buffalo Board

dark brown mesh

pattern 8' x 4' x 18mm

(77046)





Land Drainage

RigiDrain (Twin Wall)

Perforated Pipe



60mm x 50m	(5397)
60mm x 150m	(5398)
80mm x 25m	(22477)
80mm x 50m	(5399)
80mm x 100m	(5400)
100mm x 25m	(5401)
100mm x 50m	(5402)
100mm x 100m	(5403)
160mm x 50m	(81769)

Un-Perforated Pipe



100mm x 100mtr	(5408)
160mm x 50mtr	(81768)

Multi Y Junctions



100mm Y Junction	(5416)
160mm Y Junction	(5417)



Perforated	
450mm x 6m	(13490)

Un-Perforated	
150mm x 6m	(53491)
225mm x 6m	(53493)
300mm x 6m	(53495)
450mm x 6m	(83788)
600mm x 6m	(53499)

Coiled Land drainage pipe comes fitted with 1 straight coupler per roll.



80mm Straight Coupler	(5419)
100mm Straight Coupler	(5420)
160mm Straight Coupler	(5421)

Terram

Terram 1000
Geotextile Mini Pak
4.5m x 11.1m (34958)



Tencate 1000 NON
WOVEN Geotextile
4.5m x 100m (81654)

Double Socket Bends



150mm x 30deg	(73690)
150mm x 90deg	(66742)
150mm x 45deg	(66743)
225mm x 30deg	(68702)
225mm x 90deg	(67979)
225mm x 45deg	(43879)

Double Socket Branch



150mm x 45deg	(66744)
150mm x 90deg	(66745)
225mm x 45deg	(68701)

RigiDrain Fitting



Sockets	
150mm	(19951)
225mm	(28973)
300mm	(23662)
450mm	(43877)



Seals	
150mm	(19952)
225mm	(30410)
300mm	(23663)



Bends



Adjustable

110mm 11°-87½° (41128)
Double Socket



Exp. Tail

110mm x 15° (33187)
160mm x 15° (72518)
110mm x 15° (33188)
110mm x 20° (363)
110mm x 30° (72238)
110mm x 45° (393)
160mm x 45° (362)
110mm x 87.5° (392)
160mm x 87.5° (361)



Spigot Tail

110mm x 30° (410)
160mm x 30° (15709)
110mm x 45° (390)
160mm x 45° (360)
110mm x 87.5° (389)
160mm x 87.5° (359)



Long Radius

110mm x 45° (366)



Rest

110mm x 87.5° (396)

Sockets



Socket Plug

110mm (409)



Double

110mm (384)
160mm (385)



Single

110mm (391)



Slip Coupling

110mm (395)



Adaptor

Rubber Coupler 110mm (72525)
Flexible Rubber Coupler
162mm – 162mm (79997)



Clay Pipe to 110mm (372)
Clay Pipe to 160mm (10337)



Drain Connector

PVCU to Vitrified Clay 110mm
(11368)



WC Flexible Connector

90° (68001)

WC Flexible Connector

(Straight) 300 – 600mm
(68000)

Junctions



Exp Tail

110mm x 45° (387)
110mm x 87.5° (386)



Spigot Tail

110mm x 45° (408)
110mm x 87.5° (407)

Pipe



Pipe U/ground Drain, Socketed

110mm x 6M (33170)
160mm x 6M (33713)



Pipe, Land Drainage (perforated) Socketed

110mm x 6M (353)

Quantity Discount Available!

Hoppers



Square Hopper

110mm x Solv.Skt.Tail
(369)



Square Hopper

110mm x 300mm
Spigot Tail
(370)



Drainage - Drain



Manholes Cover & Frame

10T Galv 600 x 450
(9031)



5T Galv 600 x 450
(9030)



2½T Galv 600 x 450
(Domestic) (40567)

10T Manhole Block
Paving Cover
600 x 450mm (75233)

D400 Heavy Duty
600 X 600mm (55533)



Stop Tap Champer

(42592)



Boss Pipe

(15645)
110mm (Spigot Tail)
50mm Open Boss



Bottle Gully

(397)
110mm inc grid



Gully Trap

110mm
(398)



Gully trap

110mm x 90° P Trap
(368)



Road/Yard Gully

600x300x110mm
(66739)



PVC-U (Sealed Unit)

110mm for internal use
(36794)



Inspection Chamber

Shallow Access Cover
(406)



Gully Accessory

150mm x 150mm Grating
(400)



Temporary Site Cap

110mm (378)



Inspection Chamber Base

110mm (402)
160mm (31496)



Inspection Chamber Rising Ring

(Large), 450mmDia (403)
(Small) 300mmDia (545)



Inspection Chamber Cover

(Large), 450mmDia
(404)



Inspection Chamber

Shallow AccessBase
(405) 110mm



Rodding Point ALUMINIUM

110mm Exp.Tail
(75370)



Rodding Point Cover ONLY

110mm Exp.Tail
(388)



Drainage gully grating H/D (D400)

415x415mm
(43906)

Septic Tanks

Septic Tank

2800lt
(11473)
3800lt
(16900)



Septic Tank Safety Cover & Frame

ROUND (80465)



ACO Channels

Drainage Channel

1 mtr – Black Poly
(79539)



Drainage Channel End Cap/Outlet

Black Poly
(80150)



Drainage Channel

1 mtr – Driveway (1.5T)
(33239)



Drainage Channel End Cap – Driveway

(33242)



Drainage Channel End Cap Outlet – Driveway

(33245)



Drainage Channel Car Park Type

1 mtr (25T)
(33240)



Drainage Channel End Cap/Outlet Car Park Type

(47471)



Drainage - Soil



Bend Grey Spigot

110mm x 135° (5834)
110mm x 92.5 deg (436)



Bend

110mm x 45° (73068)
D/S Grey



Coupler

110mm (73070)
D/S Grey



Bend

110mm x 45° (73069)
S/S Grey



Branch

110mm x 135° (5833)
110mm x 92.5 deg (439)



Socket

160mm Grey Coupling (37368)
110mm grey slip coupling (441)
110mm grey single (433)

Industrial Rainwater



Downpipe Single Socket

110mm x 3m Grey (73066)



Pipe Plain Ended

160mm x 4M Grey (3663)



Gutter Angle

160mm x 90° Grey (55230)



Strap Boss

110mm 50mm (443)
Isowaste Solv.Skt



Bracket

160mm Grey Downpipe (3660)



Boss Adaptor

32mm Black Push Fit (447)
40mm Black Push Fit (448)



Downpipe Filters 2pc

(84775)

Super Deep



Gutter

170mm x 4m Grey (73058)



Gutter Ext Stopend

170mm Grey (73061)



Gutter Int Stopend

170mm Grey (73062)



Gutter Fascia Bracket

170mm Grey (73063)



Gutter Running Outlet

170mm Grey (73064)



Gutter Union

170mm Grey (73065)



Downpipe, Clip

110mm Grey (73067)



Vent Cowl

110mm Grey (444)



Drainage - Soil & Rainwater

Domestic Rainwater



Pipe

Plain Ended 68mm x 4M (464)
Black



Gutter

112mm x 4M Black HighFlo (450)



Gutter Bracket

112mm Black support (454)



Gutter Bracket

112mm Black joint (452)



Gutter Running Outlet

112mm Black (458)



Gutter Stopend External

112mm Black (462)



Gutter Angle

112mm x 90° Black (456)



Gutter Angle

112mm x 135° Black (480)



Gutter Stopend Internal

112mm Black (55228)



Bend

68mm x 112.5°
Black Downpipe

(472)



Bend

68mm x 92.5°
Black Downpipe

(470)



Bracket

68mm Black
2 Screw Downpipe

(468)



Connector

68mm Black

(466)



Hopper Head

68mm Black Downpipe

(478)



Shoe

68mm Black Downpipe

(476)



Rise & Fall Bracket

Galv (4.5°PVC) GP4138

(936)



Reducer

110mm x 68mm Socket
BR3

(7103)



Connector

110mm Rainwater Adaptor

(481)



Bristle Gutter Protector

2m - Black (84776)

Water Butts



Water Butt Stand

(44138)



Spacesaver Stand

(44137)



Water Butt Plastic 210L c/w Lid & Tap

(44135)



Water Butt, Rain Divertor

(7939)



Water Butt Spacesaver Plastic 100L c/w Lid & Tap

(44136)

Rainwater - Cast Iron Style



Rainwater - Cast Iron Style



**68mm Downpipe
Offset, 75mm**
(55249)



**68mm Downpipe
Bend, 135 degree**
(55250)



**112mm Gutter
Joiner/Union
Bracket**
(55242)



**112mm Gutter
Facia Bracket**
(55240)



**112mm Gutter
Internal Stopend**
(55245)



**112mm Gutter
External Stopend**
(55244)



**112mm PVC Gutter
4m length**
(55239)



**68mm Downpipe
Coupler with Lugs**
(55248)



**68mm Downpipe
2.5m with Lugs**
(55247)



**112mm Gutter Angle
90 degree**
(55246)



**68mm Downpipe
Shoe with Lugs**
(55252)



**112mm Gutter
Running Outlet**
(55243)



**68mm Downpipe
Clip**
(55251)



Lug Fixing Pack
(55302)
pack contains:
10 x 55mm screws & wall plugs

The main advantages of the Cast Iron Style systems are:

- Traditional detailing and authentic cast iron finish
- Cast Iron Style is a significantly more affordable system than cast iron
- Quicker and easier to install saving time and labour costs
- 4m gutter lengths reduce gutter joints and labour
- No nuts, bolts, lead strip spacers, spanners, metal primer, paint or disc cutters required
- Manufactured using lightweight, robust materials ensuring installation at height is safer and easier
- Features external fixing lugs, enabling easy access with power tools speeding up installation
- The system is UV stabilised and once installed it will not rust or corrode
- Cast Iron Style is fully compatible with existing cast iron and modern style rainwater systems.



Drainage - Push Fit Waste Products



Washing Machine Waste Trap
40mm (39616)



Bath Trap
40mm One Piece
19mm Seal (15940)



Bend
22mm x 45° Overflow
(5826)



Bend
22mm x 90° Overflow
(5825)



Bend
32mm x 45° Swept
(White) (329)



Bend
32mm x 90° Knuckle
(White) (330)



Bend
32mm x 90° Spigot
(331)



Bend
40mm x 45° Swept
(332)



Bend
40mm x 90° Knuckle
(339)



Bend
40mm x 90° Spigot
(340)



Bottle Trap
32mm
(86695)



Bottle Trap
40mm
(86696)



Bracket
32mm
(336)



Bracket
40mm
(344)



Compression coupling
32mm (337)



Compression coupling
40mm (5820)



Compression Repair Tee
40mm (5822)



Coupling Overflow
22mm
(5824)



Coupling Waste
32mm
(333)



Coupling Waste
40mm
(341)



Pipe, Plain End Overflow
22mm / 3M (5823)



Pipe, Plain End Overflow
32mm / 3M (328)



Pipe, Plain End Overflow
40mm / 3M (338)



Reducer, Waste
40/32mm
(345)



Socket Plug, Waste
32mm
(335)



Socket Plug, Waste
40mm
(343)



Tank Connector, Overflow - Straight
22mm (5829)



Tank Connector, Overflow
22mm x 90°
(5828)



Tee, Overflow
22mm x 90°
(5827)



Tee, Swept - Waste
32mm x 92½° Swept
(334)



Tee, Swept - Waste
40mm x 92½° Swept
(342)



Tubular Swivel P Outlet, Waste
32mm
(46600)



Tubular Swivel S Outlet
32mm
(46601)

MDPE




MDPE Blue water pipe services underground piping and mains pipes from 20mm to 125mm.

Supplied in coils, blue MDPE water pipe sticks together with a comprehensive range of compression, mechanical and fusion welded fittings.

20mm x 25m	(1410)	32mm x 25m	(1419)
20mm x 50m	(1411)	32mm x 50m	(1416)
20mm x 100m	(1412)	32mm x 100m	(1417)
25mm x 25m	(1413)	50mm x 50m	(1418)
25mm x 50m	(1414)	50mm x 100m	(1421)
25mm x 100m	(1415)	63mm x 50m	(1423)

Copper



Copper Pipe Micro Bore

10mm x 10m (6409)

Copper Pipe

15mm x 3m (1296)
22mm x 3m (1297)

Copper Pipe, Micro Bore (White Coated)

10mm x 25m (51612)



Speedfit



Speedfit Barrier Pipe (Straight)

15mm x 3m (28947)

Speedfit Barrier Pipe (Straight)

22mm x 3m (28946)



Speedfit Barrier Pipe (Coil)

15mm x 25m (28948)

Speedfit Barrier Pipe (Coil)

22mm x 25m (28949)

Fittings

Wide range of fittings in stock

Philmac



Copper



Speedfit





Roofing

Calvanised



Galvanised Sheet

6ft x 1m, 24G	(3989)
8ft x 1m, 24G	(3990)
10ft x 1m, 24g	(3991)
12ft x 1m, 24g	(3992)

Fibre Cement




Fibre Cement Roofing Sheet 3" Profile

2440mm (8ft)	(49062)
3050mm (10ft)	(30127)

Fibre Cement Big Six Profile

1800mm (6ft)	(5632)
2440mm (8ft)	(5630)
3050mm (10ft)	(5628)

Onduline




Onduline Translucent

2000mm x 940mm	(38630)
----------------	---------

Onduline Sheet Green

2000mm x 950mm	(25707)
----------------	---------



Onduline Sheet Black

2000mm x 950mm	(9018)
----------------	--------

Onduline Mini Profile Sheet Black

2000mm x 866mm	(72202)
----------------	---------

Perspex/Plastic



Vistalux Miniature Ultra Clear

1830 (6ft)	(5377)
2440 (8ft)	(5378)
3050 (10ft)	(5379)

Vistalux 3" Asbestos

L/W 1830 (6ft)	(5384)
L/W 2440 (8ft)	(5386)
L/W 3050 (10ft)	(5387)

Vistalux 8/3 C. Iron

H/D 1830 (6ft)	(5388)
H/D 2440 (8ft)	(5389)
H/D 3050 (10ft)	(5390)

Vistalux Big Six

H/W 1830 (6')	(5391)
H/W 2440 (8')	(5392)
H/W 3050 (10')	(5393)

Ridges & Bargeboards



Barge Board Ridge Galv

6ft x 15" x 24g Galv	(9043)
----------------------	--------



Roll Top Galv Ridging

6ft x 15" x 26g	(9038)
-----------------	--------



Onduline Ridge Black

900mm (78287)

Onduline Ridge Green

900mm (78288)



Barge Board

Dark Green Paint Finish.
3m x 200mm
(44728)



Slate Grey Paint Finish
3m x 200mm
(51976)



Ridge Cap Juniper Green
6' x 135° Angle
(86768)

Box Profile



Box Profile Grey

Slate Grey Painted Steel Sheet	
12ft x 1m	(40649)
15ft x 1m	(40650)

Box Profile Dark Green

Dark Green Painted Steel Sheet	
12ft x 1m	(40652)
15ft x 1m	(40651)

Box Profile Clear Plastic Sheet

Clear Sheet 3m x 1m	(42049)
---------------------	---------

Flat



Flat Galvanised Sheet

8' x 4' x 24g	(3993)
---------------	--------

Felt



Shed Grey Finish

10m x 1m 18-23kg (4284)

Shed Finish

5m x 1m 10Kg (73298)

Sand Finish

10m 14Kg (79346)



Top Ultra Green Finish

10m 38Kg (79961)



Shed Felt ULTRAPOL Tear Resistant

10mx1m 25Kg (84618)

Adhesives



Roofing Felt Adhesive

Felt Fix 1Lt

(66457)

Felt Fix 2.5Lt

(4398)

Felt Fix 5Lt

(4399)

Roofing Membrane



Breathable Roofing Membrane

Vent 3 Light 1m x 50m (70094)

Breathable Roofing Membrane

Vent 3 Classic 1m x 50m (70095)

Fixings



Super Fixings

3" Clear PVC Corru

(10)

(10995)



Onduline Mini Profile Sheet Fixings

(20)

(72204)

Eaves Fillers



Box Profile Eaves Filler

(Pair) (44020)



Poly 6" Profile

(5395)



Poly Mini Profile

(5396)

Onduline

(Pack of 6)

(35704)



Fuel Tanks

Standard Tanks



Low Pro Poly S/Skin
LP1230T (44018)
 L:1820mm W:680mm
 H:1410mm
 Cap:1200 Ltr / 264 Gallons
Footprint
 L: 1700mm W: 620mm



Horizontal Poly S/Skin
H1235T (45146)
 L:1720mm W:1130mm
 H:1110mm
 Cap: 1235 Ltr / 296 Gallons
Footprint
 L:1345mm W:1035mm



Rect. Poly S/Skin
R1200LT (73097)
 L:2060mm W:660mm
 H:1400mm
Cap: 1220 Ltr
Footprint
 L: 1810mm W: 560mm



Horizontal Poly S/Skin
2500CH (43232)
 L:2050mm W:1330mm
 H:1355mm
 Cap: 2500 Ltr / 543 Gallons
Footprint
 L:1640mm W: 1230mm

Bunded Tanks



Bunded Poly
Deso SL1250BT (77710)
 L:1880mm W:880mm
 H:1700mm
 Cap: 1250 Ltr / 264 Gallons
Footprint
 L: 1880mm W: 880mm



Bunded Horizontal Poly
Deso H2500BT (43230)
 L:2250mm W:1450mm
 H:1635mm
 Cap: 2500 Ltr / 543 Gallons
Footprint
 L: 2250mm W: 1450mm



Bunded Horizontal Poly
H1235BT (43642)
 L:1970mm W:1280mm
 H:1260mm
 Cap: 1235 Ltr
Footprint
 L: 1670mm W: 1210mm

Fuel Station



Fuel Station
V2350CDD (66731)
Diameter: 1700mm
H: 1850mm
 Cap: 2468 Ltr / 550 Gallons
 Poly Fuel Station 240v



Deso Fuel Station
VLP5000CDD (58701)
c/w 4m Hose
Diameter: 2450mm
H: 1950mm
 Cap: 5000 Ltr / 1300 Gallons
 Poly Fuel Station 240v

DESO
ENGINEERING

Uniquely in the UK, Deso design and manufacture all moulding machines and tooling in house to ensure the highest technical standards.

Deso products comply with the latest European standards and provide cost effective solutions for domestic, commercial and agricultural storage and dispensing requirements. Bunded tanks have a 10yr guarantee (subject to conditions) and are supplied with moulded-in fittings and o-ring seals for unsurpassed protection against leaks.

Manufactured from high grade polyethylene, Deso tanks are corrosion resistant, have high impact strength and the latest UV stabilisation packages.

Fuel Pumps



Submersible Pump Kit, 12 volt
(4766)



Electric 12v Diesel Transfer Pump Set
40l/min (16441)



Electric 230v Fuel Pump Kit
50l/min (55489)

Tank Installation Information:

The tank should be positioned so that the filler is accessible. The entire base of the tank should be supported (flat/solid). The base should be smooth, free from debris and sharp objects. A minimum gap of 150mm should be left around the edge of the tank. The tank must be protected against high winds. All pipe work should be supported to reduce stress on joints. Tanks are designed for static use. Tanks should be clearly labelled to identify the contents for other peoples safety.



Accessories

Gravity Feed Hose & Gun Kit (1939)



Lockable Angle Valve Tap
(10904)



Gravity Feed Hose 3/4" Bore per m (37810)

Gravity Feed Hose 1" Bore per m (6516)



Gravity Feed Hose Gun
(6514)



Gravity Feed Hose Gun Female Swivel
(30979)



Gravity Feed Hose Tail
(6515)



Economy Automatic Nozzle
<60l/min (40773)



Fuel Flow Meter,
120l/min FM4 Economy, 1"
(56526)

Fuel Tanks



Oil Tank Filter/Valve Assembly Kit Including PTFE Tape
(58604)



Fuel Filter Kit
Water & Particle
(19113)



Water/Particle Element (495) for Fuel Filter Assembly
(34120)



Particle Element (495) For Fuel Filter Assembly
(25740)



Fuel Oil Filter 3/8" Female Iron
(aluminium bowl) (48241)



Fuel Oil Fire Valve
10mm x 3/8" (C x F)
(6408)



AdBlue Lever Hand Pump for 200lt Drum
(85677)



Ladders

Step Ladders



**Step Ladder
2 Tread**
(42912)



**Step Ladder
7 Tread Horizon**
(9446)



**Step Ladder
8 Tread Summit**
GRP Fibreglass
(39552)



**Step Ladder
3 Tread Horizon**
(9442)



**Step Ladder
4 Tread Summit**
GRP Fibreglass
(46395)



**Steps
10 Tread
Class 1 Pinnacle
Swingback, Trade**
(26881)



**Step Ladder
5 Tread Horizon**
(9444)



**Step Ladder
6 Tread Summit**
GRP Fibreglass
(39551)

Platforms



**Work Platform
Hop Up**
(46445)



**Tripod Ladder - c/w
Platform 8ft**
(70424)



Loft Ladders

**Loft Ladder
2 Section**
(9450)

Accessories



**Ladder
Base 1m**
(77828)



**Ladder
Downpipe
Stand Off**
(30210)



**Ladder
Roof Hook
Kit**
(9448)



**Ladder
Roof Rack
Clamps**
(48082)



**Ladder
Storage Wall
Brackets**
(77827)
Big enough
to store triple
section ladders

Ladders - General



**Ladder Horizon
3 Way
Combination**
(9449)



Ladder 2 Section
Summit Pro 2.50 x 4.0m
(9433)



Ladder 2 Section
Summit Pro 3.0 x 5.0m
(9434)



Ladder 2 Section
Summit Pro 4.0 x 7.0m
(9436)



Ladder 2 Section
Summit Pro 4.5 x 8.0m
(9437)



Ladder 3 Section
Summit Pro 3.5 x 8.5m
(9439)



Car Trailers



Blue Line GP Trailer

8'2"x4'1"x1'4" Twin Wheel (59795)

Welded Chassis, Steel Fixed Front & Side Panels
Hot Dipped Galvanised
Heavy Duty Gas Assisted Tail Gate
Jockey Wheel
Bradley HU2000 Cast Steel Hitch
Full Width Knott 1300kg axles fitted with Knott Brakes
Progressive Suspension System
Recessed Light Brackets
Phenol Coated Anti Slip Floor
Cage side kit available (see below)



**Blue Line GP
Trailer 8' MESH
SIDE KIT**
(84651)



MP6810

(102.2)

110 x 90

(70387)

Cap 245kg
Drop down gate
Galvanised panels



MP6815

(150.2)

145x105

(70389)

Cap - 422kg
Drop down gate
Galvanised panels



MP6812

(122.2)

124 x 92

(70388)

Cap - 335kg
Drop down gate
Galvanised panels



Blue Line

BL750

GP Trailer

(45782)

c/w Ramp & Cage Sides
Un - Braked
Capacity 750kg Gross
6' x 4', Caged Sides
Jockey Wheel,
Ramp Tailgate



JFC ATV500

Tipping Trailer 500L

(57090)

The ATV 500 has a strong metal support frame making it suitable for heavy loads. Ideal for use around the farm, yard or garden

Capacity: 500L

Colour: Green

Dimensions: 2316x 1425 x940mm



Wheel Barrows

Wheel Barrows



Garden/DIY
85Lt BLACK
(74510)



**Builder/
Contractor**
Galvanised
(7054)



**Stable Single
Wheel**
(72819)
Complete with
Puncture Proof Wheel
(assorted colours)



Large farmer
Galvanised
(55901)



**Twin Wheel
Titan**
200Ltr capacity
(73081)



**Belle Heavy
Duty Warrior**
100Ltr capacity
(60432)



**Tipping
Twin Wheel**
255Ltr capacity
BLUE
(46685)



**Childrens
Viking**
(63715)

Wheels & Tyres



**Wheel Barrow
Tyre** 3.50 x 8
(68290)



**Wheel Inner
Tube**
(7059)



**JFC Spare
Wheel**
c/w bearings
(57711)



**Wheel Barrow
Wheels**
Pneumatic,
25mm Axle
(52816)



Puncture Proof,
25mm Axle
(70653)

Puncture Proof,
12mm Axle
(73423)

Sack Trucks



**Sack Truck
YELLOW 10"
Base**
punc proof wheels
(76712)



Folding 90kg
90kg Max
(55497)



Sack Truck
RED 200kg Max
(49599)



Saws



**Einhell TC-JS
60/1 Jigsaw**
400Watt
(82461)



**Einhell TC-AP 650 E
Reciprocating Saw**
650Watt (75145)



**Einhell TC-CS
1200 Circular Saw**
1230w - Red
(65996)



**Einhell TC-SM
2131 Sliding
Mitre Saw 8"**
(210mm)
(71949)



Sanders

**Einhell Orbital
Sander 150Watt**
(62256)



**Einhell Detail
Sander**
(82392)



**Einhell TE-OS
18/1 LI Multi-Sander
SHELL**
18V LI-ION
(86487)



**Einhell TE-RS 18
LI Random Orbital
Sander - SHELL**
18V LI-ION (86486)



Planers

**Milwaukee
M18BP-0 18V
Planer SHELL**
(86845)



Angle Grinders

**Einhell TE-AG 230/2000
Angle Grinder 9"**
2000Watt - Red
(81323)



**Einhell TE-AG 115/600
Angle Grinder 4 1/2"**
600Watt)
(65993)



Drills

**Einhell RT-RH
32 SDS-Plus
Rotary Hammer Drill**
1250w, 32mm SDS-Plus
3 Functions – Drill, Hammer Drill
and Chisel
Includes 5 piece chisel set
(86060)



**Einhell TE-ID 500
E Impact Drill 550W**
550w Speed 3000rpm
(86488)



Heat Guns

**Einhell TH-HA
2000/1 Hot Air
Gun**
2000w 230v
(62261)

Impact Wrenches



**Einhell
TE-CW 18 Li BL
1/2" Impact
Wrench
SHELL** (86755)



**DeWalt
DCF880 18V XR
Impact Wrench
SHELL**
(86701)



**Milwaukee
M18ONEFHIW
F12-502X 1/2"
Impact Wrench**
(86837)
Supplied with: 2 x 18V
5.0Ah Li-ion Batteries,
1 x Fast Charger
1 x Heavy-Duty Case.



**Milwaukee
M18ONEFHIW
F34-502X 3/4"
Impact Wrench**
(86837)
Supplied with: 2 x 18V
5.0Ah Li-ion Batteries,
1 x Fast Charger
1 x Heavy-Duty Case



Drills



**Einhell
Cordless
Drill / Driver**
18v, TC-CD 18 (62250)
Speed: 550rpm
Torque settings: 22
Charge Time: 3-5 hours
Weight: 1.7kg



**Einhell
Power
X-Change
Combi/Impact**
18v, Li-ion
(84590)



**Einhell
TE-HD
18 Li SDS-Plus
Hammer Rotary Hammer**
(86489)



**Einhell
Cordless Impact
Drill / Driver**
18Volt (71947)
Speed: 550rpm
Torque settings: 22
Charge Time: 3-5 hours
Weight: 1.7kg



**DeWalt
DCD796P2
18V XR Combi
Drill + 2x 5Ah
Batteries**
18Volt
(86694)



**DeWalt
DCF887N
18V XR Impact
Driver SHELL**
18Volt (86699)



**DeWalt
DCH273N
18V XR SDS
Hammer
Drill SHELL**
18Volt (86700)



**DeWalt
DCK266P2T
18V XR
Twin Pack
Drill/Impact**
18Volt (86698)



**DeWalt DCL040
18V XR Torch
SHELL**
18 Volt Battery and
charger sold separately
(86708)



**Milwaukee
M18CHX-0
18V Fuel SDS
+ Hammer
SHELL**
Bare Unit, No Battery
or Charger Supplied
(86840)



**Milwaukee
M18SET1D
18V Fuel Combi
Drill + 5Ah
Battery**
18Volt (86835)



**Milwaukee
MILM18BPP2C
18V Twin Pack
Drill/Impact**
18Volt (86836)



Power Tools

Saws



DeWalt DCS391 18V XR Circular Saw SHELL

A 165mm Carbide Blade, Hex Key and Dust Port are supplied as standard.
Bare Unit, No Battery or Charger Supplied (86702)



DeWalt DCS331 18V XR Jigsaw SHELL

Bare Unit, No Battery or Charger (86703)



DeWalt DCS380 18V XR Reciprocating Saw SHELL

Bare Unit, No Battery or Charger Supplied (86704)



DeWalt DCS355 18V XR Oscillating Tool SHELL

Brushless Oscillating Tool 18 Volt Bare Unit supplied WITHOUT batteries or a charger (86705)



Milwaukee M18BMT-0 18V Multi-Tool SHELL

No batteries or charger included. (86841)



Milwaukee M18BSX-0 18V Reciprocating Saw SHELL

(86843)



Milwaukee M18BJS-0 18V Jigsaw SHELL

Bare Unit, NO battery or charger supplied (86844)



Milwaukee M18BCLS66-0 18V Circular Saw SHELL

Bare Unit supplied WITHOUT batteries or a charger (86846)



Einhell TE-AP 18 LI Power X-Change Reciprocating Saw SHELL

(86468)



Einhell TE-JS 18 LI Power X-Change Jigsaw SHELL

(46479)



Einhell TE-CS 18 LI 18V Circular Saw SHELL

Power: 1200w
Speed: 4800rpm
Cutting depth: 55mm (90°)
37mm (45°)
Weight: 4.2kg (62257)



Angle Grinders

Einhell TE-AG 18 LI 18v Cordless Angle Grinder

(83866)



DeWalt DCG412N 18V XR Angle Grinder SHELL

Bare Unit, No Battery or Charger (86450)



Milwaukee CAG115XPDB0 18V Fuel Angle Grinder SHELL

Bare Unit, NO Battery or Charger
Supplied with this model (86842)



Grease Guns

DeWalt Grease Gun

(89084)



Milwaukee Grease Gun

(86839)

Batteries & Charges



**Einhell 18V
1.3Ah Battery**
(85009)



**Einhell
Power XChange
Fast Charger**
(86662)



**Milwaukee
M12-18FC
Multi Fast
Charger**
(87266)



**Einhell 18V
2.0Ah High
Performance
Battery**
(86663)



**DeWalt
DCB115-GB XR
Multi-Voltage
Charger**
(87182)



**Milwaukee
M18B5 18V
5AH Red Li-Ion
Battery**
(87265)



**Einhell 18V
3Ah Battery
and Charger**
(86661)



**DeWalt
DCB182-XJ
18V 4AH Battery**
Compatible with all slide on
DEWALT Li-Ion 18 Volt Tools
(87181)



**Einhell 18V
5.2Ah High
Performance
Battery**
(86664)



**DeWalt
DCB184-XJ
18V 5AH Battery**
Compatible with all slide on
DEWALT Li-Ion 18 Volt Tools
(87180)



Einhell

- Powerful & Versatile



- German
- Designed
- Quality

REGATTA 
GREAT OUTDOORS®





Submersible Pumps

Domestic



Clarke Submersible Water Pump, CSE400A (75311)

Max. flow rate 115 L/min
Maximum head (lift height) 8M
Auto start / stop float switch
Thermal overload protection
Complete with ½", ¾" and 1" hose adaptor and 10M waterproof cable
400 Watts, 230v 1ph motor



Clarke Submersible Water Pump, Hippo 2 (27397)

Max. flow rate 85 L/min
Maximum head (lift height) 6M
Can pump to within 3mm of floor (when set in water 12.75mm deep or more)
Thermal overload protection
Tough non-corrosive polypropylene pump body
Complete with ½", ¾" and 1" hose adaptor and 10M waterproof cable
250 Watts, 110v 1ph motor



Einhell Dirty Water Pump 780w (66437)

780w, 15700 lph/8m Head
Mains: 240 Volt.
Power: 780 watt.
Maximum Pumping Rate: 15700 Litres/Hour.
Maximum Submersion Depth: 8 Metres.
Maximum Particle Size: 35mm.
mains cable length: 10m.
Weight: 5.3kg.



Clarke Submersible Water Pump, Hippo 2A (10381)

Max. flow rate 85 L/min
Maximum head (lift height) 6M
Can pump to within 3mm of floor
Auto start / stop float switch
Thermal overload protection
Complete with ½", ¾" and 1" hose adaptor and 10M waterproof cable
250 Watts, 230v 1ph motor



Clarke Submersible Water Pump, Hippo 5A (80440)

750 watt.
108 Litres/Minute.
1 ¼ Outlet diameter

Water Pump - Petrol



Honda Trash Water Pump GP200TP - Petrol (79903)

50mm Outlet

Commercial



Clarke Submersible Water Pump, HSE130A (52907)

Max. flow rate 140 L/min
Maximum head (lift height) 7M
Pumps small solids in suspension
Robust cast iron base with filter, handy carry handle too
includes 32mm dia. outlet, hose connector and 10M of H07RNF cable
283 Watt, 230v 1ph motor with thermal motor overload protection
Weight 7kg



Clarke Submersible Water Pump, HSE300A (48268)

Max. flow rate 300 L/min
Maximum head (lift height) 10M
Can pump small solids in suspension
Robust cast iron base with filter
Includes outlet connector and 10M of H07RNF cable
720 Watt, 230v 1ph motor



Clarke Submersible Water Pump, HSEC650A (55792)

Max. flow rate 290 l/min
Max. head (lift height) 9.5m
Can pump small solids in suspension
Robust cast iron base with filter
Twin seals, TCT cutting plate & steel waste cutter
Includes 2" (50mm) outlet hose connector & 10m of H07RNF cable



Petrol



Clarke Generator 720w - Two Stroke (77563)



Clarke PG2500 Generator 2.2kW (84922)
2.2kVA max. output at 230v from a 13amp 3-pin socket
6.5hp petrol engine 4.5 litre fuel tank Auxiliary
12v DC output for battery re-charging
Noise level only 65 dB(A) at 7 metres
Dimensions (LWH) 575x435x420mm.
Weight 38kgs



Clarke FG3005 Generator 2.8kW (73853)
3.0Kw max. output at 230v from two 13amp 3-pin sockets
6.5hp petrol engine Extra large 15 litre fuel tank
Auxiliary 12v DC output for battery re-charging
Noise level only 69 dB(A)
Dimensions (LWH) 592x498x432mm.
Weight 46.5kgs



Clarke IG1000 Inverter Generator 1kw (60323)
1000 Watts (max) Output. Single Phase
4 stroke petrol engine with 'Eco Throttle'
2.3 Litre Fuel Tank
AC Output
Noise level of 64dB@ 7 metres
13amp 3-pin socket
between 3.6 & 8.3 Hours approx running time
Cut out protection systems for circuit overload
12v, 5 amp DC output for charging 12v batteries
Dimensions (DxWxH) 460x250x420mm
Weight: 15Kg



Clarke IG2200 Inverter Generator 2.2kw (66138)
5 Litre Fuel Tank
2.2kva
12 + 230v
Weight: 26.6Kg



Clarke FG4050ES Generator 4.5kW (58216)
4.5kVA max. output at 230V from a 32Amp socket & at 115V from 1x16Amp & 1x32Amp sockets
11.0hp petrol engine Extra large 25 litre fuel tank Noise level only 72 dB(A)
Dimensions (LWH) 680x540x510mm.
Weight 70kg

Diesel



Clarke Generator DG6000DVES 5kW Diesel (84904)
110v/230v, 50Hz 1ph
Electric & recoil start
5kva max output
16 Litre Fuel Tank
8.8hp
Weight: 165Kg

Accessories



Power Tool Transformer (9746)



Extension Cable (70635)
16amp 110Volt, 14m x 1.5mm



Cable Reel (2724)
110Volt, 25 Metre



Hook Up Point (60899)
16amp Plug To 13amp Socket



Hook Up Point (60898)
13amp Plug To 16amp Socket



Cable Reel (8546) 25M 13amp 240V
(8547) 50M 13amp 240V



Cable Reel, 15M 240V Home & Garden (85729)



Compressors

12v



Air Compressor Max (40207)

200psi 12Volt
12V adaptor with fuse.
Plugs into cigarette
lighter adaptor in car.
270° gauge.
Comes with adaptors.
Size 250psi



Heavy Duty Twin (52251)

Air flow 85L per min
Voltage 13.8v
Amperage draw 30A
Working pressure 150psi
Restart pressure 200psi

Hobby



Clarke Ranger 7/240 (230v) (73110)

Fully Automatic stop/start control
Fitted regulator with gauge for
controlled air pressure
Wheels and handle for easy mobility
8 bar (116psi) maximum
working pressure
24Ltr Tank
2hp Electric Motor
7.5CFM
Size 250psi



Jefferson 25 Litre 2HP (230v) (88218)

Comes complete with pressure regulator.
Front rubber mounted feet with rear
wheel mount. Welded tank to comply
with the latest safety requirements.
Direct-drive, motor to pump assembly.
Aluminium head with cast-iron cylinder.
Weight 27.5kg
Tank Capacity 25L Tank
Voltage 230V (13A)
Motor 2HP
Max Pressure 8 Bar / 116psi
Air Displacement 198L / Min / 7cfm



Jefferson 50 Litre 2HP 230V (88219)

Comes complete with pressure regulator.
Front rubber mounted feet with rear
wheel mount. Welded tank to comply
with the latest safety requirements.
Direct-drive, motor to pump assembly.
Aluminium head with cast-iron cylinder.
Weight 36kg
Tank Capacity 50L Tank
Voltage 230V (13A)
Motor 2HP
Max Pressure 8 Bar / 116psi
Air Displacement 198L / Min / 7cfm

Pro



Jefferson 100 Litre 3HP 10 Bar 230V (88221)

Pressure regulator with moisture trap.
Large & solid wheels for ease of mobility.
Front caster wheel 360° turn around.
Welded tank fully-compliant with the latest
safety requirements. Heavy duty electric
motor single phase. Twin pressure gauges
show tank & working pressure. Weight 66kg
Tank Capacity 100L Tank
Voltage 230V (13A)
Motor 3HP 2.2kW
Max Pressure 10 Bar / 145psi
Air Displacement 261L / Min / 9.2cfm



Jefferson 150 Litre 3HP 10 Bar 230V (88223)

Pressure regulator with moisture trap.
Large & solid wheels for ease of mobility.
Twin front castor wheel for improved stability
and manoeuvrability. Powder coated tank.
Belt driven. Heavy duty electric motor single
phase. Twin pressure gauges show tank &
working pressure. Weight 102kg.
Tank Capacity 150L Tank
Voltage 230V (13A)
Motor 3HP 2.2kW
Max Pressure 10 Bar / 145psi
Air Displacement 377L / Min / 13.9cfm



Jefferson 200 Litre 3HP 10 Bar 230V (88224)

With a heavy duty single-phase 3HP motor.
Heavy-duty cylinders with alloy heads for
improved heat dissipation. Pressure
regulator with moisture trap. Large & solid
wheels for ease of mobility. Twin front castor
wheel for improved stability & manoeuvrability.
Power coated tank. Twin pressure gauges
show tank & working pressure. Dimensions:
1385 x 498 x 1042mm. Weight 104kg.
Tank Capacity 150L Tank
Voltage 230V (13A)
Motor 3HP 2.2kW
Max Pressure 10 Bar / 145psi
Air Displacement 377L / Min / 13.9cfm

Jefferson
PROFESSIONAL TOOLS & EQUIPMENT

Arc Welder



Clarke Easiarc 165
160Amps Arc Welder
(75169)



Clarke CW235TEN
40 - 210 Amps Turbo
Arc Welder
(63362)

Welding current variable, 40 - 210 amps.
Accepts welding electrodes 1.6 to 4mm dia.
Thermal overload protection with auto reset.
Power input 230/400v, 1 phase up to 5kW.
Dimensions (LxWxH) - 440x280x320mm.

MIG



Clarke Mig 145
NO GAS
Turbo Welder
(75141)



Clarke Mig 160TM
Turbo Welder (54568)

Max Amperage : 150
Amperage at 60% Duty : 75
Min Amperage : 30
Open Circuit Voltage : 18-28
Input Voltage : 240
Max Metal thickness (Mild Steel) : 4-5
Welding Wire Sizes mm : 0.6-0.8
Dimensions (LxWxH) mm : 750x370x550
Weight KG : 36



Clarke Mig 230TEC
Turbo Welder (52559)

Max Amperage : 210
Amperage at 60% Duty : 103
Min Amperage : 30
Open Circuit Voltage : 23-46
Input Voltage : 240
Max Metal thickness (Mild Steel) : 7-8
Welding Wire Sizes mm : 0.6-0.8
Dimensions (LxWxH) mm : 750x390x720
Weight KG : 47

Accessories

At TFM we stock a large range of welding accessories



Clarke
POWER PRODUCTS



Battery Chargers

Starters/Chargers



Clarke Auto Trickle Charger ATC 12v (35345)

Input : 240v AC 50Hz.
Output : 0.5A DC 14.2V
(Max Continuous)
Ideal for lead acid and sealed maintenance free batteries.
LED charging indicator.
Full self resetting protection against & incorrect connection
Made from fire retardant materials.



Clarke LA6 12v 6amp Battery Charger (81846)

Large ammeter displays rate of charge.
Dash-mounted fuse provides polarity protection in the event that clips are connected incorrectly.
Rocker switches control variable output to the battery to maintain peak condition.
Suitable for regular and low maintenance batteries.
Supplied with 2200mm length output cables with heavy-duty crocodile clips.
Fitted with ASTA/BS approved non-rewirable 3-pin safety plug.



Einhell CC-JS 18 Jump Start & Power Pack (84862)



Sealey Battery Charger, Charge107 11amp 12/24v (78101)

Large ammeter displays rate of charge.
Dash-mounted fuse provides polarity protection in the event that clips are connected incorrectly. Rocker switches control variable output to the battery to maintain peak condition. Suitable for regular and low maintenance batteries.
Supplied with 2200mm length output cables with heavy-duty crocodile clips.
Fitted with ASTA/BS approved non-rewirable 3-pin safety plug.



Sealey Battery Charger START320, 320/45amp 12/24V (85425)

Sealy heavy-duty starter / charger is ideal for professional garages, workshops and bodyshops. This charger can be used for all requirements from cars right up to light commercial vehicles.

Large wheels for easy mobility.
Analogue ammeter and switchable charge circuitry for accurate charge control



Sealey Battery Charger START560, 560/90amp 12/24V (78098)

For use on all requirements from cars right up to commercial vehicles.
Large wheels for easy mobility.
Analogue ammeter and switchable charge circuitry for accurate charge control

Jump Packs



Clarke Jumpstart 910, 12v 400A (34174)

Portable 12v Rechargeable power supply, boot starter and air compressor

- 1) 400 amp starting boost for vehicles with low battery.
- 2) Up to 50 hours 12-volt DC supply for TV's, phones, radios, computers, work lights, etc.
- 3) 240 psi compressed air supply with hose & various valve connectors.
- 4) Heavy duty 2.5mm² low loss booster cables with powerful clamping jaws.
- 5) Tough ABS housing with integral 55 watt torchlight, pressure gauge & battery condition/charge indicator.
- 6) Rechargeable via mains or vehicle supply - adaptor leads included.
- 7) Sealed & maintenance free for convenience & safety.



Clarke Pro Jumpstart 12v/24v Extra Heavy Duty (58785)

Clarke Professional Jumpstart 12v/24v Ex Heavy Duty. Starting boost output of 1000A at 12V and 500A at 24V and Peak output of 2000A at 12V and 1000A at 24V. Starts petrol engines upto 6 ltrs and diesel engines upto 3 ltrs
1 metre cables with cable and clamp storage
5 Bulb working light, LED Battery Status Indicators and audible warnings for low battery or incorrectly connected cables
Includes 230V mains charger and 12V adaptor for in-vehicle charging & includes 12V DC outlet to power electrical items on the move
Dimensions: (DxWxH) 210x390x375mm
Weight: 16Kg

Pressure Washers



Cold Water Electric - Hobby

Bosch Pressure Washer AQT 33-11
(79265)



Stihl RE88 Pressure Washer
(83807)



10-100 Bar, 520l/h
8.9kg
Light and simple for domestic use
6m High pressure mesh hose



Stihl RE109 Pressure Washer



(76871) Compact power washer can be used for cleaning jobs around the house and garden including washing your patio and car. Quick release couplings reduce setup times by allowing quick & easy attachment of the high-pressure hose. An aluminium telescopic handle and hinged front cover with integrated nozzle storage make transportation & storage of the RE 109 power washer seamless.



Stihl RE130 PLUS Pressure Washer
(88515)



Powerful pressure cleaner. Aluminium pump head, brushless induction motor, integrated wheel kit, dosable cleaning agent spray set, rotary nozzle, adjustable fan jet nozzle with pressure regulation, anti-drill quick-release coupling on the trigger and tool, park position for switching off the sprayer when taking breaks. 9 m steel-reinforced high-pressure hose. Storage compartment on the side with integrated nozzle and power cable storage.

Cold Water Electric - Mid Range



Stihl RE143 PLUS Power Washer (63603)



Working pressure: 10-130 bar
Max. water throughput: 610 l/h
Max. water feed temperature: 60 °C
Power output: 2.9 kW
Weight: 23.5kg
Mains voltage: 240 V
High-pressure hose length: 12 m

Cold Water Petrol



Clarke Power Washer - Petrol Tiger 2600
(84613)



Mistral 1800CP 5.5HP Honda Power Washer (Pro)
(71004)



Working pressure: 800 psi
Max. water throughput: 14 lpm
5.5HP Honda

Cold Water Electric - Pro



Mistral 1500CN Power Washer 240v (5885)



Working pressure: 100 bar
Max. water throughput: 780 l/h
Max. water feed temperature: 60 °C
Power output: 2.2 kW
Weight: n/a kg
Mains voltage: 240 V
High-pressure hose length: 10.0 m

Hot Water Electric - Pro



Mistral 1500H Hot Water Washer (5884)



Working pressure: 1500 psi
Max. water throughput: 13lpm
Mains voltage: 240v
Hot Water Washer
All stainless construction
No pic's or printed circuits
Temperatures adjustable up to 120 degrees C
High pressure hose length: 20m

Accessories



Pressure washer attachments, hose and service parts.

Even waterproof clothing and masks!

We also hire out pressure washers - Enquire in store for full details



Space Heaters

Diesel



Clarke XR60 Heater
50000 BTU/HR Max
(78408)
Paraffin/Diesel Heater



Clarke XR80 Heater
70000 BTU/HR Max
(78405)
Paraffin/Diesel Heater



Clarke XR110 Heater
100000 BTU/HR Max
(78406)
Paraffin/Diesel Heater



Clarke XR160 Heater
160000 BTU/HR Max
(78407)
Paraffin/Diesel Heater

Gas



Free Standing Site Heater (29349)

Propane
With hose & regulator
Max output . 3,10 kW - 4,60 kW
Consumption . 220 gr/h - 330 gr/h
Press. 30/50 Mbar



Clarke Little Devil (11517)

Propane Heater
Max output 35,000 Btu`s/hr
(approx. 10.25kW)
Dimensions (LWH) 340x180x270mm



Hothouse 4kw Multi Fuel Insert Stove (67307)

- Weight: 88Kg
- Non Boiler Stove
- Heat Output: 4KW / 13,700BTU's
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 80.9% efficiency



Hothouse 4kw Multi Fuel Stove & log burner (67297)

- Weight: 80kg
- Non Boiler Stove
- Heat Output: 4kW / 21,000BTU's
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 76.9 percent efficiency



Buckingham 6kw Multi Fuel stove and log burner (83635)

- Cast Iron stove & log burner
- 450 x 340 x 569mm 6KW -
- Weight: 62kg
- Non Boiler Stove
- Heat Output: 6KW / 21,000BTU's
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 80.9% efficiency



Hothouse 6kw Multi Fuel Stove (67304)

- Weight: 105Kg
- Non Boiler Stove
- Heat Output: 6.0KW / 21,000BTU's
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 78.1% efficiency



Regal Multi Fuel Stove 9.2kw (84246)

- DEFRA APPROVED
- Cast Iron stove log burner.
- Weight: 62kg
- Non Boiler Stove
- Heat Output: 9.2KW
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 80.9% efficiency



Wentworth Multi Fuel Stove 5.3kw (83634)

- DEFRA APPROVED
- For use in smokeless zones.
- Cast Iron stove & log burner
- 438 X 325 X 619mm
- Weight: 62.1kg
- Non Boiler Stove
- Heat Output: 5.3KW
- Fuel: Solid fuel or wood
- Energy Efficiency: CE approved to deliver 80.9% efficiency

Flue Pipes & Accessories



Wood Burning Stove Fan (73561)

Suitable for all gas and wood burning stoves. Also known as an 'ecofan'.



Flue Thermometer (69384)



Flue Pipe Matt Black

- 5" x 1m - Straight (58616)
- 6" x 1m - Straight (58622)

Flue Pipe Matt Black

- 5" Bend 90deg (69382)
- 5" Bend 135deg (62577)
- 6" Bend 45deg (69381)
- 6" Bend 90deg (69383)

Flue Pipe Matt Black

- Tee Piece/End Cap 5" (58632)
- Tee Piece/End Cap 6" (58633)



Insert Stove flexible Liner Adaptor (73471)



Flexible Liner Increasing Adaptor 5-6" (68043)



Flexible Liner to Appliance Adaptor

5" (76615) 6" (73295)

Chimney Cowl Rain Top Earthenware c/w Guard (73647)

Flue pipe Stainless Twinwall



6" x 1mt (84399)

6" x 45deg (84400)

6" x 500mm (84401)



Flue pipe Stainless Vitreous

5" - 6" (84402)

Flue pipe Twinwall Twist & Lock

6"x1mt (86651)



Chainsaws

Professional Electric



Stihl MSE210C- BQ
16" Electric Chainsaw
240V (76877)



Pole Pruners



Stihl High-Level
Pruner HT103
(82992)



Professional pole pruner for orchard and arborist work. Lightweight, compact transmission with captive nut on the sprocket cover, optimised cutting performance due to the 1/4" PM3 saw chain, 4-MIX® engine with a simplified start system. Highly ergonomic and very stable due to the reduced weight of the square-cut telescopic shaft.
Total length: 270 – 390 cm



Stihl HTA85 Cordless Pole
Pruner. SHELL ONLY
(75223)



Total Length - From 270cm to 390cm.
Weight - 4.9kg.
Trigger time - Up to 40 minutes.
Battery requirements - AP180.
Charger - AL300.
Charge time - To 80 percent 40 minutes.
Charge time - To 100 percent 70 minutes

Domestic



Stihl MS170 - 12"
(61472)
12" guide bar
30.1cc
4.2kg



Cobra Chainsaw
petrol 14" CS420-14
(84171)
14" guide bar
42cc



Stihl MS180 14"
Chainsaw (44604)
Guide bar 14"
31.8cc



Stihl MS181C-BE - 14"
(58852)
14" Guide bar
31.8cc
4.3kg



Stihl MS211, CBE 14"
(58925)
14" Guide bar
35.2cc
4.6kg



Stihl MS231 16"
(66710)
Guide bar 16"
40.6cc/2.0kw
3/8" P Picco Duro Chain PD3
5.2kg



Farmer/Semi-Pro - Petrol



Stihl MS291 - 18"
Semi Pro (62480)
18" guide bar
55.5cc
5.1kg



Stihl MS391 - 20"
Semi Pro (59691)
Guide bar 20 inch
64.1cc / 3.4kw
Weight 6.4kg



STIHL®

Spares & Repairs

Our Product Support Centre has a back up stock of spare parts, chain & guide bars for Stihl & Husqvarna chainsaws.

Professional - Petrol



Stihl MS150TC-E 12" Pro TOP HANDLE (70651)
Guide bar 12" Engine 23.6cc
Weight 2.6kg



Stihl MS241C-M, 16" (63862)
Guide bar 16" Engine 41.6cc
Weight 4.7kg
M-Tronic engine management



Stihl MS261C-M, 16" 26RS (73016)
Guide bar 16" Engine 50.2cc
Weight 5.2kg



Stihl MS201TC-M, 14" Pro TOP HANDLE (77115)
Guide bar 14" Engine 35.2cc
Weight 3.7kg



Stihl MS362C-M, 18" (73922)
Guide bar 18" Engine 59.0cc
Weight 5.9kg



Stihl MS441C-M, 20" (69406)
Guide bar 20" Engine 70.7cc
Weight 6.6kg



Stihl MS462 C-M 20" Pro Chainsaw, 72.2cc (86392)
Guide bar 20"
Engine 72.2cc/4.4kw
Weight 6.0kg



Stihl MS500i 25" Pro Chainsaw 79.2cc (87430) Guide bar 25"
Engine 79.2cc Weight 6.2kg



Stihl MS661C-M, 36" (73004) Guide bar 36"
Engine 91.1cc Weight 7.4kg



Cordless



Stihl Compact MSA120C-BQ 12" (80359)
Weight Without Battery - 2.5kg



Stihl MSA160C-BQ (64404)
Guide bar 12"
Engine Motor
Battery Lithium Ion 36v
Weight 4.9kg



Stihl MSA200C-BQ 14" (73949)
Bar 14"
Quick Chain Tension
Quick Stop Super Chain Brake
Weight 3.3kg Without Battery



Stihl MSA161T TOP Handle Cordless Chainsaw. SHELL (86181)
Bar 12"
Quick Chain Tension
Quick Stop Super Chain Brake
Weight 2.1kg Without Battery



Chainsaws



Batteries & Chargers



Stihl Battery AP200 (78759)
Lithium-Ion 1.2kg



Stihl Battery AP300 (77634)
Lithium-Ion 1.7kg



Stihl Quick Charger AL300 (63789)



Stihl Compact Cordless Battery AK10 - 1.4Ah/36v (80360)



Stihl Compact Cordless Battery AK20 - 2.8Ah/36v (80361)



Stihl Compact Cordless Battery AK30 45204006512
Cell Type - Li-Ion, 36v, 1.2kg (88303)



Stihl Cordless Machines Battery Slot Cover (75762)



Stihl AP Holster With Connecting Cable (80101)



Stihl Battery Belt and Harness (85424)



Stihl Compact Cordless Charger AL101 (80362)



Stihl Quick Charger AL500 (73491)



Hedge Trimmers

Electric



Cobra Electric Hedgetrimmer 21" H55E (84098)

Bar Length - 55cm / 21 inch.
Power output - 600 watt.
Weight - 3kg



Cobra Electric Hedgetrimmer 24" H60E (84099)

Bar Length - 60cm / 24 inch.
Power output - 710 watt.
Weight - 3.5kg

Cordless



Stihl HSA25 Cordless Shrub Shears (76144)



Stihl HSA45 Cordless HEDGE CUTTER c/w Battery/Charg (83033)



Stihl Compact Cordless Hedgetrimmer HSA56 - 45cm (80354)

Complete Package - HSA56/AK10 Battery/AL101 Charger
Electric Motor - DC, Battery Voltage - 36V
Blade Length - 45cm, Tooth Spacing - 30mm
Cutting Thickness - 16mm, Stroke Rate - 2800
Running Time with Battery - Up To 40 Mins



Stihl HSA66 Cordless Trimmer 20" SHELL ONLY (77433)



Stihl HSA86 Cordless Trimmer 25" SHELL ONLY (69528)

Cut length: 620mm (25")
Battery life: 30-45 Min.
Energy with AP80: 80 Wh Lithium-Ion x 2
Battery power: 36v
Weight with battery: 4.8kg
Battery charger: LA300 fast charger

Petrol



Stihl Hedge Cutter HS45 24" Petrol (19678)

Cut length: 609.6 mm (24")
Displacement: 27.2 cc
Engine power: 1.01 bhp
Weight: 4.6 kg
Fuel capacity: 230 ml/cc



Stihl Hedge Cutter HS46CE 22" Petrol (64821)

Cut length: 550 mm (22")
Displacement: 21.4 cc
Engine power: 0.95 bhp
Weight: 4.3 kg
Fuel capacity: 280 ml/cc



Stihl Hedge Cutter HS56CE 24" Petrol (64822)

Cut length: 609.6 mm (24")
Displacement: 21.4 cc
Engine power: 0.9 bhp
Weight: 4.5 kg
Fuel capacity: 280 ml/cc



Stihl Hedge Cutter HS82RC-E 24" 22.7cc (75643)

Cut length: 609.6 mm (24")
Displacement: 22.7 cc
Engine power: 0.94 bhp
Weight: 5.4 kg
Fuel capacity: 370 cc



Stihl Hedge Cutter HS82RC-E 30" 22.7cc (75642)

Cut length: 762 mm (30")
Displacement: 22.7 cc
Engine power: 0.94 bhp
Weight: 5.4 kg
Fuel capacity: 370 cc



Hedge Trimmers



**Stihl Hedge Cutter
HS87R 30" 22.7cc**
(77989)

Cut length: 762 mm (30")



**Stihl Hedge Cutter
HS87T 40" 22.7cc**
(77499)

Cut length: 1016 mm (40")



**Stihl Hedge Trimmer
HL94CE 60cm 24"**
24.1cc (0-145°)
(82490)

Cut length: 600 mm (24")



**Cobra Petrol
Hedgetrimmer 24"**
HT62C
(84097)

Cut length: 609.6 mm (24")



Batteries & Chargers

See page 107

Long Reach



**Cobra Petrol
Long Reach
Hedgetrimmer LRH26C**
(84096)

Total length - 251cm.
Power output - 26cc
Weight - 6.9kg



**Cobra Electric
Long Reach
Hedgetrimmer LRH40E**
(84100)

Total length - 185cm.
Power output - 500 watt.
Weight - 4kg



**Stihl HLE71
Long Reach
Hedge Trimmer 230V** (54506)

Total length - 254cm.
Power output - 600 watt.
Weight - 5.9kg



Accessories

Don't forget your accessories
such as oil, grease, cord, safety
equipment & clothing.



**Stihl HLA56 Cordless
Long Reach Hedgetrimmer SHELL**
(86918)

Lightweight cordless long-reach hedge trimmer for
cutting taller hedges and shrubs in your garden.
Double-sided blades in a droplet shape to help
guide hedge material towards the cutters, adjustable
head for cutting at angles ranging from -45° to +90°,
detachable shaft for easy transport. Carrying length:
115 cm.v



Stihl HLA65 (70723)

Weight kg 1) 3.5
Sound pressure level dB(A) 2) 85
Sound power level dB(A) 2) 94
Vibration level left / right m/s² 3) 3.5/3.5
Stroke rate 1/min 3.000
Blade length cm 50
Total length cm 206
Tooth spacing mm 33
Recommended battery AP 180



**Stihl HLA85 Cordless Telescopic
Hedge Trimmer SHE** (76143)

The STIHL HLA 85 telescopic hedge cutter is a
versatile addition to the STIHL cordless range. The
HLA 85 features an adjustable cutter which makes it
suitable for a number of tasks on tall or deep hedges.
With a total extended length of 3.3m it gives the
operator a safer approach to taller hedges. The tool
is lightweight and has very low vibrations making it
suitable for professionals who would use the machine
for extended periods. The brushless EC motor keeps
maintenance to a minimum while increasing the tool's
running time



**DON'T FORGET YOUR SAFETY GEAR
WHEN USING POWER TOOLS**

See customer service for details on safety equipment.



Strimmers

Electric



Stihl Strimmer FSE31 - Electric 240v (52142)
Voltage 230 V
Power 245 W
Weight 2.2 kg
Total length 1.10 m
Cutting tool Tap' n' go



Domestic



Cobra 26cc Strimmer GT260C (84496)
26cc Two stroke engine
c/w loop handle, single shoulder strap, line head.
Light weight & ideal for domestic use.



Stihl Strimmer FS40 27.2cc (55143)
27.2cc/0.90bhp Engine
Fuel 2 - Mix 50:1
Corded Head
Loop Handle
Weight 4.1kg



Stihl Strimmer FS50C-E 27.2cc (Easy Start) (55144)
27.2cc/1.0bhp Engine
Fuel 2 - Mix 50:1
Corded Head
Loop Handle
Weight 4.5kg
STIHL ErgoStart (E)



Cordless



Stihl FSA45 Cordless Strimmer (83032)
c/w Battery/Charger



Stihl FSA130 Cordless Strimmer SHELL ONLY (83769)



Stihl Compact Cordless Strimmer FSA56 (80355)

Complete Package
FSA56/AK10 Battery/AL101 Charger
Specifications
Electric Motor - DC
Battery Voltage - 36V
Weight Without Battery - 2.5kg
Weight With AK10 Battery - 3.3kg
Sound Power Level - 86dB
Sound Pressure Level - 72dB
Vibration Level - 3.5/3.5
Attachments - AutoCut 2-2/Line 1.6mm (Blue)
Cutting Circle - 280mm
Running Time - AK10 Battery - Up To 20 Mins



Stihl FSA65 Cordless Strimmer. SHELL ONLY (69532)

Weight - 2.7kg Without Battery.
Cutting Arc Diameter - 300mm.
Mowing Line Thickness - 2.0mm
Speed Adjustment - Fixed
Standard Cutting Tool - Autocut
Mowing Head C 4-2
Recommended Battery - AP80 Lithium - ion
Recommended Charger - AL100



Stihl FSA85 Cordless Strimmer. SHELL ONLY (69533)

Weight - 2.8kg Without Battery.
Cutting Arc Diameter - 350mm.
Cutting Line Thickness - 2.0mm.
Standard Cutting Tool - Autocut Head C 4-2.
Speed Adjustment - Continuously Variable.
Recommended Battery - AP160 Lithium - ion.
Recommended Charger - AL300.



Stihl FSA90 Cordless Strimmer. SHELL ONLY (78748)



Pedestrian



Cobra Petrol B&S Wheeled Trimmer 22" WT56B (84092)





Domestic



Cobra Petrol Brushcutter Loop Handle BC260C (84093)

Engine: 26cc / 2-Stroke
Nylon Head & Metal Tri-Blade
Fuel Tank Capacity: 0.6ltr
Single Shoulder Harness
Handle: Loop
Weight: 7kg



Stihl Brushcutter FS55 27.2cc (24786)

27.2cc/1.01bhp Engine
Fuel 2 - Mix 50:1
Corded Head
Bike Handle & Shoulder Harness
Weight 4.8kg



Semi-Pro



Stihl Brushcutter FS91S (81192)

28.4cc/1.3bhp Engine
Fuel 4 - Mix
Corded Head & Metal Blade
Bike Handle & Comfort Harness
Weight 5.8kg
Safety Glasses



Stihl Brushcutter FS94 RC-E 2 Mix (75761)

Lightest brushcutter in this segment.
STIHL 1-point anti-vibration system,
ErgoStart, loop handle suitable for
where access may be difficult, control
handle with ECOSPEED partially
loaded function, STIHL 2-MIX engine,
straight shaft and shoulder harness.



Professional



Stihl Brushcutter FS240C-E 37.7cc 2 - Mix. (62508)

37.7cc/2.3 hp
Fuel 2 - Mix 50:1
Corded Head & Metal Blade
Bike Handle & Comfort Harness
Weight 7.4kg



Stihl Brushcutter FS460C-EM 45.6cc 2 Mix (62509)

41.6cc/3.0bhp Engine
Fuel 2 - Mix 50:1
Corded Head
Bike Handle & Comfort Harness
Weight 8.0kg



Stihl Brush Cutter FS70C-E, 27.2cc (68196)

27.2cc/1.2bhp Engine
Fuel 2 - Mix 50:1
Corded Head & Metal Blade
Bike Handle & Shoulder Harness
Weight 5.4kg



Accessories

Don't forget your accessories such as oil,
grease, cord, safety equipment & clothing.



**All our Petrol Power
Tools are fully assembled
& ready to use**



**DON'T FORGET YOUR SAFETY GEAR
WHEN USING POWER TOOLS**

See customer service for details on safety equipment.



Product Support

- ✓ **Repairs**
- ✓ **Service**
- ✓ **Spares**
- ✓ **Hire**



For machines & products sold by TFM

Please ask in store for full details or call our **Product Support Centre** on **01746 784000**



**EVERYTHING FOR THE
FARM & COUNTRYSIDE**
AT **STRAIGHTFORWARD** LOW PRICES



***“Delivered to & collected
from your local TFM store”***

Petrol



Cobra Blower BV26C 26cc Petrol. (84800)

This lightweight but powerful 26cc blower/vac is ideal for medium to large areas. Complete with a Cobra easy starting engine and high performance mulching capabilities.



Stihl Blower BG56C-E 27.2cc Petrol. (60262)

Displacement : 27.2 cm³
Engine power : 0.95HP
Weight with blowpipe : 4.2 kg
Air flow with nozzle : 710 m³/h
Equipment : Round nozzle
Max air flow without
Attachment : 730 m³/h
Max air speed : 64 m/s
Sound rating : 89 db(a)



Stihl Blower BG86C-E 27.2cc Petrol (56905)

Displacement : 27.2 cm³
Engine power : 1.1HP
Weight with blowpipe : 4.5 kg
Air flow with nozzle : 780 m³ / h
Equipment : Round & flat jet nozzle
Max air flow without
attachment : 810 m³ / h
Max air speed : 85 m / s
Sound rating : 90 db(a)



Stihl SH86CE Blow/Vac c/w Shredder 27.2cc Petrol (58294)

Engine 27.2cc
ergo start
2 mix
blow/vac & shredder



Stihl Blower BR600 Magnum 64.8cc Petrol (45031)

Top of the range, particularly powerful backpack blower. With very high air throughput for the most extensive cleaning tasks. Superb power to weight ratio. Excellent anti-vibration system and ergonomic carrying frame. Innovative 4-MIX® engine for a more pleasant sound, low fuel consumption and low emissions



Cordless



Stihl Cordless Blower BGA45 inc Battery (83310)



Stihl Compact Cordless Blower BGA56 (80356)

Complete Package - BGA56/AK20
Battery/AL101 Charger
Specifications
Electric Motor - DC
Battery Voltage - 36V
Air Flow Rate - 600
Air Speed - 45m/s
Weight Without Battery - 2.1kg
Weight With AK10 Battery - 3.3kg
Sound Power Level - 79dB
Sound Pressure Level - 91dB
Vibration Level - 2.5
Adjustable Blower Tube
Running Time AK20 Battery - Up To 20 Mins



Stihl BGA85 Cordless Blower - Shell Only. (67232)

Weight - 3.2kg Without Battery
Air Speed - 46m/s
Air Through Put - 650m/h
Recommended Battery - AP160 Lithium - ion
Recommended Charger - AL300



Blowers



Electric



Stihl Vacuum/ Shredder SHE71, 230v (54334)

Motor : 1100 watt
Voltage : 230 volt
Max Air Flow : 580m³/h
Vacuum Bag included : Yes
Weight : 4.1kg
Reduces 1/12 the original
volume easy emptying
collection bag



Wheeled Garden & Industrial Vacuum



Billy Goat Vacuum BGTKV650SPH, 27" SELF PROP (67026)



Billy Goat Vacuum LB352, 21.5" (72105)

51 cm wide nozzle
105 ltr felt bag
500 series Briggs & Stratton
engine; 158 cc
Easy height adjust
Felt bag
Push mode



Billy Goat Vacuum BGTKV650SPH Hose Kit (67027)



Shredders, Chippers & Rotavators

Electric



**Stihl GHE250
Shredder 230V 2.5kw
(89159)**

For large quantities of branches up to 35 mm in diameter, bushy branches and soft garden waste, this powerful shredder features Multi-Cut cutting technology, noise-reducing blades and an easy-to-fill feed chute.



**Viking GE150
Chipper 230V 2.5kw
(39479)**

Power : 2.5 kW
Max. branch thickness : 35 mm
Weight : 24 kg
Appliance height : 116 cm
Electromech. safety device
Feed chute (clover leaf)
Multi-Cut 150
Push button switch



**Viking GE250
Shredder 230V 2.5kw
(37786)**

Power : 2.5 kW
Max. branch thickness : 35 mm
Weight : 25 kg
Appliance height : 144 cm
Electromech. safety device
Filler funnel (slanting)
Multi-Cut 250
Push button switch

Petrol



**Viking GB370s
Chipper/Shredder,
6½hp Petrol (37324)**

Engine power : 6.5 (HP)
Nominal output : 3.6 kW - 1/min
Max. branch thickness : 35 mm
Appliance height : 135 cm
Weight : 43 kg
Electromechanical safety locking
Feed chute (straight)
Integral tool
Multi-Cut 350
Wide chassis



**Viking GB460
Chipper/Shredder,
6½hp Petrol (61968)**

Engine power : 6.5 (HP)
Nominal output : 3.3kW
Max. branch thickness : approx 60 mm
Appliance height : 135 cm
Weight : 59kg
Multi-cut 450
Housing: Polymer/metal



Rotavators



**Cobra 40cm
Cultivator/Tiller 140cc
Petrol B&S T40B (84101)**



COBRA



**Stihl MH445R Tiller
(87239)**

Compact design and balanced centre of gravity, the reverse gear makes it easier for you to manoeuvre & change your direction of travel. The powerful petrol engine makes tilling the soil an effortless task. Fitted with blades specially designed to break up and mix the ground with maximum efficiency. The blades cut rapidly into the earth and are spread across a standard width of 45 cm, which can be adjusted if required. The height of the brake spur can be adjusted to one of three settings to ensure the tiller holds a straight line. An integral anti-vibration system effectively reduces the vibrations from the engine and relieves some of the physical stress you may feel when gardening. The ergonomic handlebar can be individually adjusted to your respective body height. You can actuate the chassis on the tiller using your hand or foot and accelerate using your thumb. Prior to performing cleaning or assembly work, the STIHL MH 445 R can be tipped onto its transport wheels to give easier access to the blades.



STIHL®

**DON'T FORGET YOUR SAFETY GEAR
WHEN USING POWER TOOLS**

See customer service for details on safety equipment.



Handy 6 Ton Electric Log Splitter + Guard THLS-6G (87524)

The Handy 6 Ton Horizontal Log Splitter with Guard THLS-6G

6 ton splitting force
2200 watt motor
Log length capacity 160mm-520mm
Log diameter capacity 50 – 250mm



Handy 7 Ton Vertical Log Splitter + Guard THLSV7 (87217)

Handy Log splitter vertical 7 ton
230v 2700w Motor Rated Power
13-30cm Log Diameter Capacity
107cm / 81.5cm / 56cm Log Length Settings
7 Ton Maximum Force
4l Hydraulic Oil Capacity
Includes safety guards



Oxdale TM400 Tractor Mounted Log Splitter (41160)

Weight: 64kg
Linkage: ISO CAT 1/2
Max operating pressure: 4780 psi/330 bar
Required flow: 1-40 l/min
Ram bore diameter: 60mm
Ram stroke: 400mm
Ram rod diameter: 40mm



Portek Charger 8.5 Ton Impact Log Splitter (81639)

Hire our petrol Log Splitter - Call Product Support on 01746 784000





Combi Systems

Engines

Stihl KM56RC-E Combi - Engine, 27.2cc (54818)

Displacement 27.2 cc (1.66 cu. in.)
Engine power 0.8 kW (1.01 bhp)
Fuel capacity 300 cc (10.1 oz.)
STIHL ErgoStart (E)



Stihl KM131R Combi - Engine, 36.3cc (82063)



Stihl KM94RC - E Combi - Engine, 24.1cc (76740)



Stihl KMA130R Cordless Combi Engine (86917)



Attachments

Stihl KM-FS Strimmer Combi Attachment (40244)

Strimmer Combi Attachment
With the nylon line mowing head on the Straight shaft, you'll have trimming and Detailed cutting work well under control.

Stihl KM-MB Grass Blade Combi Attachment (50563)

Grass Blade Combi Attachment
The Grass cutting blade makes mowing even very large lawns full of tough, dry grass easier than ever.

Stihl KM-BG Combi Blower Attachment (53450)

Combi Blower Attachment
With high blowing power, this tool quickly and easily clears paths and open areas from leaves and grass cuttings.

Stihl KM-FCB Edge Trimmer (Combi-Tool) (49668)

Edge Trimmer (Combi-Tool)
The edge trimmer with Adjustable working depth precisely Cuts lawn edges along paths, Driveways or flowerbeds.

**DON'T FORGET YOUR
SAFETY GEAR WHEN
USING POWER TOOLS**

See customer service for details on safety equipment.



Stihl KM-BF Pick Tines Cultivator Attachment. (42608)

Pick Tines Cultivator Attachment
Working Width: 22cm



Stihl KM-KB Bristle Brush Combi Attachment (47528)

Bristle Brush
Combi Attachment



Stihl KM-HL Hedge Trimmer Combi Attachment (0-145) (82436)

The head quickly and easily adjusts (145° working range). Recommended for all loop handle KombiEngines. For demanding work on high hedges and use close to the ground. Adjustment mechanism that can be set in increments, space-saving carrying position, bar length: 50 cm, total length: 148 cm. Weight: 2.3 kg.



Stihl Combi Carbon Shaft Extension 1m (52194)

1mt Lightweight
Extra light-weight shaft extension.
Reach extension: 1m.
For the KM-HT pole pruner
and the KM-HL hedge trimmer.



Stihl KM-HT Attachment, Pruner with Shaft (37834)

Attachment, Pruner with Shaft
Making mid-height tree maintenance
Easy and convenient.



Stihl Combi Carry Bag (34795)

Ideal for transporting and
storing your combi engine
with a loop handle. Along
with the frequently used
combi Tool, the KM-AC



COBRA 4 in 1 MULTI TOOL MT250C PETROL (84493)

4 in 1 multi tool system with a 26cc
two stroke engine c/w the following
attachments: grass trimmer, brushcutter,
hedgetrimmer, pole pruner.

Additional accessories include
tri blade & shoulder harness.



Lawn Mowers

Electric



Cobra Electric Lawn Mower 15" with roller GTRM38 (84090)

38cm (15") cutting width
Powerful 1400 watt induction motor
Robust ABS polymer deck
Rear roller
6-position height adj: 20mm - 75mm
40 litre grass collector or mulching
Folding handlebars for storage
10m cable Weight: 14kg



Flymo Easi Glide 300, 1300W (63157)

Lightweight.
Cutting width: 30 cm
Cutting height steps: 4
Cutting height, min-max: 12 - 32 mm
Blade type: Metal
Collector volume: 20 lit
Cable length: 12 m
H: 69 cm L: 135 cm W: 8,8 kg



Flymo Turbo Lite 400 Hover 40cm (1500w) (82383)

Power 1500 W
Cutting width 40 cm
Cutting height steps 5
Blade type Metal
Cutting height adjustment Spacers



Stihl RME235 13" Electric Lawn Mower (87241)

33cm/13" cutting width
weight: 13 kg 1.2 kW motor
Cutting height 25 - 65 mm
30-litre grass catcher



Battery

Stihl RMA443C Battery Powered Lawnmower (Shell) (85348)

Equipped with the powerful STIHL PRO Cordless battery system, suitable for medium-sized gardens. The energy-saving eco mode also has a positive effect on the battery lawn mower's operation time during mowing, collecting and mulching (the mulching kit is an optional accessory). Easily adjusted to the desired cutting level thanks to the central height adjustment. Foldable handlebar and carrying handle.



Stihl RMA448TC Battery Powered Lawnmower (Shell) (84661)

Offers great freedom when caring for large-sized gardens. Featuring eco-mode, the blade automatically adapts the motor power according to the condition of the grass during mowing. The Lithium-Ion battery in the STIHL PRO cordless system lasts even longer. Single speed drive means that the mower is self-propelled and makes short work of large and steep lawns. 55-litre capacity is simple to empty. Cutting width of 46 cm and the central cutting height adjustment with 6 different blade settings. Can be retrofitted with a mulching kit



Stihl RMA2RT Battery Powered Lawnmower (Shell) (86919)

Petrol - Wheeled



Cobra Petrol Lawn Mower 16" - PUSH M40C (79486)

40cm (16") cutting width
Cobra 98.5cc OHV 4-Stroke engine
Robust steel deck
6" front wheels 8" rear wheels
10-position height adj: 25 - 75mm
50 litre fabric grass collector
Handlebars fold for storage
0.8 litre fuel tank. Weight: 25kg



Cobra Petrol Lawn Mower 16" S/P M40SPC (82328)

Engine: 135cc Cobra DG450 OHV
Drive Type: Self Propelled
Cut Width: 40cm / 16" Cut Height: 25 - 75mm
10 Stage Adjustment
Grass Bag Capacity: 50ltr
Direct Collection



Cobra Petrol Lawn Mower 18" S/P M46SPC (84084)

Engine: 135cc Cobra DG450 OHV
Drive Type: Self Propelled
Cut Width: 46cm / 18" Cut Height: 25 - 75mm
10 Stage Adjustment
Grass Bag Capacity: 60ltr
Direct Collection



Cobra Petrol Lawn Mower 20" S/P M51SPC (84085)

Cobra DG600 OHV Engine / 173cc Displace
Cut Width 51cm / 20" Cut Height: 25 - 75mm
10 Stage Adjustment
Mulching / Side Discharge
Self Propelled. 60ltr Grass Bag
Capacity 4-in-1 Collection System





Stihl RM248T 18"

Lawn Mower (87242)

Lightweight compact petrol mower is ideal for small to medium lawns. Large-volume grass catcher bag and single speed drive. Robust sheet steel housing. Foldable handlebar for easy transport and storage. Self propelled



Professional

Cobra Petrol 18" S/P ROLLER RM46SPC (84086)

18" (46 cm) Cut
Self Propelled Rear Roller Drive



Stihl RM2RT Mulching Lawn Mower (74928)

Compact and manoeuvrable petrol lawn mower that simultaneously mows and fertilises lawns up to 1500 square meters, not collecting the grass but shredding it into fine particles to enliven the soil. Self propelled



Cobra Petrol Pro Hover Mower 20" AirMow 51 Pro (84089)

Engine: Honda GCV160 OHV
Drive Type: Hand Propelled
Cutting Width: 51cm / 20"
Cuts on 45° slopes
3 Stage Height Adjustment
Wheel Kit Included
Domestic Warranty: 2 Years
Weight: 18kg



Stihl RM545VR Rear Roller Lawn Mower (87243)

ReadyStart petrol engine: petrol engine starts with one easy pull, automatic choke. Cutting height between: 20-75 mm. Cutting width: 43 cm. Drive: Variable Easy Start: Yes. Engine Horsepower: 5.5 hp. Grass Bag / Box Capacity: 60 L. Rear Roller: Yes. Starter Type: Pull. Weight: 34 kg (approx)



Cobra Petrol Mower 21" Pro S/PROP M53SPH-PRO (84087)

Engine: Honda GXV160
Drive type: Self propelled
Cutting width: 53cm / 21"
Cutting height: 16 - 76mm
7 stage adjustment
Grass bag capacity: 75 litre
Blade brake clutch
Weight: 62kg



Stihl RM253T 20" Lawn Mower (69701)

Largest cutting width (51cm/20") of the 2 series range, perfect for lawns up to 1800m². The single-speed drive allows you to mow the lawn without having to push the mower, great for steeper lawns. Features seven settings, from 25 to 75 mm. Powerful ReadyStart engine is nice and easy to start and offers plenty of power to efficiently mow your lawn.



Cobra Petrol Mower 21" S/P ROLLER RM53SPH-PRO (84088)

Engine: Honda GXV160
Drive Type: Self Propelled
Cutting Width: 53cm / 21"
Cutting Height: 13 - 59mm
7 Stage Adjustment
Grass Bag Capacity: 75lit
Blade Brake Clutch
Professional Warranty: 2 Years
Weight: 64kg



Stihl RM4RTP Professional Mulching Lawn Mower 21" (86915)

Features such as SmartChoke, double ball-bearing wheels and excellent grip make operation easy while front and rear carrying handles aid transportation. 21" cut. 3.5hp Kohler OHV engine. Mulching function. 30-75mm cutting height. Self propelled



Stihl RM655RS Professional Roller Lawn Mower 21" (86916)

Premium range for gardeners who want the best mowing experience possible. With large area coverage of up to 2500m². Durable metal rear roller with robust drive and well-sealed bearings, there is no compromise between convenience and lawn striping quality. The body design allows for easy access and maintenance of working parts such as drive cables, pulleys and the drive belt. The optimised rear deflector flap works perfectly with the mono-comfort handle, improving access to the grass box and making emptying much easier. STIHL's best technology comes standard on these mowers. High lift blade for excellent cut and collection, extremely sturdy mono handlebars allow for easy emptying of the grass catcher box. Easy to adjust to suit different heights, or fold for storage without tools. Simple one drive and blade brake clutch to stop the blade but keep the engine running when emptying the box or moving between mowing areas. The aluminium deck is robust and lightweight and central cutting height adjustment and foldable handle bar make usage and storage much easier.





Lawn Mowers

Professional

Stihl RM545VR Rear Roller Lawn Mower (87243)



Achieve the classic British stripe effect to your lawn with the Stihl RM 545 VR 17 inch rear roller lawn mower. Easy handling and the sturdy lightweight polymer chassis guarantee excellent results. ReadyStart engine: petrol engine starts with one easy pull, no priming required due to automatic choke. Easy 6-setting central cutting height adjustment. 60 litre volume catcher box with level indicator. 3-setting height adjustable handle. Suitable for gardens with lawns up to 1000 square meters

Cutting height between: 20-75 mm
Cutting width: 43 cm
Drive: Variable
Easy Start: Yes
Engine Horsepower: 5.5 hp
Grass Bag / Box Capacity: 60 L
Rear Roller: Yes
Starter Type: Pull
Weight: 34 kg (approxg).



**All our Lawn Mowers
are fully assembled
& ready to use**



Ride-On



Stihl RT4082 32" Ride On Mower 13.5hp (63858)

Forward/reverse lever making manoeuvring easy, tight turning radius and an extremely smooth hydrostatic automatic gearbox. The grass catcher box can be emptied from the comfortable, adjustable driver's seat, with just one pull of the bow handle. All the other controls, such as the blade clutch for driving and mowing, or the cutting height adjustment, are positioned close to hand. Lawn Area – 4,000 m² Cutting width – 80 cm Engine type – 8.5 hp Briggs & Stratton Cutting height – 35 – 90 mm Grass catcher box – 250 litre Weight – 196 kg



Stihl RT4112S 42" Side Discharge Garden Tractor (69703)

Variable speed control, forward / reverse switch, hydrostatic drive, central cutting height adjustment and a blade clutch. Side discharge operation, mowing is completed quickly and efficiently, features a robust front bumper as standard which also allows for the mounting of attachments. Lawn area – 8,000 m² Cutting width – 110 cm Engine type – 12.5 hp Cutting height – 35 – 90 mm Weight – 206 kg



Stihl RT5097C 37" Lawn Tractor (87240)

The spring loaded seat adjusts to all heights for comfort. Engine starts by the turn of a key. Forward / reverse levers are at the steering wheel and with cutting height adjustment, blade clutch and bow handle for emptying the grass catcher box, mowing the lawns is effortless. The single pedal operation and direct steering provides you with comfort while mowing and manoeuvring. Grass Guide System on both sides of the mowing deck catches grass blades at the edge of the deck and guides them towards the cutting blades. The 2 blade system with angled blades provides a neat and clean cutting pattern over a width of 95cm. The mowing deck can be removed without tools. Lawn area – 6000 m² Cutting width – 95 cm Engine Type – 15.5 hp Briggs & Stratton Cutting height – 30 – 100 mm Grass catcher box – 250 litres Weight – 246 kg



CastelGarden XE866B Ride On Mower 26" (78883)

Engine: B&S Series 875 ES 190cc
Transmission: Geared
Blade Engagement: Manual
Deck Width: 66cm/27 in
Blade Type: Collecting/Mulching blade
Cutting System: Collect
Cutting Height: 6 Positions, 30mm- 80mm
Grass Box Capacity: 150 Litres
Wheels: 13in x 15in
Fuel Tank Capacity: 3.8 Litres
Dim (approx): L 183 / W 70 / H 101cm
Net Weight: 129 kgs



CastelGarden XDC170HD Ride On Tractor 38.5" (78884)

Engine: B&S PB 4 Series 500cc Single Cylinder
Cutting Deck Size: 98cm/38in
Cutting System: Collection with option to mulch and discharge (with optional accessories)
Transmission: Hydrostatic
Cutting Positions: 7 Positions 25-80mm
Blade Engagement: Electromagnetic
Dashboard: 1 LED
Collector Volume: 240 Litres
Fuel Tank Volume: 6 Litres
Wheels: 15in x 18in



CastelGarden PTX220HD Ride On Tractor 48" (84121)

Engine: B&S Intek 7220 Series
656cc V-Twin 656cc
Deck Width: 122cm/48 inches
Transmission: Hydrostatic
Blade Engagement Type: Electromagnetic
Clutch
Cutting System: Collect, with option to Discharge and Mulch (optional accessories)
Cutting Height: 7 positions, 30-90mm
Blade Type: Two collecting-mulching blades
Grassbox Capacity: 300 Litre
Fuel Tank Capacity: 7 Litre
Headlights: Twin Headlights
Wheel Sizes: 15 inches/18 inches
Net Weight: 225kg



Robotic



**Stihl RMi422P iMow
Robotic Lawn Mower (86914)**

The compact MI 422 robot mower will mow small to medium sized lawns of up to approx. 500 m² and is designed to do this in the shortest time possible, allowing you full access to your garden when you want it. As it is fully automated, once iMow is installed, it will mow, charge and adapt its schedule all by itself. If the robot mower battery runs low or it starts to rain, the MI 422 will return itself to the docking station, and depending on how much of the lawn still needs to be cut, it will decide whether to charge itself quickly or slowly helping to conserve power. Fitted with a robust mulching blade, your grass will be finely shredded returning vital nutrients back into the soil. This also eliminates the need to dispose of any grass clippings. The iMow MI 422 boasts 15 different cutting height settings, varying from 20mm-60mm so you can adjust it to suit you and your lawn! For more information please contact your local iMow dealer.



**Stihl RMi632P iMow
Robotic Lawn Mower (86913)**

The Stihl iMow is an innovative robotic lawn mower that operates with exact precision to ensure the perfect lawn for areas up to 4000 square metres.

With intelligent technology coupled with sophisticated design, the iMow is the ultimate mobile lawn mower that takes care of all the lawn mowing and lawn care work, doing the job in the shortest time. Operation can be programmed to take place in the early morning hours, or during the night. During the daytime, it remains in its docking station and the garden can be utilised undisturbed.

The iMow robotic lawn mower is an ultimate lifestyle object, which unites the possibilities offered by intelligent technologies with the desire for a modern way of life.

STIHL®

The Stihl iMow is an innovative robotic lawn mower that operates with exact precision to ensure the perfect lawn for areas up to 4000 square metres.

With intelligent technology coupled with sophisticated design, the iMow is the ultimate mobile lawn mower that takes care of all the lawn mowing and lawn care work, doing the job in the shortest time. Operation can be programmed to take place in the early morning hours, or during the night. During the daytime, it remains in its docking station and the garden can be utilised undisturbed.

MADE FOR HARD WORK

238 EASTON PULLOVER

- 340gsm sweater fleece
- Hardwearing knitted marl fabric
- Zipped pockets
- Fleece inner

333 JUNIOR COVERALL

- 240gsm hardwearing fabric
- Action back with elastication
- Covered placket
- Velcro® fastening

237 HENHAM HOODIE

- 340gsm sweater fleece
- Hardwearing knitted marl fabric
- Fleece inner
- Zipped pockets

235 ELITE BODYWARMER

- Rip-stop outer
- Hardwearing rip-stop fabric
- 220gsm thermofort insulation
- Zipped pockets

711 PRO WORK TROUSER

- 330gsm
- Triple stitched
- Holster pockets
- Knee pad pockets
- YKK zip

299 CLEVELAND JACKET

- Hardwearing oxford outer
- Water resistant to 2000mm
- Reflective trim
- Windproof
- Fleece lined

238



333



237



235



711



299



TUFFSTUFF
WORKWEAR

FORT
WORKWEAR

FORT
FOOTWEAR



ELEY

LEADING SHOOTING PERFORMANCE



Select 12 Gauge 28 gram 7.5 shot plastic and fibre the all round clay shell.

12 G 28 gr 7.5 Plas (53823)

12 G 28 gr 7.5 Fib (53815)

Select 21 gram fibre 7.5 shot is the perfect light sim clay and training load

12 G 21 gr 7.5 Fib (798867)



VIP Game 12 Gauge 28 & 30 gram 6 shot provides the perfect combination for game shooting

12 G 28 gr 6 Fib

(65171)

12 G 30 gr 6 Fib

(30175)



VIP Game 20 Gauge 28 & 30 shot excellent performance in lighter game guns

20 G 28 gr 6 Fib

(61882)

www.eleyhawk ltd.com

HOZELOCK



62973



66703



63227



82131




38537

Country Living

Contents



Grass seed	120
Garden Furniture	121
Sheds & Storage	122
Compost & Bark	123
Winter Fuel	124
Guns	126
Ammunition	128
Safety Boots	132
Non-Safety Boots	135
Wellingtons	136





Grass Seed

Lawn & Landscape

We have selected the Pro Range mixtures as they have been designed with the benefit of over one and a half centuries breeding experience and have been supplied to many of the UK's most prestigious landscape and sporting projects.



Need a smaller quantity?

Pro 52 - No Rye Grass Seed (6947)

Fine lawn or Landscape Without Ryegrass. Economical fine textured mixture not too demanding on maintenance. Stocked in 25 kg bags.

Pro 52 - per kg (16750)



Need a smaller quantity?

Pro 51 - With Rye Grass Seed (6946)

Hard wearing lawn or landscape With Ryegrass. A hard wearing mixture that will establish rapidly. Ideal general purpose. Stocked in 25 kg bags.

Pro 51 - per kg (16749)



Multi Purpose Lawn Seed (84508)

1kg

SOWING DATES

Sow between March and October. Young Grass will appear within 14-21 days under good growing conditions.

SOWING RATES

New lawn: 50gms per sq. Metre (1½oz per sq. Yard)
Overseeding: 25gms sq. Metre (¾oz per sq. Yard)

Field & Paddock

Two mixtures each with their own specific requirements. General long term ley and a hard wearing sward for horses & ponies which can be also cut for hay.



Versamax Allstock GP Long Term Ley Seed (63231)

VersaMax all Stock A long term pasture mixture, versatile in use, with good persistence and resistance to disease. Leafy, prostrate varieties provide good dense foliage capable of withstanding even the heaviest of grazing. In 20 kg bags (Approx 2 acre pack)



HORSEMAX Horse & Pony Paddock Grass seed (55906)

HorseMax Elite is a high specification grass mixture designed for the creation and maintenance of all types of horse pastures. In 10 kg bags (Approx 1 acre pack)

Wild Flower Mix

In order to meet with the increasing demand for conservation in amenity and landscaping mixtures we have selected three seed mixtures each designed to recreate a particular habitat.



PRO FLORA 110 - Wild Flower Mix (38993)

Low maintenance landscaping Native perennial wild flowers. Approx 5 different wild flower colours
5% Native perennial flowers - 12 varieties
95% Grasses - 6 varieties.
In 1 kg bags which covers up to 200² m.



Natures Haven Easy Wildflowers 1.5kg (82044)

All in one seed mix to encourage bees and butterflies to your garden. 1.5kg covers 6 square metres, scatter over area and lightly rake in.

Maintenance Products



Fertiliser - Granular (84451)

Traditional 15:10:10 Blended fertiliser Supplied in 25kg bags
Ideal for general maintenance, or to feed grass for intensive hay production and grazing



Aftercut Lawn Weed, Feed & Moss Killer (78475)

400sq/mts
Lawn weed, feed and moss killer, is a granular triple action lawn feed, which helps achieve and maintain a beautiful green, weed-free lawn



Aftercut Autumn All in One (78259)

400sqm Bag
Autumn Lawn Food & Mosskiller



Weedol Lawn Weedkiller 500ml (4389)

Liquid lawn weeder. Verdone Extra kills many weeds in lawns with one treatment, including the problem weeds such as white clover, black medick, lesser trefoil, daisy, dandelion, plantain and comm on mouse-ear.



Scotts Evergreen Handy Spreader (59060)

Hand-held spreader with 5 adjustable settings, ranging from fine grass seed to pelleted fertilisers and ice melters.
Pull trigger action and hand crank.



Lawn Turf - 1 sq metre roll (49615)

High quality turf. Hard wearing and perfect for high traffic gardens. Covers 1 square meter. This product carries a discount for bulk orders - please call for details

Softwood



Wye Rectangular Picnic Table (7064)

The Wye Wooden Picnic Table is a traditional style picnic table with a hole in the table top for your parasol. Made from pressure treated timber this picnic table will resist rotting and can remain outside all year round.

Height – 750mm
Width – 1800mm
Depth – 1500mm
Table Top – 1800mm x 680mm
Weight – 64kg



Pine Farmers Bench 5ft (71744)

The Pine Farmer Bench is made from treated softwood. The timber grain is of a yellow / green colour which will mellow over time.

Height – 1090mm
Width – 1570mm
Depth – 735mm
Weight – 29kg



Melrose Dining Set (84430)

The Melrose Dining Set Consists of a heavy duty table and 2 benches. Made from slow grown joinery grade redwood from sustainably certified Scandinavian Forests and British Made quality comes as standard.

Table	Benches
Height: 790Mm	540Mm
Width: 1800Mm	1800Mm
Depth: 820Mm	2200Mm

COMBINED SET WEIGHT: 140kg



Northwood Arbour (84431)

This robust Hutton Northwood Arbour has attractive smooth planed square trellis to the sides and back, lending itself perfectly to the planting of your climbing or trailing plants. With a covered arched roof, it provides much needed shade on those hot summer days or shelter from a passing shower. British Made in our own UK factories the Hutton Northwood Arbour is great value for money and a perfect addition to your garden Height: 2250mm

Width: 1580mm Depth: 740mm Weight: 75kg



All wooden furniture comes flat packed. Ready to assemble.

Garden Furniture



Steel



Lucton Bench (79668)



Lucton Coffee Table (79669)



Lucton Folding Chair (78238)



Lucton Tea For Two Table (78240)

Plastic



Low Back Garden Chair - Green (79737)

Stone



Stone Bench, Straight (9347)



Stone Bench, Curved Fluted Edge (28257)

Accessories



Parasol Base Round Granite 16 Kg (76727)

This Round Granite Parasol base would suit pole measurement 38-48mm. Suitable for use with stand alone parasols up to 1.5m or with your garden table.



Parasol Green 2.7 M (76726)

This 2.7m Garden Parasol has a steel metal shaft and a wind handle that makes light work of putting the shade up or down, and makes it easier to adapt as the weather changes in your garden. Base is not included



Sheds & Storage

Garden Sheds

All of our sheds are professionally made using high quality timber and materials. The Apex and Pent sheds are constructed using tongue and groove shiplap board and 2" x 1.5" framing throughout, making for a sturdy building with fixed windows.

Height of Apex: 5'6" at the eaves and the Pent 6' at the back and 6'6" at the front.

Unless otherwise stated all sheds come complete with glass windows and green mineral roofing felt and will be dip treated with a water based stain preservative.



Pent Shed 6' x 4' (25457)
Treated

Pent Shed 7' x 5' (52737)
Treated

Pent Shed 8' x 6' (25458)
Treated



Apex Shed 6' x 4' (25461)
Treated

Apex Shed 7' x 5' (52735)
Treated

Apex Shed 8' x 6' (25460)
Treated

CONTRACTOR GRADE

Apex Shed 8' x 6' (83185)
Treated

Apex Shed 10' x 8' (83391)
Treated

Outdoor Storage



TFM Stableford Log Store (65989)

Approx size 6' x 2'.

This Treated Softwood, Wooden Log Store is ideal for storing your logs and stick in easy reach of you home. Sloping roof keeps logs protected and helps rainwater to run off.

Sold ready assembled.



Garden Store (76933)

5' x 3' Pent Roof

Garden store with pent roof, professionally made using high quality timber and materials. This garden store is constructed using tongue and groove ship lap boarding with a 2 inch x 1.5 inch framing throughout.

Treated softwood.

Felt roof.

No windows.

Double doors.

Height : 5ft at the back and

5ft 6 inches at the front.

Sold ready assembled.



Please note that our sheds are supplied in a flat-packed format, designed for easy transport and erection.



Manure/Organic Fertilizer



Farmyard Manure 50 Litre (78528)

Gro-Sure Farmyard Manure is a perfect soil conditioner rich in organic matter and produces higher crop yields and abundant blooms.

Top Soil, Bark & Garden Mulch




Top Soil 25 Litre (53845)

Natural English loam blended with organic matter and nutrients. Recommended uses: Creating new gardens, building raised areas and rockeries.



Top Soil (Big Bag) (61639)

Screened Topsoil



Bark Chips - 70 Litre (50331)

10mm-30mm screened quality bark from sustainable resources.

Bark suppresses most weed growth, retains moisture, provides insulation for delicate roots and is an attractive mulch around flower-beds and borders



Garden Mulch (Big Bag) (61640)

Garden bark mulch is perfect for general groundskeeping, landscaping, ground cover and weed suppression.

100 percent natural product. Can enhance the appearance and performance of landscaping schemes. Durable and long lasting

Compost



Godwin's Multi Purpose Compost 55 Lt (59279)

Premium dark and rich compost for optimum plant growth, used for sowing, potting or cuttings.

Ideal for breaking up heavy clay soils. Great for mulching beds, adding vitality to undernourished soils. Good for nutrient values and water retaining properties. Offers long term term fertility; particularly effective for vegetable plots.



Clover Premium Grade Multi-Purpose Compost, 60lt (50133)

Multi-purpose high quality compost with a nutrient enriched formula and wetting agent to ensure easier watering.

Ideal for seed sowing, potting, containers and hanging baskets.



Ericaceous Compost, 40 Litre (50241)

Godwin's ericaceous compost is designed for all acid loving / lime hating plants, such as heathers, rhododendrons and azaleas, to encourage strong and healthy growth.

Suitable for indoor and outdoor use, when potting up or planting out any ericaceous plants.



John Innes No.3 Compost, 25ltr (26921)

Traditional loam-based compost formulation with limestone and grit sand.

Recommended Uses: Final re-potting of mature vegetables, foliage plants, trees & shrubs.

Feeding: After 4-8 weeks or earlier if container becomes well filled with roots.

Advice: Not suitable for lime-hating (ericaceous) plants.

Useful Tip: Should not be stored from one season to another as nutrient content may become unbalanced



John Innes Seed Compost, 25ltr (26920)

John Innes Seed Compost is a traditional loam-based compost formulation with limestone and sand for sowing almost any type of seed.

Recommended Uses: Seed sowing, rooting cuttings.

Advice: Not suitable for lime-hating (ericaceous) plants. May also be used for rooting soft cuttings.



Winter Fuel



Coal

**TFM Premium Coal, 20kg
(White Bag) (33848)**



**TFM Premium Smokeless
Fuel, 15kg (Green Bag)
(58422)**

Coal Bunkers



**Coal Bunker - 150kg
(11496)**

Length: 780mm
Width: 635mm
Height: 800mm
Holds up to 3 bags of coal



**Coal Bunker - 250kg
(57969)**

Length: 800mm
Width: 850mm
Height: 800mm
Holds up to 6 bags of coal



**Coal Bunker - 500kg
(57970)**

Length: 1000mm
Width: 1000mm
Height: 1020mm
Holds up to 12 bags of coal

Logs & Kindling

Wood Pellets - 15kg (77655)

A1 grade premium wood pellets for use in commercial and domestic boilers and stoves. help to ensure a fantastic performance, and a longer life for your boiler. ENPlus A1 accredited. 6mm wood pellets. Low dust and contaminants. Very Low ash content (approx 0.3)

Can also be used for horse bedding by sprinkling with water and allowing the pellets to swell.



**Kiln Dried Hardwood
Logs - Large Bag (78489)**

Highest quality and best performing logs, and are ideal for burning on any wood burning appliance alone, or alongside other solid fuels, often used in wood burning stoves, multi-fuel stoves, pizza ovens, chimineas or traditional open fires.

Moisture level of less than 20 per cent so they can be burnt immediately and at a high temperature, and with a long and natural flame.

Come from responsibly managed forests and meet strict quality control guidelines for moisture content, size, package volume, species and country of origin.



**Kindling Sticks,
Per Net (10711)**

This product carries a discount for bulk orders - please call for details

Fire lighting morning wood.



**Logs, Big Bag
Hardwood (55430)**



**Logs
Per Net (10710)**



**Logs, Big Bag
Softwood (55592)**



**Home Fire Supercharged
Heat Logs (84395)**

Homefire Supercharged Heat Logs give off 25 more heat than kiln dried logs and last much longer as well. These eco-friendly logs work great on a wide range of appliances including open fires, wood burners, multi-fuel stoves, closed appliances, and chimineas. Clean burning, water repellent and create a great flame picture.

Log Stores



**TFM Stableford
Log Store (65989)**

Approx size 6' x 2'. This Treated Softwood, Wooden Log Store is ideal for storing you logs and stick in easy reach of you home. Sloping roof keeps logs protected and helps rainwater to run off.

Sold ready assembled.



AIRGUNS - CROSSBOWS - OPTICS - YOUTH ARCHERY



Beginners Rifles



Remington Express c/w 4×32 Scope (81972)

Type: Spring Powered
Action: Break Barrel
Calibre: 22
Safety: Manual
Wooden Stock



Remington Tyrant (81970)

Type: Spring Powered
Action: Break Barrel
Calibre: 22
Safety: Manual
Synthetic Stock
c/w 4x32 Scope



Weihrauch HW30 c/w 4×32 Scope (7000)

Type: Spring Powered
Action: Break Barrel
Calibre: 22
Safety: Automatic
Wooden Stock



Crosman Optimus .22 Air Rifle c/w 4×32 Scope (65233)

Pellet Velocity: Up to 800 fps
Weight: 7.125 lbs Length: 45 in
Mechanism: Break Barrel
Power Source: Spring Barrel: Rifled
Ammunition: Pellets Capacity: Single Shot
Front Sight: Fiber Optic
Rear Sight: Fully Adjustable
Optics Rail: 3/8" Dovetail
Optics: 4x32mm
Safety: Lever Stock: Hardwood



Hunting & Target

Crosman Phantom MK2 (80107)

Type: Spring Powered
Action: Break Barrel
Calibre: 22
Safety: Manual
Synthetic Stock

Scope & Mounts 4x32 Scope



Weihrauch HW99S (28856)

Type: Spring Powered
Action: Break Barrel
Calibre: 22
Safety: Automatic
Wooden Stock



Weihrauch HW77K (7001)

Type: Spring Powered
Action: Under Lever
Calibre: 22
Safety: Automatic
Wooden Stock



Remington Thunderceptor Air Rifle .22 3-9×50 Scope (89066)

Bull barrel. Manual safety
Includes 3-9×50 scope & mounts
Two stage trigger
Synthetic stock with stippled
fore-end & grip. Wooden Stock
Integrated sound moderator
Calibre: .22 (5.5MM)
Type: GAS RAM POWERED
Stock: Synthetic (high grade)
Calibre: 22 Safety: Lever



CO² Rifles

Crosman Ratcatcher (26123)

Type: Co2
Action: Bolt
Calibre: 22
Safety: Manual
Synthetic Stock

Scope & Mounts 4x15 Scope

CO² Pistols



Crosman Ratbuster (41504)

Type: Co2
Action: Bolt
Calibre: 22
Safety: Manual
Synthetic Stock

Pre Charged



Weihrauch HW100 .22 Sporter 14 Shot Air Rifle (41356)

Type: Pre-Charged/Pneumatic
Action: Side lever
Calibre: .22
Safety: Manual
Wooden Stock

14-shot Magazine
100+ shots Per charge
2-Stage adjustable Trigger



SMK Victory Multi Shot PCP Rifle PR900W .22 (85957)

PR900W
.22 PCP Air Rifle
Complete with multishot
magazine and wooden stock.



Quick Fill Adaptor For PR900W Air Rifle (86416)

Shotguns 12G



12G Winchester SXP Black Shadow (67835)

Barrel - 28"
Composite Stock
Chokes - 1/4, 1/2 & Full
Magazine - 2+1
Pump Action Shotgun



Yildiz TK36 Single Barrel .410G Shotgun (73202)

Barrel length 66-71m
Chamber 3" magnum
Manual Safety
Choke 4/4-3/4 2/4-1/4
Walnut Stock
Weight 1.5kg
Single Barrel



4 Litre Charging Cylinder 300bar c/w Hose & Gauge (88304)

300 bar and come
supplied with a hose
& low profile gauge.

AIR GUNS & THE LAW

THE RULES

It is currently illegal for anyone, regardless of age, to carry a loaded weapon in public. Trespass with an air weapon. Kill or injure any bird or protected animal unless you are authorised to do so under the wildlife and countryside act 1981. Fire an air weapon within 15m of a road or street. Sell or hire an air weapon or ammunition for an air weapon to a person under 18. Make a gift of an air weapon or ammunition for an air weapon to a person under 18. Having an air weapon or ammunition for an air weapon which you intend to use to damage property. Having an air weapon which you intend to use to endanger life, or use onto resist arrest. If you are under 18 you cannot buy hire be given or own an air weapon or ammunition for an air weapon.

YOU CAN

Carry an air rifle in a public place as long as it is covered with a security fastened gun cover that prevents the weapon from being fired. Use a air weapon for target practice at an approved Club if you are a member of that club or if you are Using an air weapon at a shooting gallery.

YOU CAN ONLY USE ONE IF:

You are supervised by someone over 21. You do not shoot beyond the boundaries of the Place where you are using. You are a member of an approved club and you are using the weapon for target practice at that club. You are using an air weapon at a shooting gallery for air weapons.

SHOTGUNS & THE LAW

A valid shotgun certificate is required to Purchase a shotgun



Ammunition

Pellets



Air Arms Diablo

Field Pellets Cal .177 4.51 (85951)
Tin : 500



Field Pellets Cal .22 (48474)
Tin : 500



Crosman

Domed Cal 22 (26126)

Domed Cal 177 (37964)
(was Accupell)
Tin : 500



Pointed Cal 177 (26523)
(was Powapell)
Tin : 500



Premier Match Cal 177 (41938)
Tin : 500



Bisley

Super Field Cal.22 (4493)
Tin : 200



Magnum Cal.22 (4495)
Tin : 200



Magnum Cal 177 (5926)
Tin : 500



Premier Cal.22 (4498)
Tin : 200

Pest Control Cal.22 (4496)
Tin : 200



H&N Baraccuda Cal 22
(68660)
Hunter Extreme
Tin : 200



Air Rifle 12G CO₂ CAPSULES
(75766)



Air Rifle 88G CO₂ CAPSULES
(73631)

Wasp

No.1 Cal 177 (4492)
Tin : 500

No.2 Cal 22 (4491)
Quantity discount available
Tin : 500

Cartridges



Gamebore

Clear Pigeon
12G 6 Shot 30g Fibre Wad (66730)
Box : 25



Black Gold

12G 6 Shot 30g Fibre (75578)
12G 5 Shot 32g Fibre (75576)
Box : 25



Black Gold

20G 5 Shot 28g Fibre (83528)
Box : 25



Eley

First Select

12 Guage 7½ Shot 28gm Plastic
(53823) Box : 25



12 Guage 7½ Shot 28gm Fibre
(53815) Box : 25



Pigeon Select

12G 6 Shot 30gm Fibre (85877) Box : 25

Superb

12G 7½ Shot 28gm Fibre (85557)
Box : 25



First Select Lite

12 Guage 7½ Shot 21gm Fibre (79867)



Zenith

12 Gauge 5 Shot 32gm Fibre (78937)
Box : 25



V.I.P.

12g 6 Shot 28gm Fibre Wad (65171)
12g 6 Shot 30gm Fibre Wad (30175)
20g 6 Shot 28gm Fibre Wad (61882)
20g 5 Shot 30gm Fibre Wad (86666)
12g 5 Shot 32gm Fibre Wad (69720)
Box : 25



Special Game

12G 28gm 6 Shot Fibre (35648)
12G 30gm 5 Shot Fibre (65461)
12G 32gm 5 Shot Fibre (65462)
Box : 25

Want A Choice? Buy 250 at the 1000 rate on all shotgun cartridges

Cartridges



Lyalvale

Pigeon Special Box : 25
12G 6 Shot 30gm Fibre (61501)

Pigeon Power Box : 25
12G 6 Shot 29gm Fibre (77623)

Ultimate Power Box : 25
12G 32gm 5 Shot Fibre (86492)



Supreme Game
Fibre 12G 6 Shot 30gm (23047)
Fibre 12G 6 Shot 32gm (53827)
Box : 25



Super Game
12G 5 Shot 36gm (68972)
12G BB Shot 36gm (23636)
12G 1 Shot 36gm (23660)
Box : 25



Max Game Magnum
BB 12G 50gm (68139)
Box : 25



Express Power Red
12G 7½ Shot 27gm Fibre (88574)
Box : 25



Steel Shot Game
12G 3 Shot 32gm 2¾" Pla (37244)
12G 4 Shot 32gm 2¾" Pla (37245)
12G 5 Shot 32gm 2¾" Pla (37246)
12G 4 Shot 36gm 3" (68243)
20G 4 Shot 24gm 2¾" (68244)
Box : 25

Supreme Twenty
20G 6 Shot 25gm Fibre (65467)
20G 6 Shot 28gm Fibre (37994)
20G 5 Shot 28gm Fibre (55564)
Box : 25



Lyalvale

Supreme 16 Box : 25
16G 28gm 6 Shot (65468)
20G 7½ Shot 24gm Fibre (25921)
28G 25gm 6 Shot Fibre (84499)



410G 6 Shot Box : 25
9gm 2" Standard (30092)
14gm 2-1/2" Standard (23634)
16gm 3" (16mm head) (30093)



Garden Gun Cartridge 9mm
Box : 50 (78611)



Blank Cartridge, 12G
Black Powder Pk 10 (54517)



Dummy Launcher Blanks .22
120-175 ft Box : 50 (69972)

Bullets



Winchester

17 HMR VMAX
Rimfire Silvertip (61171)
Box : 50



22LR Sub 40gr
Copper Hollow Point (61174)
Box : 50



222 50gr Super-X
Pointed Soft (61165)
Box : 20



22-250 55gr Varmint X
(85215)
Box : 20



Cartridge Bags & Belts also available

Ammunition



Winchester

223 55gr Supreme
B.Silvertip (61166)
Box : 20



223 55gr Super X
Soft Point (61454)
Box : 20



243 95gr Supreme
B.Silvertip (61167)
Box : 20



243 55gr Supreme
B.Silvertip (61168)
Box : 20



243 100gr Super-X
Power Point (61169)
Box : 20



243 80gr Super-X
Pointed Soft (61170)
Box : 20



243 58gr Varmint
X-Tip (76858)
Box : 20



270 130gr Super-X
Pointed Soft (65319)
Box : 20



308 150gr Super-X
Pointed Soft (67166)
Box : 20



6.5x55Swd Super-X 140gr
Soft Point (67167)
Box : 20

Eley

Subsonic Hollow Rimfire .22LR
(60493) Box : 50

High Velocity Rimfire .22
(83569) Box : 50



**LYALVALE
EXPRESS**

Make sure of it...



**LYALVALE
EXPRESS**



**LYALVALE
EXPRESS**





**STEP UP IN
COMFORT**



V1750 DEFENDER STS

Black STS Waterproof Scuff Cap Boot

Sizes: 7, 8, 9, 10, 11, 12

EN ISO 20345:2011 S3 AN WR SRC

- Lightweight & Metal-Free - Reduces fatigue
- Shock Absorbing Insole - Providing day long comfort
- Poron Impact Protection - Keeps your ankles safe
- Fire Fighter Ladder Grips - Reduces slip risk on steps



V1940 & V1945 TORQUE IGS

Grey Metal-Free IGS Hiker (Men's & Women's)

Men's Sizes: 7, 8, 9, 10, 11, 12

Women's Sizes: 4, 5, 6

EN ISO 20345:2011 S1P HI HRO ESD SRC

- Lightweight & Metal-Free - Reduces fatigue
- ESD Compliant - Protects products during assembly
- IGS 4* Grip Sole - Reduces slip risk
- Vegan Friendly - Facilitate all the workforce





Safety Boots

Safety Boots & Shoes



Great Value!

Chukka

Black

Quality leather ankle boot with padded collar. Steel toe-caps (200 joules). Steel midsoles for underfoot protection. Sole resistant to oils.



Trainer Storm

Grey

Steel toe cap to EN ISO 20345 (200 Joules)
Steel midsole for underfoot protection
Dual density polyurethane sole
Slip resistant to SRA standard
Antistatic sole and shock absorbent heel
Padded collar and tongue
Upper: Suede and mesh

Available in sizes 4 to 12



Dickies Antrim Super Safety

Brown

Highly durable
Steel toe cap
midsole protection
Full insock . Added comfort

Available in sizes 6 - 12



V Tech Colt Safety Dealer

Black

Classic Leather Dealer Boot
Composite Toe Cap
Steel Midsole
Heat Resistant Anti-Static

Available in sizes 6 - 12



V Tech Stallion Safety Dealer

Brown

Classic Leather Dealer Boot
High Quality Full Grain Leather
Composite Toe Cap
Steel Midsole
Heat Resistant
Anti-Static

Available in sizes 6 to 12



Dickies Crawford

Steel toe-cap (200 Joules).
Steel midsole for underfoot protection.
Goodyear welt construction.
Breathable Cambrelle lining.
High density foam insock.
Nitrile rubber outsole.

Heat resistant outsole to 300°C

Available in sizes 7 to 11



Dickies Medway Super

Brown

Insulated and water resistant to 53 approved standards
Energy absorbing heel
Full grain waxy cow leather upper with protective scuff guards
Steel midsole for underfoot protection and steel toe cap to EB20345
Thinsulate lining
Lace protectors
Cemented rubber outsole
Resistant to hot contact up to 300°C

Available in sizes 6 to 12



Bison Safety Boots

Brown

Available in sizes 7 to 12



Dickies Quebec Lined Black

Fully laced, with side zip for easy removal
Steel toe cap
Steel midsole
Antistatic and energy absorbing for the toughest of environments
Mock fur lined for added warmth and comfort
Slip and oil resistant sole
Leather Upper

Available in sizes 6 to 12



V Tech Grizzly Safety Rigger

Tan

Lightweight Composite Toe Protection
Steel Midsole.
Dual Density Anti Shock
PU/Rubber Sole Unit. Antistatic
Oil Resistant Outer Sole
Cushioned Insole. Fleece Lined

Available in sizes 7 to 12



V Tech Rawhide Safety Dealer

Crazy horse brown

steel toe boot
Upper: oiled leather
Lining: cambrelle
Sole: goodyear welted rubber

Available in sizes 6 to 12



Dickies Graton Safety Boots

Honey

Features:
Steel toe-cap (200 Joules).
Non-metallic midsole plate for underfoot protection.
Breathable mesh lining.
Cemented rubber outsole with EVA insert.
Heat resistant outsole to 300°C.
Upper: Nubuck leather

Available in sizes 5½ to 12

Safety Boots



V Tech Tomahawk Safety Rigger

Waterproof and breathable
Rugged heel support
Padded ankle support
Thinsulate temperature control;
keeps feet warm up to -20 degrees
and cool in the summer

Available in sizes 6 to 12



V12 Rocky IGS Safety Hiker

Full grain cow hide leather
Breathable membrane
Highly functional and comfortable
Waterproof zip for easy access
Composite toe cap and midsole
Scuff cap, Tough ankle support
Heat resistant, Waterproof
and breathable. Anti static

Available in sizes 7 to 12



Redback USBOK

Brown

Redback USBOK. Made in Australia.
These practical UNIXE (STEEL TOE)
Work boots are extremely comfortable
& durable. The outsole is waterproof &
the air-cushioned sole cushions every
step you take. Heavy-duty straps and
elastics. 2.5-2.8mm strong cowhide
leather upper. With comfort insoles

Available in sizes 7 to 12



Dickies Cameron Safety Boot

Brown

Smart & durable safety boot. Composite
toe-cap & non-metallic midsole anti-
penetration protection. Padded collar &
tongue with removable foam insole will
give all round comfort whilst the
waterproof membrane will ensure you
stay dry. Outsole that is slip resistant
to SRC standards. Fuel & oil resistant.

Available in sizes 6 to 12



Dickies Donegal Safety Boots

Honey

Lightweight. Steel toe cap to
EN20345(200 joules) and steel
midsole for underfoot protection.
Dual density PU/PU outsole, oil resistant
outsole. SRA slip resistant
Energy absorbing sole. Removable EVA
insole. Type of protection: Anti Static

Available in sizes 4 to 12



Dickies Fife Safety Dealer Boots

Features our exclusive Dickies DTW sole
unit, which offers SRA slip resistance and is
300°C heat resistant. Steel protection within
the toe-caps and midsoles, manufactured
using Goodyear welted construction.
Breathable cambrelle lining & a foam insock
(for comfort). 2nd generation of this boot &
a very popular product from the footwear
collection.

Available in sizes 6 to 12



Shoe - V Tech Fastlane Safety Trainer

Black

Safety Trainer with lightweight composite toe
cap, protective midsole, heat resistant &
anti static. Deep padded lining wicks away
moisture from the foot and dual shock
absorbing footbed cushions every step

Available in sizes 7 to 12



Shoe - Clifton Safety

Black

Dickies Clifton Super Safety Shoes steel
midsoles and steel toe-cap for maximum
protection. Comfortable leather upper with
padded collar. Steel midsole for underfoot
protection. Smart and ideal for the office
where safety footwear is required.

Available in sizes 7 to 12

Chainsaw Boots



Oregon Yukon II Chainsaw Rubber Boots

Black

Oil and slip resistant rubber sole
Reflective strip
Manufactured from 70 percent
natural rubber and 30 percent
Styrene Butadiene rubber
Comfortable cotton lining
Soft and supple
Bright orange: be safe, be seen!
Shock absorbent heel
Easy-fastening lace up system

Available in sizes 7.5 - 12



Treehog Extreme Chainsaw Boot, Class 2

Black

Scuff Resistant Leather Upper
Padded Cordura Collar
Steel toecap resistant to 200 joules
Composite anti-perforation midsole
Polyurethane injected sole unit for
comfort & flexibility
Removable comfort footbed
EN ISO 17249 Class 2

Available in sizes 7 - 12



Scafell Lite Chainsaw Boot

Brown

24m/s chainsaw protection
EN ISO 17249.
Vibram Sole Unit.

100 waterproof and breathable.
Steel Toe Cap and
anti-perforation midsole.
Speed roller ball lacing system.
Comfort Breathable insole.
Padded collar and tongue insert.

Available in sizes 7 - 12



SA2007
Hi-Vis
Two Tone Softshell

£49⁹⁹



JW7017
Wakefield Jacket

£49⁹⁹



SA2008
Hi-Vis Joggers

£18⁹⁹



EH26801
Eisenhower
Extreme Trousers

£34⁹⁹



FD9214A
Fife II
Dealer Safety Boot

£49⁹⁹



SH5000
Portland Shirt

£28⁹⁹



FD23310
Medway Safety Hiker

£52⁷⁵





Grafters Chelsea Boots

Conker Brown

Popular choice for every day work boot
Smooth real leather upper
Leather quarter lining
Air cushioned PVC sole
Twin finger loops for easy pull on
Slip on closure

Available in sizes 6 - 12



Johnscliff Adventure Hiking Boot

Brown

Brown/Burgundy Real Suede/Nylon
Hiking Boot
Jontex Waterproof & Breathable Membrane
Water Resistant Treated Upper
Rubber/Phylon Sole

Available in sizes 4 - 7



Johnscliff Scout Hiking Boot

Olive/Black

Olive/Black Real Suede/Nylon
Hiking Boot
Jontex Waterproof & Breathable Membrane
Water Resistant Treated Upper
Rubber/Phylon Sole

Available in sizes 6 - 12



Johnscliff Canyon Hiking

Brown

Johnscliff Canyon Hiking Boots are made from a Jontex weatherproof and breathable membrane, with a rubber / phylon sole for extra grip and comfort.

Upper leather
Textile lining

Available in sizes 5 - 12



V-Tech Rancher Dealer

Brown

One of the strongest elastic-sided non-safety boots currently available on the market
Easy clean material - wipeable
Reinforced pull-on loops
Leather sided panels
Triple stitched seams
Bound top band
Durable, water resistant and breathable
Goodyear welted sole

Available in sizes 5 - 12



Roamers Brown Leather Gusset Boots

Brown

Leather Gusset Boot
Padded Upper
Leather Quarter Lining
Fuller Fitting
Flexi TR Sole

Available in sizes 7 - 12



Woodland Utility Boot, Brown Crazy Horse

Brown

Crazy Horse Leather
6 Eye Utility Boot
Textile Lining
Padded Collar
Goodyear Welted Rubber Sole

Available in sizes 7 - 12



Dunlop Budget

Green

Dunlop green budget wellies with PVC upper and sole, ideal for general use. Average leg length: 36cm
Available in sizes 3 - 12



Woodland Green

Country Estate Woodland Green wellie boots are a quality unisex wellington with a robust rubber sole and textile lining. Regular Fitting
Average leg length: 37 - 40cm
Available in sizes 4 - 11



Dunlop Purofort Plus

Green

Improved fit
Moisture absorbing insole
Chemical resistant
Waterproof
Advanced slip resistance
Thermally insulated
No steel parts
Available in sizes 5 - 12



Dunlop Purofort Plus Safety

Green

Available in sizes 5 - 12



Landmaster Pro Safety Wellington

Black/Red

Available in sizes 6 - 12



Nora Dolomite

Green

Tractor tread sole for extra grip.
Resistant to acids, manure, fertilisers, sprays, animal fats, grease, oils and benzine. Suitable for professional agriculture including dairy.
Unlined for easy sterilisation.
Unisex
Available in sizes 7 - 12



Dunlop Safety

Green

Dunlop Protomaster Safety Wellington Boots are a comfortable, unisex, steel toe cap wellies with slip resist, anti-static, shock absorbant, oil and heat resistant soles.
Complies to EN 20345 S5 P A FO E WRU WR SRA CI Safety Standards
Steel toe and midsole protection
13.5 inch (34cm) leg
Upper: PVC
Lining: Textile
Sole: Nitrile Rubber
Made in Portugal
Available in sizes 5 - 12



Percussion Sologne Neoprene Wellingtons

Moss green

Waterproof natural rubber with 4mm neoprene lining.
Removable insole.
Gusset with adjustable strap to ease putting on and taking off.
Non Slip rubber sole with wide tread, anti-torsion steel reinforcement, high quality cushioning.
Available in sizes 6 - 12



A selection of Boot bags, boot scrapers and brushes also available in store





Childrens Wellingtons

Green

General purpose Dunlop wellies for children, Wash / wipe lining
Average leg length: 23 - 31cm
Easy clean PVC cleated Sole
Available in sizes 7 - 1



Grubs Frostline 5.0

Black

FROSTLINE 5.0™ is insulated and waterproof, with excellent grip, made for all day comfort.
5MM INSU-FOAM ULTRA™ – gives all round foot comfort and insulation.
6mm NITROCELL™ footbed – provides a soft cushioning for an athletic shoe feel. A million microscopic nitrogen bubbles that insulate the wearer from cold surfaces.
UNDERFOOT CHASSIS™ – give a sure footed platform.
HEXZORB™ technology – absorbs heel strike shock for daylong comfort.
SUPERDRI™ lining – is hard wearing, wicks moisture away from the wearer's foot to prevent a sweaty and uncomfortable feel. It is fungus and rot proof so will not smell like cotton-lined boots.

TRAX™ outsole – superior grip on a variety of surfaces. The tread is designed to work with the action of COMFORT RATING – -20°C to +20°C.

Available in sizes 4 - 8



Woodland Neoprene Lined Wellingtons

Green

Woodland Gusset wellingtons are Neoprene lined for warmth and come with an adjustable side buckle for the perfect fit.
Quality Waterproof Rubber Upper.
Tread Grip Sole.
Thermal Neoprene Lining & Cushioned Insole.

Available in sizes 6 - 12



Childrens Wellingtons

Blue/Red Digger

Children's wellies with a fun digger design.
Digger kids puddle wellington
Average leg length: 16cm
PVC Sole

Available in sizes 7 - 9



Aigle Parcoures ISO 2

Aigle Parcoures 2 ISO is designed rubber wellington boot for cold weather, inspired by top of the range hiking boot technology, complete with neoprene lining and fitted to the ankle for great walking support. Aigle Parcoures 2 ISO wellies are synonymous with the Aigle brand and offer a very similar style to the original Parcoures, but with a few subtle changes.

Created to support the natural roll of the foot; sole limits the impact on the heel, optimising movement
Twice the energy absorption capacity of the European standard

Twice the grip of the original Parcoures
Evaluated by a European panel of hunters, farmers, professional ecologists and forest rangers
Shock absorbing, anti-fatigue technology
Triple density anti-fatigue sole
Optimal comfort and heel to to transition, shock absorption and foot stability
Abrasion resistant outsole
360 degree high grip lugs and "paw" grip
Shank for better stability

Available in sizes 4 - 12



Grubs Fenline 5.0

Moss Green

Updated in Autumn/Winter 2018 to make it more durable & hardwearing for farmers who need day long comfort. Designed with warmth, grip and comfort to ensure it is one of the best agricultural boots on the market.
New TREDZ™ (DURAPRENE™ rubber) outsole

– gives superior grip on a variety of surfaces, the tread is designed to work with soft ground, mud and snow. The addition of moulded sipping to the outer tread means FENLINE 5.0™ is equally at home on wet yards.

6mm NITROCELL™ footbed – provides a soft cushioning for an athletic shoe feel. A million microscopic nitrogen bubbles that insulate the wearer from cold surfaces.

5MM INSUFOAM-ULTRA™ NEOPRENE WITH CALF HEIGHT RUBBER – for comfort & warmth
HEXZORB™ technology – absorbs heel strike shock for daylong comfort.

SUPERDRI™ lining – is a hard wearing, wick moisture away from the wearer's foot to prevent a sweaty & uncomfortable feel. It is fungus & rot proof so will not smell like cotton-lined boots.
Unique HARD TOE™ TECHNOLOGY AND REINFORCED HEEL – reinforced toecap and heel protects the wearer during daily activities.
COMFORT RATING – -20°C to +20°C.

Available in sizes 6 - 12



Dunlop Garden Shoe

Green

Dunlop Unisex Gardening Shoes are an ideal lightweight alternative to full wellies and easy to slip on and off.

Unisex Clog / Gardening Shoe
PVC Sole

CE, no steel parts

Available in sizes 4 - 11



Six ways to get it to the Job or Home



RESERVE AT STORE

Select your goods at the store and tell us you want to reserve them.

Pay for the goods in store.

We will reserve the goods in store for two days, sorry but due to space restriction we cannot reserve any longer.

Arrange your own transport and collect, please ensure you bring your receipt.



RING & RESERVE

Simply call your local store, and tell us what goods you want.

Payment for the goods will be taken at your chosen store on collection.

We will reserve the goods in store for two days, sorry but due to space restriction we cannot reserve any longer.



Click & Collect

Simply visit our website at www.tfmsuperstore.co.uk Select click & collect from the home page, and complete the details in full.

We will contact you within 2 hours and confirm stock availability and the price.

We will reserve the goods in store for two days, sorry but due to space restriction we cannot reserve any longer.

Payment for the goods will be taken at your chosen store on collection.



LOCAL VAN DELIVERY

We will contact a local independent delivery company in store

You simply agree a delivery day and the cost, and pay this to the delivery company direct on the day.

Pay for the goods in full at the store

We will reserve the goods at store and load the delivery van as arranged on the day.



CRANE OFF LOAD

Crane off load up to 2.5 ton vehicle capacity

Restrictions apply on areas and days we deliver on. Please check at store

Delivery charges (are based on order value)

Up to £100 = £30 delivery charge

£100 to £500 = £20 delivery charge

Over £500 = FREE



DIRECT TO JOB

We can offer direct to the Job deliveries on many of our products, when you purchase in quantity.

Just ask a member of our team for more details.



Product Support

Contents



Product Support	140
Servicing	141
Parts	142
Chainsaw - Chain & File Guide	143
Chain Identification	144
Hydraulics & Fuel	145
Tool Hire	146



Product Support

Our in-house product support team offer repairs, service and spares for machines and brands sold by TFM

What we do:



Service & repairs:

Mowers • Chainsaws • Garden Machinery
Electric Fencers • Clippers • Bird Scarers



Sharpening:

Sheep / Horse Clippers • Chainsaws
Hedge trimmers • Shears • Mower Blades



Hydraulic Hose



Tool Hire



Key Cutting



Spare Parts



Red Diesel



Calor Gas



Machines can be dropped off at your local store, along with details of due work that you require.

Our team of trained experts will carry out the work and then return it to store for your collection.

Quick, convenient and reliable.

Buying your tools and equipment from TFM gives you the peace of mind that they can be maintained, repaired and supported throughout your ownership by the company that sold them.

✓ Repairs ✓ Service ✓ Spares ✓ Hire

For machines, brands & products sold by TFM

"Delivered to and collected from your local TFM store"

For full details call our **Product Support Centre on 01746 78400**

Pedestrian Mower Service (Self Propelled) (70683)

Service Self Propelled Pedestrian Mower as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of blade boss and cutting blade, sharpen and balance as required. Check condition of bearings and belts. Check wheels, drive system, rollers and axles. Change engine oil, oil filter and spark plug. Check and clean air filter.

Oil, oil filter and spark plug are included in service price.

Pedestrian Mower Service (Push) (82612)

Service Pedestrian Mower as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of blade boss and cutting blade, sharpen and balance as required. Check condition of bearings and belts. Check wheels, rollers and axles. Change engine oil, oil filter and spark plug. Check and clean air filter.

Oil, oil filter and spark plug are included in service price

Ride-On-Mower Service (67067)

Service Ride-On-Mower as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of blade boss and cutting blade, sharpen and balance as required. Check condition of bearings and belts. Check equal tyre pressures. Change engine oil, oil filter and spark plug. Check and clean air filter.

Oil, oil filter and spark plug are included in service price.

Chainsaw Service (70684)

Service Chainsaw as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of bar and chain, sharpen chain and dress bar as required. Check condition of clutch and chain brake. Change spark plug. Check and clean air filter.

Spark plug is included in service price..

Hedge Cutter Service (70685)

Service Hedge Cutter as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of cutter bar, clean, sharpen and lubricate bar as required. Check condition of drive mechanism and grease. Change spark plug. Check and clean air filter.

Spark plug and grease is included in service price.

Brushcutter Service (70686)

Service Brushcutter as required. Cleaned and lubricated. Visual safety check of all moving parts. Check condition of cutter head/blade. Clean and sharpen blade as required. Check condition of drive mechanism and grease. Change spark plug. Check and clean air filter.

Spark plug and grease is included in service price.

Disc Cutter Service (73975)

Service Disc Cutter as required. Cleaned and lubricated. Visual safety check and adjustment of moving parts. Change spark plug. Replace air filter.

Spark plug and air filter is included in service price.





Parts

Spark Plugs



B2LM (22676)



CMR6H (45094)



BPMR7A (10210)



DCPR6E (72520)



BCPR5ES (15889)



CR5HSB (51090)



NGK Replacement Spark Plug Cap Large LB10EHF (9860)



NGK Replacement Spark Plug Cap Small LB05F (9861)



BR4LM (9882)



BPMR6A (9883)



BM6A (9885)



BM6F (9889)



B6HS (9892)



BPR6ES (9895)

Fuel Pipe

We stock fuel pipe in various sizes, it is available by the metre or per roll. See in store for details.

Chainsaw Chain Endless Loop



Stihl Ch Loop (21-72)
325-058x72 - 36850000072 (41441)

Stihl Ch Loop (73-56)
3/8-058x56 - 36510000056 (41442)

Stihl Ch Loop (73-68)
3/8-058x68 - 36510000068 (41443)

Stihl Ch Loop (73-72)
3/8-058x72 - 36510000072 (41444)

Stihl Ch Loop (90-44)
3/8PM-043x44 - 36100000044 (41445)

Stihl Ch Loop (90-50)
3/8PM-043x50 - 36100000050 (41446)

Stihl Ch Loop (95-72)
325-050x72 - 36840000072 (41448)

Stihl Ch Loop (22-67)
325-063x67 - 36860000067 (41449)

Stihl Ch Loop (75-66)
3/8-063x66 - 36520000066 (41450)

Stihl Ch Loop (75-72)
3/8-063x72 - 36520000072 (41451)

Stihl Ch Loop (91-55)
3/8P-050x55 - 36360000055 (41454)

Stihl Ch Loop (91-52)
3/8P-050x52 - 36360000052 (41455)

Stihl Ch Loop 3/8PM -050x44
(020/200T) - 36360000044 (41734)

Stihl Ch Loop 3/8PM -050x50
(020/200T) - 36360000050 (41735)

Stihl Ch Loop (1/4P-56)
1/4-1.1 - 36700000056 (71035)

Stihl Ch Loop (22-62)
325-063x62 - 36860000062 (64952)

Stihl Ch Loop (22-74)
325-063x74 - 36860000074 (64953)

Stihl Ch Loop (1/4P-64)
1/4-1.1 - 36700000064 (65826)

Stihl Duro Chain
36120000055 (67704)

Husqvarna Chain Loop
581643164 - SP33G Semi Chis (58154)

Stihl Chain Loop Picco Duro 3
(PD3) - 36120000050 (58407)

Stihl Ch Loop (1/4P-72)
1/4-1.1 - 36700000072 (78586)

Stihl Ch Loop RS 1.6
.063, 36210000084 (78963)

Husqvarna Chain Loop
5816431-72 to fit 15" bars. 64 drive links (86719)

Blount Chain Loop
20 BPX 064E (84642)



Key Blanks

We have a large selection of key blanks in stock. See in store for details.

MODEL NUMBER	GUIDE BAR LENGTH	DRIVE LINKS	WIDTH	PITCH	FILE SIZE (MM)
MS150	12	64	1.1	1/4P	3.2
MS160	12	64	1.1	1/4P	3.2
MS170	12	44	1.1	3/8P	4.0
MS171	14	50	1.1	3/8P	4.0
MS180	14	50	1.3	3/8P	4.0
MS181	14	50	1.3	3/8P	4.0
MS193	12	44	1.3	3/8P	5.2
MS200	14	72	1.1	1/4P	3.2
MS201	14	50	1.1	3/8P	4.0
MS211	14	50	1.3	3/8P	4.0
MS231	16	55	1.3	3/8P	4.0
MS241	16	62	1.6	.325	4.8
MS251	16	62	1.6	.325	4.8
MS251	18	68	1.6	.325	4.8
MS261	16	67	1.6	.325	4.8
MS271	16	67	1.6	.325	4.8
MS291	18	74	1.6	.325	4.8
MS362	18	66	1.6	3/8	5.2
MS391	20	72	1.6	3/8	5.2
MS461	25	84	1.6	3/8	5.2
MS462	20	72	1.6	3/8	5.2
MS500i	25	84	1.6	3/8	5.2
MS661	28	91	1.6	3/8	5.2
MS880	30	91	1.6	.404	5.5
MSA120	12	64	1.1	1/4P	3.2
MSA140	12	64	1.1	1/4P	3.2
MSA160	12	64	1.1	1/4P	3.2
MSA200	14	72	1.1	1/4P	3.2
MSE141	12	44	1.1	3/8P	4.0
MSE170	12	44	1.1	3/8P	4.0
MSE210	16	56	1.3	3/8P	4.0
HT101	12	64	1.1	1/4P	3.2
HT103	12	64	1.1	1/4P	3.2
HT133	12	64	1.1	1/4P	3.2
HTA65	12	64	1.1	1/4P	3.2
HTA85	12	64	1.1	1/4P	3.2

MODEL NUMBER	GUIDE BAR LENGTH	DRIVE LINKS	WIDTH	PITCH	FILE SIZE (MM)
135	14	52	1.3	3/8P	4.0
365	20	72	1.5	.325	4.8
372	24	84	1.5	3/8	5.2
435	15	64	1.3	.325	4.8
450	18	72	1.3	.325	4.8
540	15	52	1.3	3/8	5.2
550	15	64	1.5	.325	4.8
560	15	64	1.5	.325	4.8
576	20	72	1.5	3/8	5.2
T540	12	45	1.3	3/8P	4.0





Chain Identification

Part Number: e.g. 3621 000 0060



3621 - Chain Type **000** - Code for STIHL Logistics (packaging) **0060** - Number of Drive Links: 60 in this example

Marketing Number: e.g. 36RSC3

3 - Pitch (3/8") **6** - Gauge (1.6mm) **R** - Basic Type: (Rapid) **S** - Version (Super) **C** - Special Version (Comfort) **3** - Special Version (Humped Drive Link)

Meaning of Digits and Letters

Pitch	File Size (mm)	Drive Link Gauge	Basic Type	Version (Cutter shape)
1 = 1/4" (6.35mm)	4.0	0 = 2.0mm (.080")	P = Picco	M = Micro
2 = 0.325" (8.25mm)	4.8	1 = 1.1mm (.043")	R = Rapid	S = Super
3 = 3/8" (9.32mm)	5.2	3 = 1.3mm (.050")	D = Duro	
4 = 0.404" (10.26mm)	5.5	5 = 1.5mm (.058")		
5 = 1/2" (12.70mm)		6 = 1.6mm (.063")		
6 = 3/8" Picco (9.32mm)	4.0			
7 = 1/4" Picco (6.35mm)	3.2			



STIHL®

Husqvarna®



Hydraulic Hose

This product carries a discount for bulk orders - please call for details



Hydraulic Adaptors



Hydraulic Quick Release Couplings



Hydraulic Seals & Dust Caps



Hydraulic Swage Ferrules



Red Diesel



Tractor Diesel 25lt Pack (71826)

Red diesel supplied in a re-useable 25 litre drum with a screw top. Suitable for a wide range of non-highway uses including tractors, excavators, small plant and machinery.



Tractor Diesel per Litre (15564)

Red diesel supplied in a re-useable 25 litre drum with a screw top. Suitable for a wide range of non-highway uses including tractors, excavators, small plant and machinery.

Available by the Litre from our Stableford, Newport & Ludlow Stores.



While You Wait Repair Service Available at our Stableford Store

Apply For A



EVERYTHING FOR THE FARM & COUNTRYSIDE
AT **STRAIGHTFORWARD** LOW PRICES

Credit Account...

We offer credit accounts to trade and domestic customers.

Application forms are available to download from our website:

www.tfmsuperstore.co.uk





Tool Hire

We offer competitive rates on Day, Weekend and Weekly Hire of a wide range of small tools. Call our Product Support Team on 01746 784000 for more information.



Stihl Long Reach Hedge Cutter

STIHL 4 MIX engine
135" adjustable blade range



Viking Lawn Mower

MB 650 VR
Cutting width: 48 cm
Cutting height: 25-75 mm



Pedestrian Vacuum

will suck up leaves, debris and litter into its collecting bag



Large Plate Compactor



Stihl Hedge Cutter Trimmer

HS45 30" Petrol
750mm (30")
Cutting Blade



Grillo G85D Rotavator

8hp
Working width 510mm (20")



Post Auger (4" / 6")

Perfect for small fencing posts or tree planting.
Bore auger depth 700 mm.
Available with 100mm (4") or 150mm (6") Auger Bit

Small Plate Compactor



Stihl Brushcutter - Strimmer

FS91



Husqvarna Cultivator

5hp
Working width: 640mm (25")



Post Driver

6 Inch two handle post driver steel tube



Turf Cutter

Cuts turf cleanly, quickly and effortlessly; delivering perfect results.
Cutting width 300mm (12").
Cutting depth up to 35mm



Stihl High Level Pruner

HT103



Wheeled Brushcutter

handles overgrowth, from weeds over 2.5m tall, to saplings up to 2cm in diameter, and brush up to 1.8m high



Blower

capable of both blowing and sucking leaves, clippings and litter



Stump Grinder

6hp Engine
3 cutting teeth
Cutting capacity above ground 25cm below ground 23cm



Scarifier

Flail width: 51cm (20")
Depth adjustment 0.3cm - 1.3cm (0.125" - 0.5")



Belle Mixer

Available as 240v / 110v or petrol. 90 litre mixer is ideal for small to medium sized concrete jobs



Chipper 3"

389 cc 13 hp (9.6 kW)
max. dia. r wood 85 mm
input height 1000 mm
input 340 x 420 mm
output height 140 cm
output deflector



Stihl Disc Cutter TS410

Cutting bricks, blocks, concrete, stone, roof tiles or metalwork on-site, these saws are the professional choice. Lightweight and ergonomic



Petrol Log Splitter

10 tonne log splitter. Capable of splitting logs up to 18 inch high and is not limited to the width of logs it can sp



Bird Scarer

To operate the Scatterbird MK3 you will need a 12 volt battery and a cylinder of propane gas (any size).



Trailer

c/w Ramp & Cage Sides



3 Way Ladder

1 STEP LADDER

5 Tread step ladder, the most popular size and double sided
2 EXTENDING LADDER

Extends to 2.67m – provides instant access to high places
3 STAIR LADDER

Essential for safe decoration of stairwells



Generator 3Kva

1 x 16A 240V &
1 x 16A 115V BS4343 sockets
Voltage selector switch



Generator 5Kva

240V & 110V sockets. Features low pressure & fuel warning lights, thermal cut-out & hour meter. Electric start. Fitted with multi-socket outlets and circuit breaker



Bosch Multi-Drill

Drills holes of up to 32mm in diameter in both concrete and masonry



Kango 900k Breaker

suitable for medium to heavy duty breaking works. Typically will break concrete upto a thickness of 4 to 5 inches. Points, chisels and bolster available as required



Transformer

Industrial 110V power tool transformer. 2 x 16 amp and 1 x 32 amp outlets.



Submersible Pump

Can pump over 240L a minute Ideal for draining swimming pools during essential maintenance and cleaning Supplied with discharge hose



Clean Water Pump



Mistrel Pressure Washer

Heavy-duty cleaning solution for large-scale concrete, paving and brick areas. Simply fill up the water tank or bowser, or connect the washer to a mains water supply. & the pressure washer pressurises the water to 2900psi



Electric Jetwash

Powerful and compact. Rotary and fan jet nozzles. Pressure/flow control, central pressure gauge, detergent tank and hose reel.



Space Heater

Ideal for heating large indoor areas such as factories, workshops and garages quickly and economically. Fuelled by paraffin or diesel, Variable heat control with thermostat that raises the temperature of any area to the desired level quickly, efficiently and without fuss. Ideal for localised or full area heating.



EVERYTHING FOR THE FARM & COUNTRYSIDE

AT **STRAIGHTFORWARD** LOW PRICES

Agriculture • Construction • Country Living

Visit our stores or get in touch...



STABLEFORD

Stableford, Nr Bridgnorth, Shropshire WV15 5LN
01746 784000
stableford@tfmsuperstore.co.uk



BRIDGNORTH

Northgate, Bridgnorth, Shropshire WV16 4ER
01746 784020
bridgnorth@tfmsuperstore.co.uk



NEWPORT

Chetwynd End, Newport, Shropshire TF10 7JJ
01952 739250
newport@tfmsuperstore.co.uk



PENKRIDGE

Stone Cross, Penkridge, Staffordshire ST19 5AS
01785 333474
penkridge@tfmsuperstore.co.uk



LUDLOW

Parys Road, Ludlow Business Park, Ludlow SY8 1XD
01584 542000
ludlow@tfmsuperstore.co.uk



BROMSGROVE

Brickhouse Lane, Stoke Prior, Bromsgrove, B60 4LX
01527 831663
bromsgrove@tfmsuperstore.co.uk

www.tfmsuperstore.co.uk